SAFETY DATA SHEET

Revision date: 28-May-2024



Revision Number 1

Section 1: Identification			
Product identifier			
Product Name	AQUASLIP 942		
Product Code(s)	00000054640		
Other means of identification			
Pure substance/mixture	Mixture		
Recommended use of the chemical	and restrictions on use		
Recommended use	Packaging.		
Uses advised against	No information available.		
Details of manufacturer or importer			
Supplier Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia			
Telephone Number: +61 3 9906 3000			
Emergency telephone number			
Emergency telephone number	1 800 033 111 (ALL HOURS)		
Please ensure you refer to the limitations of this S	afety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.		
Section 2: Hazard identification	ation		
Not classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS. GHS Classification Label elements			
Other hazards which do not result in classification Causes mild skin irritation.			

Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
2-Butoxyethanol	111-76-2	1-<10
Non hazardous component(s)	-	to 100

Section 4: First aid measures

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Inhalation	Remove to fresh air. (Call a physician if symptoms occur).
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if symptoms occur.
Skin contact	Wash skin with soap and water. (Call a physician if symptoms occur).
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms	Erythema (skin redness).
Effects of Exposure	No information available.
Indication of any immediate medical attention and special treatment needed	
Note to physicians	Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media		
Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.	
Unsuitable extinguishing media	Not determined.	
Specific hazards arising from the chemical		
Specific hazards arising from the chemical	Not combustible, however following evaporation of the water component of the material, the residual material can burn if ignited. Sealed containers may rupture when heated.	
Special protective actions for fire-fighters		
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin and eyes. Avoid breathing vapors or mists. Stop leak if you can do it without risk. Use personal protective equipment as required. Wash thoroughly after handling.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containme	nt and cleaning up	
Methods for containment	Dike to collect large liquid spills where this is possible.	
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. After cleaning, flush away traces with water.	

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling	Avoid contact with skin and eyes. Avoid breathing vapors or mists. Use personal protection equipment. Wash thoroughly after handling. Minimize contact with air to reduce contamination with mould, fungus, or other organisms which could cause decomposition or spoilage. Maximum Handling Temperature: 25°C. Stir well before use.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	Keep in a dry, cool and well-ventilated place. Keep from freezing. Keep container closed when not in use. Maximum Storage Temperature: 30°C.
Incompatible materials	Strong oxidizing agents.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Chemical name	Australia	New Zealand	ACGIH TLV
2-Butoxyethanol 111-76-2	TWA: 20 ppm TWA: 96.9 mg/m ³ STEL: 50 ppm STEL: 242 mg/m ³	TWA: 25 ppm TWA: 121 mg/m³ Sk*	TWA: 20 ppm

Chemical name	European Union	United Kingdom	Germany DFG
2-Butoxyethanol	TWA: 20 ppm	TWA: 25 ppm	TWA: 10 ppm
111-76-2	TWA: 98 mg/m ³	TWA: 123 mg/m ³	TWA: 49 mg/m ³
	STEL: 50 ppm	STEL: 50 ppm	Peak: 20 ppm
	STEL: 246 mg/m ³	STEL: 246 mg/m ³	Peak: 98 mg/m ³
	*	Sk*	Sk*

Chemical name	Australia	ACGIH	European Union
2-Butoxyethanol	-	200 mg/g creatinine	-
111-76-2			

2-Butoxyethanol: 8hr TWA = 96.9 mg/m³ (20 ppm), 15 min STEL = 242 mg/m³ (50 ppm), Sk

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

'Sk' (skin) Notice - absorption through the skin may be a significant source of exposure. The exposure standard is invalidated if such contact should occur.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls


Engineering controls Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	
Appearance	
Color	
Odor	
Odor threshold	

Property pН pH (as aqueous solution) Melting point / freezing point **Boiling point / boiling range** Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive limits Vapor pressure Vapor density **Relative density** Water solubility Solubility(ies) No data available **Partition coefficient** No data available Autoignition temperature Decomposition temperature No data available Kinematic viscosity No data available Dynamic viscosity 50 mPa.s @25°C

Liquid Translucent Colourless Mild No information available

Values 9-10 (100%) No data available ca. 0°C ca. 100°C Not applicable <1 (n-butyl acetate=1) No data available No data available No data available <17.5 torr @20°C No data available 0.96-1.18 @20°C Miscible in water No data available

Remarks • Method None known None known

None known None known None known None known None known None known None known None known None known None known

Other information

Section 10: Stability and reactivity

<u>Reactivity</u>	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	None. None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Do not freeze.
Incompatible materials	

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon monoxide. Carbon dioxide (CO2).

Section 11: Toxicological information

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	May cause irritation.
Skin contact	Causes mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.
Symptoms	Erythema (skin redness).
Acute toxicity	

Numerical measures of toxicity - Product Information

ATEmix (oral)	>10000 mg/kg
ATEmix (inhalation-vapor)	>20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butoxyethanol	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat)4 h = 486 ppm (Rat)4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes mild skin irritation.			
Serious eye damage/eye irritation	Not classified.			
Respiratory or skin sensitization	No information available.			
Germ cell mutagenicity	No information available.			
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.			
Chemical name		Australia	European Union	IARC
2-Butoxyethanol - 111-76-2		-	-	Group 3

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Chronic effects:	Long term exposure to 2-butoxyethanol can cause blood changes, including anaemia, in rats. Both 2-butoxyethanol and its metabolite, butoxyacetic acid, can cause breakdown of red blood cells, however, in vitro and in vivo tests have shown that human red blood cells are comparatively insensitive to this effect.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
2-Butoxyethanol	-	LC50: =1490mg/L (96h,	-	EC50: >1000mg/L (48h,
		Lepomis macrochirus)		Daphnia magna)
		LC50: =2950mg/L (96h,		
		Lepomis macrochirus)		

Terrestrial ecotoxicity	There is no data for this product.	
Persistence and degradability		
Persistence and degradability	No information available.	
Bioaccumulative potential		
Bioaccumulation	There is no data for this product.	
Component Information		
Chemica	l name	Partition coefficient
2-Butoxye	ethanol	0.81
<u>Mobility</u>		
Mobility	No information available.	
Other adverse effects		

Other adverse effects No information available.

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with federal, state and local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

See section 8 for more information

Section 14: Transport information		
<u>ADG</u>	Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.	
IATA	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.	
<u>IMDG</u>	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Not classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Australian Industrial Chemicals Introduction Scheme (AICIS)

	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
2-Butoxyethanol - 111-76-2		Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
2-Butoxyethanol - 111-76-2	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

International	Inventories
AIIC	

AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial		
	Chemicals or are exempt.		
NZIOC	Contact supplier for inventory compliance status.		
TSCA	Contact supplier for inventory compliance status.		
DSL/NDSL	Contact supplier for inventory compliance status.		
EINECS/ELINCS	Contact supplier for inventory compliance status.		
ENCS	Contact supplier for inventory compliance status.		
IECSC	Contact supplier for inventory compliance status.		
KECL	Contact supplier for inventory compliance status.		
PICCS	Contact supplier for inventory compliance status.		

Legend:

AIIC- Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

.

- EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- **ENCS** Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information			
Supplier Safety Data Sheet 11/ 2023 AQUASLIP is a trademark.			
Reason(s) For Issue:	First Issue Primary SDS		
Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).		
Revision date:	28-May-2024		

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) **Environmental Protection Agency** Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet