SAFETY DATA SHEET

Revision date: 15-Jul-2024



Revision Number 1

Section 1: Identification				
Product identifier				
Product Name	COPPER (I) OXIDE			
Product Code(s)	00000054661			
Other means of identification				
UN number or ID number	3077			
Recommended use of the chemical	and restrictions on use			
Recommended use	Fungicide. Catalyst.			
Uses advised against	No information available.			
Details of manufacturer or importer	-			
Supplier IXOM Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia Telephone Number: +61 3 9906 3000				
Emergency telephone number				
Emergency telephone number	1 800 033 111 (ALL HOURS)			
Please ensure you refer to the limitations of this S	Safety Data Sheet as set out in the "Other Information" section at the	end of this Data Sheet.		
Section 2: Hazard identific	ation			
Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.				
Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.				
GHS Classification				
Acute toxicity - Oral		Category 4		
Acute toxicity - Inhalation (Dusts/Mists) Category 4		Category 4		

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1



Signal word DANGER

Hazard statements

H302 - Harmful if swallowed
H318 - Causes serious eye damage
H332 - Harmful if inhaled
H335 - May cause respiratory irritation
H373 - May cause damage to organs through prolonged or repeated exposure
H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Do not breathe dusts or mists. Wash face, hands and any exposed skin thoroughly after handling. Wash eyes thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/clothing and eye/face protection. Avoid release to the environment. **Precautionary Statements - Response** Get medical advice/attention if you feel unwell. Specific treatment (see First aid on this SDS). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Rinse mouth.

Collect spillage.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Other hazards which do not result in classification

Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Copper (I) oxide	1317-39-1	98
Copper (II) oxide	1317-38-0	1

1

Copper

7440-50-8

Section 4: First aid measures

Description of first aid measures

Description of first aid measures	
General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician.
Skin contact	Wash skin with soap and water. (Call a physician if symptoms occur).
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Avoid contact with eyes. Use personal protective equipment as required. See section 8 for more information.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing.
Effects of Exposure	No information available.
Indication of any immediate medica	I attention and special treatment needed
Note to physicians	Treat symptomatically. Can cause corneal burns.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Non-combustible.

Special protective actions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. **precautions for fire-fighters**

Hazchem code 2Z

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Do not breathe dust. Avoid contact with skin and eyes. Ensure adequate ventilation. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Use personal protective equipment as required. Wash thoroughly after handling.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Refer to protective measures listed in Sections 7 and 8.
Methods and material for containme	nt and cleaning up
Methods for containment	Do not touch or walk through spilled material. Keep out of drains, sewers, ditches and waterways.
Methods for cleaning up	Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. Prevent product from entering drains. After cleaning, flush away traces with water.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes or clothing. Avoid breathing dust or spray mist. Avoid generation of dust. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Use personal protection equipment. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. Reacts with water.
General hygiene considerations	Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store away from foodstuffs. Keep out of the reach of children. Keep container closed when not in use.
Incompatible materials	Strong oxidizing agents.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Chemical name	Australia	New Zealand	ACGIH TLV
Copper (II) oxide	-	TWA: 0.01 mg/m ³	TWA: 1 mg/m ³ Cu dust and
1317-38-0			mist
Copper	TWA: 1 mg/m ³	TWA: 0.01 mg/m ³	TWA: 0.2 mg/m ³ fume
7440-50-8	TWA: 0.2 mg/m ³		
Chemical name	European Union	United Kingdom	Germany DFG

Copper (II) oxide	-	TWA: 1 mg/m ³	TWA: 0.01 mg/m ³
1317-38-0		STEL: 2 mg/m ³	Peak: 0.02 mg/m ³
Copper 7440-50-8	-	TWA: 1 mg/m ³ TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³ STEL: 2 mg/m ³	TWA: 0.01 mg/m ³ Peak: 0.02 mg/m ³

Copper dusts & mists (as Cu): $8hr TWA = 1 mg/m^3$ Copper (fume): $8hr TWA = 0.2 mg/m^3$

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls


Eyewash stations. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements. Apply technical measures to comply with occupational exposure limits.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Solid Powder Red Brown Weak No information available	
Property_	Values	Remarks • Method
pH	Not applicable	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	>350°C	
Boiling point / boiling range	No data available	
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	
Vapor density	No data available	
Relative density	No data available	
Water solubility	No data available	
Solubility(ies)	Insoluble in water	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

Section 10: Stability and reactivity

Reactivity	
Reactivity	Reacts with water.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Avoid exposure to air. Avoid exposure to moisture. Heat. Do not contaminate food or feed stuffs. Contact with foodstuffs.
Incompatible materials	

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Oxides of copper.

Section 11: Toxicological information

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	Irritating to respiratory system. Harmful if inhaled.
Eye contact	Causes serious eye damage.
Skin contact	May cause irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing.

Acute toxicity .

Numerical measures of toxicity - Product Information

On basis of test data		
Oral LD50	ca. 460	mg/kg (rat)
Inhalation LC50	ca. 3.3	mg/l (4 hr) (rat)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Copper (II) oxide	-	> 2000 mg/kg (Rat)	-
Copper	-	-	> 5.11 mg/L (Rat)4 h
Can anotion AC for torman and abbrevia	liana	*	

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.

Reproductive toxicity	No information available.
STOT - single exposure	May cause respiratory irritation.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Keep out of waterways. Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Copper	EC50: 0.0426 - 0.0535mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.031 - 0.054mg/L (96h, Pseudokirchneriella subcapitata)	LC50: 0.0068 - 0.0156mg/L (96h, Pimephales promelas) LC50: <0.3mg/L (96h, Pimephales promelas) LC50: =0.2mg/L (96h, Pimephales promelas) LC50: =0.052mg/L (96h, Oncorhynchus mykiss) LC50: =1.25mg/L (96h, Lepomis macrochirus) LC50: =0.3mg/L (96h, Cyprinus carpio) LC50: =0.112mg/L (96h, Poecilia reticulata)		EC50: =0.03mg/L (48h, Daphnia magna)

Terrestrial ecotoxicity	There is no data for this product.
Persistence and degradability Persistence and degradability	No information available.
Bioaccumulative potential Bioaccumulation	There is no data for this product.
<u>Mobility</u> Mobility Other adverse effects	No information available.

Other adverse effects

No information available.

Section 13: Disposal considerations

Waste treatment methods	
Waste from residues/unused products	Dispose of in accordance with federal, state and local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

See section 8 for more information

Section 14: Transport information		
ADG	Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.	
	Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.	
UN number or ID number Proper shipping name	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS COPPER (I) OXIDE)	
Transport hazard class(es) Packing group Hazchem code	9 III 2Z	
IATA	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.	
UN number UN proper shipping name	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS COPPER (I) OXIDE)	
Transport hazard class(es) Packing group	9 III	
IMDG	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.	
UN number UN proper shipping name	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS COPPER (I) OXIDE) MARINE POLLUTANT	
Transport hazard class(es) Packing group IMDG EMS Fire IMDG EMS Spill Marine pollutant	9 III F-A S-F P	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poison Schedule Number** 6

Australian Industrial Chemicals Introduction Scheme (AICIS)

Contact supplier for inventory compliance status

	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Copper (II) oxide - 1317-38-0	Present	-
Copper - 7440-50-8	Present	-

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

National pollutant inventory

Subject to reporting requirement	
Chemical name	National pollutant inventory
Copper (II) oxide - 1317-38-0	10 tonne/yr Threshold category 1
	2000 tonne/yr Threshold category 2b
	60000 MWH Threshold category 2b
	20 MW Threshold category 2b
Copper - 7440-50-8	10 tonne/yr Threshold category 1
	2000 tonne/yr Threshold category 2b
	60000 MWH Threshold category 2b
	20 MW Threshold category 2b

International Inventories AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.
NZIoC	Contact supplier for inventory compliance status.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.

ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.

Legend:

AIIC- Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

- **ENCS** Japan Existing and New Chemical Substances
- **IECSC** China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information

Supplier Safety Data Sheet 03/ 2021

Reason(s) For Issue:	First Issue Primary SDS
Prepared By	This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services).
Revision date:	15-Jul-2024

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Leaend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since IXOM Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their IXOM representative or IXOM Operations Pty Ltd at the contact details on page 1.

IXOM Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet