# **SAFETY DATA SHEET**



Revision date: 30-Oct-2024

**Revision Number** 1

# Section 1: Identification

**Product identifier** 

Product Name DSP 3002

**Product Code(s)** 000000054706

Other means of identification

UN number or ID number 3342

Recommended use of the chemical and restrictions on use

Recommended use Mineral flotation agent.

**Uses advised against**No information available.

Details of manufacturer or importer

Supplier

IXOM Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia

Telephone Number: +61 3 9906 3000

### Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

# Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

## **GHS Classification**

Self-heating substances and mixtures	Category 2
Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

### Label elements



### Signal word WARNING

#### **Hazard statements**

H252 - Self-heating in large quantities; may catch fire

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H319 - Causes serious eye irritation

### **Precautionary Statements - Prevention**

Keep cool. Protect from sunlight.

Wash hands thoroughly after handling.

Wash eyes thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/clothing and eye/face protection.

# **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

Wash contaminated clothing before reuse.

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

Rinse mouth.

In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish...

### **Precautionary Statements - Storage**

Maintain air gap between stacks or pallets.

Store away from other materials.

### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

## Other hazards which do not result in classification

Contact with water liberates toxic gas.

May form combustible dust concentrations in air.

Harmful to aquatic life.

# Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Potassium amyl xanthate	2720-73-2	30-60
Sodium isobutyl xanthate	25306-75-6	30-60
Sodium ethyl xanthate	140-90-9	30-60
Sodium hydroxide	1310-73-2	<1
Potassium hydroxide	1310-58-3	<1
Other component(s)	-	to 100

# Section 4: First aid measures

**Description of first aid measures** 

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If

breathing is irregular or stopped, administer artificial respiration. Call a physician

immediately.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do

not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention immediately if symptoms occur.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get medical attention if irritation develops and persists.

Ingestion Clean mouth with water. Drink 1 or 2 glasses of water. Get medical attention if symptoms

occur.

#### Most important symptoms and effects, both acute and delayed

Symptoms Irritation. May cause redness and tearing of the eyes. Erythema (skin redness).

**Effects of Exposure** No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

## Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Coarse water spray. Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical

Substances liable to spontaneous combustion. Most organic dusts are combustible and according to the circumstances under which the combustion process occurs, such materials may cause fires and/or dust explosions. Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (includingsecondary explosions). Dusts in the form of a cloud are only ignitable over a range of concentrations; in principle, the concepts of lower explosive limit (LEL) and upper explosive limit (UEL) are applicable to dust clouds but only the LEL is of practical use; - this is because of the inherent difficulty of achieving homogeneous dust clouds at high temperatures (for dusts the LEL is often called the "Minimum Explosible Concentration", MEC).

When processed with flammable liquids/vapors/mists, ignitable (hybrid) mixtures may be formed with combustible dusts. Ignitable mixtures will increase the rate of explosion pressure rise and the Minimum Ignition Energy (the minimum amount ofenergy required to ignite dust clouds - MIE) will be lower than the pure dust in air mixture. The Lower Explosive

Limit (LEL) of the vapour/dust mixture will be lower than the individual LELs for the

vapors/mists or dusts.

Page 3/13

Usually the initial or primary explosion takes place in a confined space such as plant or machinery, and can be of sufficient force to damage or rupture the plant. If the shock wave from the primary explosion enters the surrounding area, it will disturb any settled dust layers, forming a second dust cloud, and often initiate a much larger secondary explosion. All large-scale explosions have resulted from chain reactions of this type. Dry dust can be charged electrostatically by turbulence, pneumatic transport, pouring, in exhaust ducts and during transport. Build-up of electrostatic charge may be prevented by bonding and grounding. Powder handling equipment such as dust collectors, dryers and mills may require additional protection measures such as explosion venting. A sudden release of statically charged materials from storage or process equipment, particularly at elevated temperatures and/ or pressure, may result in ignition especially in the absence of an apparent ignition source. One important effect of the particulate nature of powders is that the surface area and surface structure (and often moisture content) can vary widely from sample to sample, depending on how the powder was manufactured and handled which means that it is virtually impossible to use flammability data published in the literature for dusts. Spontaneously combustible. On burning will emit toxic fumes, including those of oxides of carbon. Avoid all ignition sources. Dusts or fumes may form explosive mixtures in air. Most organic dusts are combustible and according to the circumstances under which the combustion process occurs, such materials may cause fires and/or dust explosions. Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions). Dusts in the form of a cloud are only ignitable over a range of concentrations; in principle, the concepts of lower explosive limit (LEL) and upper explosive limit (UEL) are applicable to dust clouds but only the LEL is of practical use; - this is because of the inherent difficulty of achieving homogeneous dust clouds at high temperatures (for dusts the LEL is often called the "Minimum Explosible Concentration", MEC).

When processed with flammable liquids/vapors/mists, ignitable (hybrid) mixtures may be formed with combustible dusts. Ignitable mixtures will increase the rate of explosion pressure rise and the Minimum Ignition Energy (the minimum amount of energy required to ignite dust clouds - MIE) will be lower than the pure dust in air mixture. The Lower Explosive Limit (LEL) of the vapour/dust mixture will be lower than the individual LELs for the vapors/mists or dusts.

Usually the initial or primary explosion takes place in a confined space such as plant or machinery, and can be of sufficient force to damage or rupture the plant. If the shock wave from the primary explosion enters the surrounding area, it will disturb any settled dust layers, forming a second dust cloud, and often initiate a much larger secondary explosion. All large-scale explosions have resulted from chain reactions of this type. Dry dust can be charged electrostatically by turbulence, pneumatic transport, pouring, in exhaust ducts and during transport. Build-up of electrostatic charge may be prevented by bonding and grounding. Powder handling equipment such as dust collectors, dryers and mills may require additional protection measures such as explosion venting. A sudden release of statically charged materials from storage or process equipment, particularly at elevated temperatures and/ or pressure, may result in ignition especially in the absence of an apparent ignition source. One important effect of the particulate nature of powders is that the surface area and surface structure (and often moisture content) can vary widely from sample to sample, depending on how the powder was manufactured and handled which means that it is virtually impossible to use flammability data published in the literature for dusts.

**Hazardous combustion products** 

Carbon disulfide. Hydrogen. Oxides of carbon. Oxides of sulfur.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Hazchem code 1Y

## Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Evacuate personnel

to safe areas. Use personal protective equipment as required. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Do not touch or walk through spilled material. Wash thoroughly after handling. Wear protective gloves/clothing and eye/face protection. Do not

eat, drink or smoke when using this product.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

all unprotected personnel.

**Environmental precautions** 

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment**Stop leak if you can do it without risk. Keep out of drains, sewers, ditches and waterways.

Remove ignition sources. Provide adequate ventilation.

Methods for cleaning up Vacuum or sweep material and place in a disposal container. Avoid generation of dust. Pick

up and transfer to properly labeled containers. Use personal protective equipment as

required. Use non-sparking tools.

# Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid generation of dust. Use personal protection

equipment. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking. All

equipment may need to be explosion-proof based on a risk assessment.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work

area and clothing is recommended. Wash hands and face before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves

and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep away from open flames,

hot surfaces and sources of ignition. Protect from moisture. Keep dry - reacts with water, may lead to drum rupture. Store away from incompatible materials described in Section 10.

Keep container closed when not in use.

**Incompatible materials** Strong acids. Oxidizing agents. Organic solvents.

# Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia. However, Workplace

Exposure Standard(s) for constituents and decomposition product(s):

Chemical name	Australia	New Zealand	ACGIH TLV
Sodium hydroxide 1310-73-2	Peak: 2 mg/m <sup>3</sup>	Ceiling 2 mg/m <sup>3</sup>	-
Potassium hydroxide 1310-58-3	Peak: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

Chemical name	European Union	United Kingdom	Germany DFG
Potassium hydroxide	-	STEL: 2 mg/m <sup>3</sup>	-
1310-58-3		_	

Carbon disulfide: 8hr TWA = 31 mg/m<sup>3</sup> (10 ppm), Sk

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

Peak Limitation - a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

'Sk' (skin) Notice - absorption through the skin may be a significant source of exposure. The exposure standard is invalidated if such contact should occur.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. The exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

### Appropriate engineering controls

#### **Engineering controls**

Apply technical measures to comply with occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



Eye/face protection Goggles.

**Skin and body protection** Wear suitable protective clothing. Boots. Overalls.

Hand protection Impervious gloves.

**Respiratory protection** If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator.

**Environmental exposure controls** No information available.

Thermal hazards No information available.

# Section 9: Physical and chemical properties

### Information on basic physical and chemical properties

Physical state Solid

**Appearance** Powder or Pellets

Color Pale Yellow or Yellow - Grey / Green

Odor Unpleasant Sulfurous
Odor threshold No information available

Property Values Remarks • Method

pHNo data availableNone knownpH (as aqueous solution)No data availableNone knownMelting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone knownFlash pointNot applicable (-30°C for carbonNone known

disulfide vapours)

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative densityNo data availableNone known

Water solubility Soluble

No data available Solubility(ies) None known **Partition coefficient** No data available None known 90°C for carbon disulfide vapours **Autoignition temperature** None known **Decomposition temperature** No data available None known No data available Kinematic viscosity None known None known Dynamic viscosity No data available

Other information

# Section 10: Stability and reactivity

Reactivity

**Reactivity** Hygroscopic: absorbs moisture or water from surrounding air. Contact with water liberates

toxic gas.

Chemical stability

Stability Decomposes on heating. Contact with water liberates toxic gas.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard.

Possibility of hazardous reactions

Possibility of hazardous reactions Can react with water producing carbon disulfide. Can produce hydrogen when in contact

with water. Heating can cause expansion or decomposition of the material, which can lead

to the containers exploding.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. Dust formation. Dispersal of dust in the air. Moisture. Static

discharge (electrostatic discharge).

Incompatible materials

**Incompatible materials** Strong acids. Oxidizing agents. Organic solvents.

Hazardous decomposition products

Hazardous decomposition products Carbon disulfide. Hydrogen. Oxides of carbon. Oxides of sulfur.

# Section 11: Toxicological information

### Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety

Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is

mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** Causes serious eye irritation.

**Skin contact**Causes skin irritation. Harmful in contact with skin. Will liberate carbon disulphide upon

contact with moist skin. Carbon disulphide can be absorbed through the skin with resultant

adverse effects.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if

swallowed.

**Symptoms** Irritation. May cause redness and tearing of the eyes. Erythema (skin redness).

Acute toxicity .

### Numerical measures of toxicity - Product Information

No information available

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium amyl xanthate	= 500 mg/kg (Rat)	-	-
Sodium isobutyl xanthate	= 500 mg/kg (Rat)	< 1000 mg/kg (Rabbit)	-
Sodium ethyl xanthate	= 730 mg/kg (Rat)	< 1000 mg/kg (Rabbit)	= 7690 mg/m <sup>3</sup> (Rat) 2 h
Sodium hydroxide	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-
Potassium hydroxide	= 284 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation. Classification is based on mixture calculation methods based on

component data.

Serious eye damage/eye irritation Causes serious eye irritation. Classification is based on mixture calculation methods based

on component data.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

Chronic effects: This product may liberate carbon disulphide on contact with moist skin. Chronic exposure

to carbon disulphide may produce central and peripheral nervous system, cardiovascular,

gastrointestinal, kidney, eye disorders.

# Section 12: Ecological information

### **Ecotoxicity**

Aquatic ecotoxicity Harmful to aquatic life. Avoid contaminating waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Potassium amyl xanthate	-	LC50: =18mg/L (96h, Oncorhynchus mykiss)	-	-
Sodium isobutyl xanthate	-	LC50: =70mg/L (96h, Oncorhynchus mykiss)	-	-
Sodium ethyl xanthate	-	LC50: 13 - 15mg/L (96h, Oncorhynchus mykiss)	-	-

**Terrestrial ecotoxicity** There is no data for this product.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**000000054706** - **DSP 3002** Revision date: 30-Oct-2024

Revision Number 1

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
Sodium ethyl xanthate	-2.48
Potassium hydroxide	0.83

**Mobility** 

**Mobility** No information available.

Other adverse effects

Other adverse effects No information available.

# Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with federal, state and local regulations.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers. Empty containers should be taken to an approved waste handling site for

recycling or disposal.

See section 8 for more information

# Section 14: Transport information

ADG Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code

(ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number or ID number 3342

Proper shipping name XANTHATES

Transport hazard class(es) 4.2
Packing group III
Hazchem code 1Y

IATA Classified as Dangerous Goods by the criteria of the International Air Transport Association

(IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS. TRANSPORT PROHIBITED under the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air in Passenger and Cargo Aircraft; may be

transported by Cargo Aircraft Only.

UN number 3342

UN proper shipping name XANTHATES

Transport hazard class(es) 4.2
Packing group III

<u>IMDG</u> Classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 3342

UN proper shipping name XANTHATES

Transport hazard class(es) 4.2
Packing group III
IMDG EMS Fire F-A
IMDG EMS Spill S-J

Marine pollutant Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

# Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

See section 8 for national exposure control parameters

### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Contact supplier for inventory compliance status

	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Potassium amyl xanthate - 2720-73-2	Present	-
Sodium isobutyl xanthate - 25306-75-6	Present	-
Sodium ethyl xanthate - 140-90-9		Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.
Sodium hydroxide - 1310-73-2	Present	-
Potassium hydroxide - 1310-58-3	Present	-

#### **Illicit Drug Precursors/Reagents**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

# International Inventories

All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

Contact supplier for inventory compliance status. **NZIoC** Contact supplier for inventory compliance status. **TSCA DSL/NDSL** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS IECSC** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** 

Legend:

**AIIC- Australian Inventory of Industrial Chemicals** 

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# Section 16: Other information

Reason(s) For Issue: First Issue Primary SDS

Prepared By

This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and

SDS Services).

Revision date: 30-Oct-2024

**Revision Note:** 

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

### Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

Page 12/13

Revision date: 30-Oct-2024 Revision Number 1

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

### Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since IXOM Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their IXOM representative or IXOM Operations Pty Ltd at the contact details on page 1.

IXOM Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**