SAFETY DATA SHEET



Revision date: 13-Feb-2025

Revision Number 5

Section 1: Identification

Product identifier

Product Name PEG 300

Product Code(s) 000030235501

Other means of identification

CAS No. 25322-68-3

Synonyms Polyethylene Glycol 300

Recommended use of the chemical and restrictions on use

Recommended use Solvent.

Uses advised against No information available.

Details of manufacturer or importer

Supplier

IXOM Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000

Australia

Telephone Number: +61 3 9906 3000

Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

Section 2: Hazard identification

Not classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail: NON-DANGEROUS GOODS.

GHS Classification

Label elements

Other hazards which do not result in classification

Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Polyethylene glycol	25322-68-3	100%

Section 4: First aid measures

Description of first aid measures

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

Inhalation Remove to fresh air. (Call a physician if symptoms occur).

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also

under the eyelids, for at least 15 minutes. Get medical attention if symptoms occur.

Skin contact Wash skin with soap and water. (Call a physician if symptoms occur).

Ingestion Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.

Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Combustible liquid. May burn with an almost invisible flame in bright light. Most vapors are heavier than air. Vapors may spread along ground and collect in low or confined areas

(sewers, basements, tanks). Pay attention to flashback.

Hazardous combustion products Carbon oxides.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

If safe to do so, remove containers from path of fire. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and inhalation of vapors. Do not touch or walk through spilled

material. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Use personal protective equipment as required. Wash thoroughly after handling.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use a non-combustible material like vermiculite, sand or earth to soak up the product and

place into a container for later disposal.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Avoid breathing vapors or mists. Avoid contact with skin and eyes. Wash thoroughly after

handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Store away from sources of heat or ignition.

Keep container closed when not in use.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and

transport requirements.

Incompatible materials Strong acids. Oxidizing agents.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia.

Chemical name	European Union	United Kingdom	Germany DFG
Polyethylene glycol 25322-68-3	-	-	TWA: 250 mg/m ³ Peak: 500 mg/m ³
20022-00-0			r eak. 500 mg/m

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

 000030235501 - PEG 300
 Revision date:
 13-Feb-2025

 Revision Number
 5

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



Eye/face protection Glasses.

Skin and body protection Protective shoes or boots. Overalls.

Hand protection Impervious gloves.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear an organic vapour

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls No information available.

Thermal hazards No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical stateLiquidAppearanceClearColorColourlessOdorOdourless

Odor threshold No information available

PropertyValuesRemarks• MethodpHNo data availableNone known

pН pH (as aqueous solution) 4-7 (100 g/L, 20°C) None known Melting point / freezing point No data available None known Boiling point / boiling range >220°C None known Flash point 220°C Open Cup **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

<0.01 hPa at 20°C Vapor pressure None known Vapor density >1 (air=1) None known 1.13 at 20°C Relative density None known Water solubility Miscible None known Solubility(ies) No data available None known No data available None known **Partition coefficient** 370°C **Autoignition temperature** None known **Decomposition temperature** >200°C None known

Kinematic viscosity

No data available

None known

Dynamic viscosity

None known

None known

None known

Other information

Section 10: Stability and reactivity

Reactivity

Reactivity Forms explosive mixtures with air on intense heating.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions No information available.

Conditions to avoid

Conditions to avoid Heat, flames and sparks.

Incompatible materials

Incompatible materials Strong acids. Oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

Section 11: Toxicological information

Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety

Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is

mishandled and overexposure occurs are:

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eye contact May cause irritation.

Skin contact May cause irritation.

Ingestion May cause gastrointestinal discomfort if consumed in large amounts.

Symptoms No information available.

Acute toxicity .

Numerical measures of toxicity - Product Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Polyethylene glycol	30200 mg/kg (rat)	>20000 mg/kg (Rabbit)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Not classified.

Serious eye damage/eye irritation Not classified.

Respiratory or skin sensitization Not a skin sensitiser (guinea pig).

Germ cell mutagenicity Not mutagenic in AMES Test.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Polyethylene glycol	-	LC50: >5000mg/L (24h,	3	-
		Carassius auratus)		

Terrestrial ecotoxicity There is no data for this product.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Mobility

Mobility No information available.

 000030235501 PEG 300
 Revision date:
 13-Feb-2025

 Revision Number 5
 5

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Landfill or incineration in accordance with local, state and federal regulations.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers. Empty containers should be taken to an approved waste handling site for

recycling or disposal.

See section 8 for more information

Section 14: Transport information

ADG Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code

(ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

IATA Not classified as Dangerous Goods by the criteria of the International Air Transport

Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS

GOODS.

IMDG Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Not classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail: NON-DANGEROUS GOODS.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Australian Industrial Chemicals Introduction Scheme (AICIS)

Contact supplier for inventory compliance status

	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Polyethylene glycol - 25322-68-3	Present	-

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Polyethylene glycol - 25322-68-3	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

International Inventories

AIIC This material is listed on the Australian Inventory of Industrial Chemicals.

NZIoC Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **TSCA DSL/NDSL** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **EINECS/ELINCS ENCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS**

Legend

AIIC- Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Prepared By

This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and

SDS Services).

Revision date: 13-Feb-2025

Revision Note:

Page 8/9

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate

LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since IXOM Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their IXOM representative or IXOM Operations Pty Ltd at the contact details on page 1.

IXOM Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet