



SAFETY DATA SHEET

FOAMTROL AF2290

1. Identification

Product identifier FOAMTROL AF2290

Other means of identification None.

Recommended use of the chemical and restrictions on use

Restrictions on use Antifoam

Not available.

Company/undertaking identification

SUEZ WATER TECHNOLOGIES & SOLUTIONS PTY

LIMITED

103 Raubers Road, Northgate, QLD 4013 Australia Level 6, 63 Albert Street, Auckland, 1010, New Zealand

Tel: 1800 064 140 (AUS) 0800 945635 (NZ)

Emergency telephone

+61-290372994 (Aust) +64-98010034 (NZ)

2. Hazard(s) identification

Classification of the hazardous chemical

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

Label elements, including precautionary statements

Hazard symbol(s)



Exclamation mark

Signal word Warning

Hazard statement(s) Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life. Harmful to aquatic life

with long lasting effects.

Precautionary statement(s)

Prevention Wash thoroughly after handling. Avoid release to the environment. Wear eye protection/face

protection. Wear protective gloves.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before

reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not

result in classification

None known.

Supplemental information None.







SAFETY DATA SHEET

FOAMTROL AF2290

3. Composition/information on ingredients

Mixtures

Identity of chemical ingredients CAS number and other Concentration of unique identifiers ingredients 1 - < 3

SILICON DIOXIDE, SYNTHETIC, FUMED (AMORPHOUS SILICA) 112945-52-5

4. First-aid measures

Description of necessary first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Continue rinsing. Get medical Eye contact

attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Personal protection for first-aid

responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Symptoms caused by exposure Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Medical attention and special

treatment

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Special protective equipment and precautions for fire

fighters

During fire, gases hazardous to health may be formed.

Move containers from fire area if you can do so without risk. Fire fighting

equipment/instructions

Hazchem code None.

General fire hazards No unusual fire or explosion hazards noted.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all **Environmental precautions**

environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.



Date of preparation: 15 December 2020



SAFETY DATA SHEET

FOAMTROL AF2290

Methods and materials for containment and cleaning up Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Precautions for safe handling Avoid contact with eyes, skin, and clothing. Avoid release to the environment. Observe good

industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

8. Exposure controls and personal protection

Follow standard monitoring procedures. **Control parameters**

Occupational exposure limits

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components Value Type SILICON **TWA** 2 mg/m3 Respirable dust.

DIOXIDE, SYNTHETIC, FUM ED (AMORPHOUS SILICA) (CAS 112945-52-5)

UK. EH40 Workplace Exposure Limits (WELs)

Value **Form** Components **Type** SILICON **TWA** Inhalable dust. 6 mg/m3 DIOXIDE, SYNTHETIC, FUM

ED (AMORPHOUS SILICA) (CAS 112945-52-5)

> 2.4 mg/m3 Respirable dust.

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide

eyewash station and safety shower.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Emulsion Appearance Physical state Liquid. **Form** Liquid. Color White Odor Slight **Odor threshold** Not available.



Date of preparation: 15 December 2020



SAFETY DATA SHEET

FOAMTROL AF2290

pH (concentrated product) 7.5 Neat 8 (5% Solution) pH in aqueous solution

-3 °C Melting point/freezing point

Initial boiling point and boiling

range

Not available.

Not available. Flash point **Evaporation rate** Slower than Ether Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. 18 mmHg Vapor pressure 21 °C Vapor pressure temp. Vapor density < 1 Relative density 1 21 °C Relative density temperature

Solubility(ies)

Solubility (water) 0 %

Not available. **Partition coefficient**

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** 1588 mPa.s **Viscosity** 21 °C Viscosity temperature

Other physical and chemical parameters

Not explosive. **Explosive properties Oxidizing properties** Not oxidizing. 8 (5% Solution) pH in aqueous solution

0°C Pour point 1.001 Specific gravity

VOC 0 % ASTM 3960-93

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Not available. Possibility of hazardous Not available.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with Conditions to avoid

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition No hazardous decomposition products are known.

products

reactions

11. Toxicological information

Information on possible routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Causes skin irritation.





Date of preparation : 15 December 2020



SAFETY DATA SHEET

FOAMTROL AF2290

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to exposure Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Acute toxicity Not known.

Product Species Test Results

FOAMTROL AF2290 (CAS Mixture)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg, (Calculated according to

GHS additivity formula)

Inhalation

LC50 Rat > 20 mg/l, 4 hours, (Calculated according

to GHS additivity formula)

Oral

LD50 Rat > 5000 mg/kg, (Calculated according to

GHS additivity formula)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer. This product is not expected to cause respiratory sensitization.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICON DIOXIDE, SYNTHETIC, FUMED (AMORPHOUS 3 Not classifiable as to carcinogenicity to humans.

SILICA) (CAS 112945-52-5)

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not available.

Specific target organ toxicity -

repeated exposure

Not available.

Aspiration hazard Not an aspiration hazard. Based on available data, the classification criteria are not met.


12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Product Species Test Results FOAMTROL AF2290 (CAS Mixture) **Aquatic** Crustacea 0% Mortality Daphnia magna 1000 mg/l, Static Screen, 48 hour 10% Mortality Daphnia magna 5000 mg/l, Static Screen, 48 hour IC25 Ceriodaphnia 18.5 mg/l, Chronic Bioassay, 7 day LC50 Ceriodaphnia 331 mg/l, Static Renewal Bioassay, 48 hour **NOEL** Ceriodaphnia 156 mg/l, Static Renewal Bioassay, 48 hour 12.5 mg/l, Chronic Bioassay, 7 day Fish 0% Mortality Fathead Minnow 5000 mg/l, Static Bioassay with 48-Hour Renewal, 96 hour



Product: FOAMTROL AF2290 - Page 5 of 8





SAFETY DATA SHEET

FOAMTROL AF2290

| Product | Species | Test Results |
|----------------|---------------|-----------------------------------|
| | Rainbow Trout | 1000 mg/l, Static Screen, 48 hour |
| 100% Mortality | Rainbow Trout | 5000 mg/l, Static Screen, 48 hour |

Bioaccumulative potential

Mobility in soilNo data available for this product.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Environmental fate Harmful to aquatic life with long lasting effects. An environmental hazard cannot be excluded in the

event of unprofessional handling or disposal.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

- COD (mgO2/g) 219
- BOD 5 (mgO2/g) 0
- BOD 28 (mgO2/g) 0
- Closed Bottle Test (% Degradation in 28 days)
- Zahn-Wellens Test (% Degradation in 28 days)
- TOC (mg C/g) 41

13. Disposal considerations

Disposal methods Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

ADG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

15. Regulatory information

Safety, health and environmental regulations

National regulations This Safety Data Sheet was prep

This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the

preparation of Safety Data Sheets for Hazardous Chemicals (May 2018).

Group Standard - Water treatment chemicals - Subsidiary hazard HSR002684

Australia Medicines & Poisons Appendix A

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix B

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix D

Poisons schedule number not allocated.



Date of preparation : 15 December 2020



SAFETY DATA SHEET

FOAMTROL AF2290

Australia Medicines & Poisons Appendix E

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix F

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix G

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix H

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix I

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix J

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix K

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 10

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 2

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 3

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 4

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 5

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 6

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 7

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 8

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 9

Poisons schedule number not allocated.

High Volume Industrial Chemicals (HVIC)

SILICON DIOXIDE, SYNTHETIC, FUMED (AMORPHOUS 10000 - 99999 TONNES See the regulation for additional SILICA) (CAS 112945-52-5) information.

Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Resricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

Restricted Carcinogenic Substances

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.





On inventory (yes/no)*

Yes



SAFETY DATA SHEET

FOAMTROL AF2290

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Country(s) or region

International Inventories

| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
|-------------|--|-----|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| | | |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

NSF Registered and/or meets

United States & Puerto Rico

Registration No. – 147598 Category Code(s):

Inventory name

USDA (according to 1998 quidelines):

G5 Cooling and retort water treatment products

Toxic Substances Control Act (TSCA) Inventory

G7 Boiler, steam line treatment products - nonfood contact

16. Other information

Issue date 15-December-2020

Revision date 15/12/2020
References: No data available

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision information Product and Company Identification: Product and Company Identification

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data

Transport Information: Material Transportation Information

Regulatory Information: Hazard Symbol - Labeling

HazReg Data: Pacific Rim

GHS: Classification



^{*} Trademark of SUEZ. May be registered in one or more countries.