SAFETY DATA SHEET



Revision date: 21-Feb-2024

Revision Number 4

1. IDENTIFICATION OF TH	E MATERIAL AND SUPPLIER	
Product identifier		
Product Name	ZINC DISODIUM EDTA CHELATE	
Product Code(s)	00000017547	
Other means of identification		
CAS No.	14025-21-9	
Synonyms	Zinc disodium EDTA; Ethylenediaminetetraacetic acid, zinc-disodium complex.	
Recommended use of the chemical	and restrictions on use	
Recommended use	Chelating agent.	
Uses advised against	No information available	
Details of the supplier of the safety	data sheet	
Supplier Ixom Operations Pty Ltd (Incorporated in Australia) NZBN: 9429041465226 Address: 166 Totara Street Mt Maunganui South New Zealand		
Telephone Number: +64 9 368 2700 Facsimile: +64 9 368 2710		
For further information, please cont	tact	
Contact Point	Product Safety Department	
Emergency telephone number		
Emergency Telephone	0 800 734 607 (ALL HOURS)	
Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.		
2. HAZARDS IDENTIFICATION		
Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.		
Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.		
GHS Classification		
SIGNAL WORD Warning		

Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020 Approval Number: HSR002503 Serious eye damage/eye irritation

Label elements

Hazard statements H319 - Causes serious eye irritation

Precautionary Statements - Prevention

Wash eyes thoroughly after handling.
Wear eye/face protection
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician
Precautionary Statements - Storage
No storage statements
Precautionary Statements - Disposal
Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
EDTA zinc disodium salt	14025-21-9	>99 - <100

4. FIRST AID MEASURES

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.		
Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.		
Eye contact	In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician if irritation persists.		
Skin contact	Wash skin with soap and water. Get medical attention if irritation develops and persists.		
Ingestion	Clean mouth with water. Drink 1 or 2 glasses of water. Get medical attention if symptoms occur.		
Most important symptoms and effects, both acute and delayed			
Symptoms	Irritation. May cause redness and tearing of the eyes.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Category 2

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the Non-combustible. chemical

Special protective actions for fire-fighters

Special protective equipment for
fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout gear.
Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes, and clothing. Avoid breathing dust or spray mist. Avoid generation of dust. Ensure adequate ventilation. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Use personal protective equipment as required. Wash thoroughly after handling.	
For emergency responders	Clear area of all unprotected personnel. Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Prevent further leakage or spillage if safe to do so. Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material.	
Methods for cleaning up	Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.	
Precautions to prevent secondary hazards		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes, and clothing. Avoid breathing dust or spray mist. Ensure adequate ventilation. Use personal protection equipment. Wash thoroughly after handling.
General hygiene considerations	Avoid contact with skin, eyes, and clothing. Avoid breathing dust / fume / gas / mist / vapours / spray. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and

clothing is recommended.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Keep container closed when not in use.
Incompatible materials	Aluminium.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for particulate(s):

Particulates not otherwise classified: 8hr WES-TWA 10 mg/m³ (inhalable dust) or 3 mg/m³ (respirable dust)

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls


Engineering controls Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, DUST MASK.



Eye/face protection	Goggles.
Hand protection	Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Overalls. Boots.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid	
Appearance	Powder	
Color	White	
Odor	Odourless	
Odor threshold	No information available	
Property	Values	Remarks • Method
pH	6.0-7.0	None known
Melting point / freezing point	Decomposes without melting	None known
Boiling point / boiling range	No data available	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.72 @ 20°C	None known
Water solubility	1000 g/L @ 20 °C	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	315°C @ 1013 hPa	None known
Hyphen	>825°C	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity

Non-reactive under normal conditions of use, storage and transport.

Chemical stability

Stability

Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Contact with water. Moisture.
Incompatible materials	
Incompatible materials	Aluminium.
Hazardous decomposition products	-

Hazardous decomposition products Nitrous gas.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Causes serious eye irritation.
Skin contact	May cause irritation.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.
Symptoms	Irritation. May cause redness and tearing of the eyes.
Acute toxicity	
Numerical measures of toxicity	

On basis of test data			
Oral LD50	>	2000	mg/kg (rat)
Dermal LD50	>	2000	mg/kg (rat)
Inhalation LC50	>	5.16	mg/l (rat)

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Causes serious eye irritation.

Respiratory or skin sensitization	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity Avo	oid contaminating waterways.
-----------------	------------------------------

There is no data for this product. Terrestrial ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
EDTA zinc disodium salt	-	LC50: =685mg/L (96h, Lepomis	-
		macrochirus)	

Persistence and degradability		
Persistence and degradability	No information available.	
Bioaccumulative potential		
Bioaccumulation	Material does not bioaccumulate.	
<u>Mobility</u>		
Mobility in soil	No information available.	
Other adverse effects		
Other adverse effects	No information available.	
13. DISPOSAL CONSIDERATIONS		

Waste treatment methods	
Waste from residues/unused products	Dispose of in accordance with federal, state and local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT	Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.
IATA	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.
IMDG	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand		
National regulations	See section 8 for national exposure control parameters	
International Inventories NZIOC TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AIIC	This material is listed on the New Zealand Inventory of Chemicals. Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. This material is listed on the Australian Inventory of Industrial Chemicals.	
Legend: NZIOC - New Zealand Inventory of Chemicals TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AIIC- Australian Inventory of Industrial Chemicals		
International Regulations		
The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable		
The Stockholm Convention on Persistent Organic Pollutants Not applicable		

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 08/ 2023

Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Issuing Date:	07-Dec-2023
Reason(s) For Issue:	5 Yearly Revised Primary SDS

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend	Section 8: EXPOSURE CONTROLS/PERSONA	AL PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		-

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

<u>Disclaimer</u>

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet