



SAFETY DATA SHEET

Revision date: 05-Jul-2024

Revision Number 3

Section 1: Identification

Product identifier

Product Name STAINLESS STEEL SHOT

Product Code(s) 000000017702

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use For applying with Shot blast machine in blasting process.

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier

IXOM Operations Pty Ltd (Incorporated in Australia)
NZBN: 9429041465226
Street Address: 166 Totara Street
Mt Maunganui South
New Zealand

Telephone Number: +64 9 368 2700

Facsimile: +64 9 368 2710

Emergency telephone number

Emergency Telephone 0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

Section 2: Hazard identification

Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.

Based on available information, not classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS Classification

Label elements

Other hazards which do not result in classification

No information available.

Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Iron	7439-89-6	>60%
Chromium	7440-47-3	16-18%
Nickel (metal)	7440-02-0	1-<10%
Impurities	-	to 100%

Section 4: First-aid measures

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Inhalation	Remove to fresh air. (Call a physician if symptoms occur).
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water. Get medical attention if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms	No information available.
Effects of Exposure	No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

Section 5: Fire-fighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media	Dry chemical.
-------------------------------------	---------------

Unsuitable extinguishing media	No information available.
---------------------------------------	---------------------------

Specific hazards arising from the chemical

Specific hazards arising from the chemical	Non-combustible.
---	------------------

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.
---	---

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wash thoroughly after handling. Do not touch or walk through spilled material. Evacuate personnel to safe areas. Use personal protective equipment as required.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Keep dry. Use personal protection equipment. Wash thoroughly after handling. Keep out of reach of children.

General hygiene considerations Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible materials Strong acids.

Section 8: Exposure controls/personal protection

Control parameters

Exposure Limits No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituents:.

Chemical name	New Zealand	Australia	ACGIH TLV	United Kingdom
Chromium 7440-47-3	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³ inhalable particulate matter	TWA: 0.5 mg/m ³ STEL: 1.5 mg/m ³
Nickel (metal) 7440-02-0	TWA: 0.005 mg/m ³	TWA: 1 mg/m ³	TWA: 1.5 mg/m ³ inhalable particulate	TWA: 0.5 mg/m ³ STEL: 1.5 mg/m ³

			matter	Sk*
Chemical name	New Zealand		ACGIH	
Chromium 7440-47-3	-		0.7 µg/L	
Nickel (metal) 7440-02-0	-		5 µg/L	

Chromium metal: WES-TWA 0.5 mg/m³, rsen
 Chromium (III) compounds, as Cr: 8hr WES-TWA = 0.5 mg/m³
 Nickel elemental or metallic: WES-TWA 0.005 mg/m³, Respirable dust, carcinogen category 2, sen

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

'Sen' Notice - sensitiser. The substance can cause a specific immune response in some people. An affected individual may subsequently react to exposure to minute levels of that substance.

(rsen) - Respiratory sensitiser.

Carcinogen Category 2 - probable human carcinogen. There is sufficient evidence to provide a strong presumption that human exposure may result in the development of cancer. This evidence is generally based on appropriate long term animal studies, limited epidemiological evidence or other relevant information.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls

Natural ventilation should be adequate under normal use conditions. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



Eye/face protection

Glasses.

Hand protection

Impervious gloves.

Skin and body protection

Overalls. Protective shoes or boots.

Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Solid
Appearance	Spherical
Color	Silver White
Odor	No information available
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not applicable	None known
Melting point / freezing point	1371–1482°C	None known
Boiling point / boiling range	2850–3150°C	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	Not applicable	None known
Vapor density	Not applicable	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	930°C	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

Particle characteristics

Section 10: Stability and reactivity

Reactivity

Reactivity	Reacts with strong acids.
-------------------	---------------------------

Chemical stability

Stability	Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
------------------	--

Explosion data

Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.

Possibility of hazardous reactions**Hazardous polymerization** Hazardous polymerization does not occur.**Possibility of hazardous reactions** None under normal processing.**Conditions to avoid****Conditions to avoid** None known based on information supplied.**Incompatible materials****Incompatible materials** Strong acids.**Hazardous decomposition products****Hazardous decomposition products** None known based on information supplied.**Section 11: Toxicological information****Acute toxicity****Information on likely routes of exposure****Product Information** No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:**Inhalation** May cause irritation.**Eye contact** May cause irritation.**Skin contact** May cause irritation.**Ingestion** May cause gastrointestinal discomfort if consumed in large amounts.**Symptoms** No information available.**Acute toxicity**

.

Numerical measures of toxicity

No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Iron	= 30 g/kg (Rat)	-	-
Nickel (metal)	> 9000 mg/kg (Rat)	-	> 10.2 mg/L (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation** No information available.**Serious eye damage/eye irritation** No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	New Zealand	IARC
Chromium - 7440-47-3	-	Group 3
Nickel (metal) - 7440-02-0	Suspected carcinogen	Group 2B

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Data used to identify the health effects Refer to Section 16 for Key literature references and sources for data used to compile the SDS.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Nickel (metal)	EC50: =0.18mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.174 - 0.311mg/L (96h, Pseudokirchneriella subcapitata)	LC50: >100mg/L (96h, Brachydanio rerio) LC50: =1.3mg/L (96h, Cyprinus carpio) LC50: =10.4mg/L (96h, Cyprinus carpio)	EC50: >100mg/L (48h, Daphnia magna) EC50: =1mg/L (48h, Daphnia magna)

Terrestrial ecotoxicity There is no data for this product.

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Mobility in soil

Mobility No information available.

Other adverse effects

No information available.

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused products Landfill or incineration in accordance with local, state and federal regulations..

Contaminated packaging No information available..

Section 14: Transport information

ROAD AND RAIL TRANSPORT Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.

IATA Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

IMDG Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Special precautions for user

Please refer to the applicable dangerous goods regulations for additional information

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EPA New Zealand HSNO approval code or group standard Not applicable

National regulations There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and controlled substance license requirements Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information
Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information
Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017 for more information

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

NZIoC	All the constituents of this material are listed on the New Zealand Inventory of Chemicals or are exempt.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
TCSI	Contact supplier for inventory compliance status.

Legend:

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC- Australian Inventory of Industrial Chemicals

TCSI - Taiwan Chemical Substance Inventory

Section 16: Other information

Supplier Material Safety Data Sheet 01/ 2012

Prepared By	This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services).
Revision date:	05-Jul-2024
Reason(s) For Issue:	Reissue of an obsolete SDS

Revision Note:

***Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate

LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
**	Hazard Designation	+	Sensitizers
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since IXOM Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their IXOM representative or IXOM Operations Pty Ltd at the contact details on page 1.

IXOM Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet