

# SAFETY DATA SHEET



Revision date: 16-Nov-2023

Revision Number 5

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

### Product identifier

**Product Name** BIO-TERGE PAS-8S

**Product Code(s)** 000000018855

### Other means of identification

**Synonyms** Bioterge PAS 8S

### Recommended use of the chemical and restrictions on use

**Recommended use** Surfactant.  
For industrial use only.

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### Supplier

Ixom Operations Pty Ltd (Incorporated in Australia)  
NZBN: 9429041465226 Address: 166 Totara Street  
Mt Maunganui South  
New Zealand

Telephone Number: +64 9 368 2700

Facsimile: +64 9 368 2710

### For further information, please contact

**Contact Point** Product Safety Department

### Emergency telephone number

**Emergency Telephone** 0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

### GHS Classification

#### **SIGNAL WORD**

Warning

Additives, Process Chemicals and Raw Materials (Combustible) Group Standard 2020

Approval Number: HSR002490

<b>Flammable liquids</b>	Category 4
<b>Skin corrosion/irritation</b>	Category 2

Serious eye damage/eye irritation

Category 2

**Label elements****Hazard statements**

H227 - Combustible liquid

H315 - Causes skin irritation

H319 - Causes serious eye irritation

**Precautionary Statements - Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Wear protective gloves / protective clothing / eye protection / face protection

**Precautionary Statements - Response**

Specific treatment (see First aid on this SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish.

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

**Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

**Other hazards which do not result in classification****3. COMPOSITION/INFORMATION ON INGREDIENTS****Mixture**

Chemical name	CAS No.	Weight-%
Sodium octyl sulfonate	5324-84-5	30-<40
Sodium sulfate	7757-82-6	1-<10
Isopropyl alcohol	67-63-0	1-<10
Other component(s)	-	to 100

**4. FIRST AID MEASURES****Description of first aid measures****General advice**

For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.

**Emergency telephone number**Poisons Information Center, New Zealand: 0800 764 766  
Poisons Information Center, Australia: 13 11 26**Inhalation**

Remove to fresh air. Call a physician if symptoms occur.

<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash skin with soap and water. Call a physician if symptoms occur.
<b>Ingestion</b>	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Get medical attention if symptoms occur.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Irritation. Erythema (skin redness). May cause redness and tearing of the eyes.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

**5. FIRE FIGHTING MEASURES****Suitable Extinguishing Media**

**Suitable Extinguishing Media** Dry chemical, CO<sub>2</sub>, water spray or regular foam.

**Unsuitable extinguishing media** Solid water jet/stream may scatter and spread the fire.

**Specific hazards arising from the chemical**

**Specific hazards arising from the chemical** Combustible liquid. Vapours can form an explosive mixture with air.

**Hazardous combustion products** Oxides of sulfur.

**Special protective actions for fire-fighters**

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Stop leak if you can do it without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid contact with skin and eyes. Avoid breathing vapors or mists. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Use personal protective equipment as required. Wash thoroughly after handling.

**For emergency responders** Use personal protection recommended in Section 8.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Use a non-combustible material like vermiculite, sand or earth to soak up the product and

place into a container for later disposal. After cleaning, flush away traces with water. Never return spill or leaks to original containers for re-use.

#### **Precautions to prevent secondary hazards**

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## **7. HANDLING AND STORAGE**

#### **Precautions for safe handling**

**Advice on safe handling** Avoid contact with skin and eyes. Avoid breathing vapors or mists. Ensure adequate ventilation. Use personal protection equipment. Wash thoroughly after handling.

#### **Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from sources of heat or ignition. Keep in an area equipped with sprinklers. Keep container closed when not in use.

**Incompatible materials** Strong oxidizing agents.

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

**Exposure Limits** No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituent(s):

Isopropyl alcohol: WES-TWA 400 ppm, 983 mg/m<sup>3</sup>; WES-STEL 500 ppm, 1,230 mg/m<sup>3</sup>

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

WES - STEL (Workplace Exposure Standard - Short Term Exposure Limits) - The 15 minute average exposure standard. Applies to any 15 minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both short-term and eight-hour, time-weighted average exposures should be determined.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### **Appropriate engineering controls**

**Engineering controls** Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering

controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, RESPIRATOR.



<b>Eye/face protection</b>	Goggles.
<b>Hand protection</b>	Impervious gloves.
<b>Skin and body protection</b>	Boots. Wear suitable protective clothing. Overalls.
<b>Respiratory protection</b>	If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
<b>Environmental exposure controls</b>	No information available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	Clear
<b>Color</b>	No information available
<b>Odor</b>	No information available
<b>Odor threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	4-6	None known
<b>Melting point / freezing point</b>	-2.78°C	None known
<b>Boiling point / boiling range</b>	No data available	None known
<b>Flash point</b>	77.2°C	None known
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapor pressure</b>	No data available	None known
<b>Vapor density</b>	No data available	None known
<b>Relative density</b>	1.10 @25°C	None known
<b>Water solubility</b>	No data available	None known
<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>	No data available	None known

---

<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	17 cP @25°C	None known
<b><u>Other information</u></b>		
<b>Pour Point</b>	0°C	

## 10. STABILITY AND REACTIVITY

### Reactivity

**Reactivity** Non-reactive under normal conditions of use, storage and transport.

### Chemical stability

**Stability** Stable under normal conditions.

### Explosion data

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** None.

### Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

### Conditions to avoid

**Conditions to avoid** Heat, flames and sparks.

### Incompatible materials

**Incompatible materials** Strong oxidizing agents.

### Hazardous decomposition products

**Hazardous decomposition products** Oxides of sulfur.

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

#### Information on likely routes of exposure

**Product Information** No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** Causes serious eye irritation.

**Skin contact** Causes skin irritation.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

**Symptoms** Irritation. Erythema (skin redness). May cause redness and tearing of the eyes.

### Acute toxicity

**Numerical measures of toxicity****On basis of test data**

Oral LD50 > 5000 mg/kg (rat)

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium sulfate	> 10000 mg/kg ( Rat )	-	-
Isopropyl alcohol	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h

See section 16 for terms and abbreviations

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/eye irritation</b>	Causes serious eye irritation.
<b>Respiratory or skin sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP. (OSHA - Occupational Safety and Health Administration) (IARC - International Agency for Research on Cancer) (NTP - National Toxicology Program).
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

<b>Ecotoxicity</b>	Keep out of waterways.
<b>Terrestrial ecotoxicity</b>	There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Sodium sulfate	-	LC50: 13500 - 14500mg/L (96h, Pimephales promelas) LC50: >6800mg/L (96h, Pimephales promelas) LC50: 3040 - 4380mg/L (96h, Lepomis macrochirus) LC50: =13500mg/L (96h, Lepomis macrochirus)	EC50: =2564mg/L (48h, Daphnia magna) EC50: =630mg/L (96h, Daphnia magna)
Isopropyl alcohol	EC50: >1000mg/L (96h, Desmodesmus subspicatus) EC50: >1000mg/L (72h, Desmodesmus	LC50: =9640mg/L (96h, Pimephales promelas) LC50: =11130mg/L (96h, Pimephales promelas) LC50:	EC50: =13299mg/L (48h, Daphnia magna)

	subspicatus)	>1400000µg/L (96h, Lepomis macrochirus)	
--	--------------	---	--

**Persistence and degradability**

**Persistence and degradability** No information available.

**Bioaccumulative potential**

**Bioaccumulation** No information available.

**Mobility**

**Mobility in soil** No information available.

**Component Information**

Chemical name	Partition coefficient
Isopropyl alcohol	0.05

**Other adverse effects**

**Other adverse effects** No information available.

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods**

**Waste from residues/unused products** Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**14. TRANSPORT INFORMATION**

**ROAD AND RAIL TRANSPORT** Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.

**IATA** Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

**IMDG** Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

**15. REGULATORY INFORMATION**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**



**New Zealand**

**National regulations** See section 8 for national exposure control parameters

**International Inventories**

**NZIoC** All the constituents of this material are listed on the New Zealand Inventory of Chemicals.  
**TSCA** Contact supplier for inventory compliance status.  
**DSL/NDSL** Contact supplier for inventory compliance status.  
**EINECS/ELINCS** Contact supplier for inventory compliance status.  
**ENCS** Contact supplier for inventory compliance status.  
**IECSC** Contact supplier for inventory compliance status.  
**KECL** Contact supplier for inventory compliance status.  
**PICCS** Contact supplier for inventory compliance status.  
**AIIC** All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

**Legend:**

**NZIoC - New Zealand Inventory of Chemicals**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AIIC- Australian Inventory of Industrial Chemicals**

**International Regulations**

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

**16. OTHER INFORMATION**

Supplier Safety Data Sheet 06/ 2019

**Prepared By** This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

**Issuing Date:** 16-Nov-2023

**Reason(s) For Issue:** 5 Yearly Revised Primary SDS

**Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGl(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australian Industrial Chemicals Introduction Scheme (AICIS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
RTECS (Registry of Toxic Effects of Chemical Substances)  
World Health Organization

**Disclaimer**

**This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.**

**If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.**

**Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.**

**End of Safety Data Sheet**