SAFETY DATA SHEET



Revision date: 22-Mar-2022

Revision Number 3

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name UNITED BAKING POWDER DOUBLE ACTING

Product Code(s) 000000025246

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Food applications.

Uses advised against No information available.

Details of the supplier of the safety data sheet

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia Street Address: 166 Totara Street

Mt Maunganui South

New Zealand

Telephone Number: +64 9 309 2528 Facsimile: +64 9 0508 366 364

For further information, please contact

Contact Point Product Safety Department

Emergency telephone number

Emergency Telephone 0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS Classification

SIGNAL WORD

Warning

Food Additives and Fragrance Materials (Subsidiary Hazard) Group Standard 2020

Approval Number: HSR002578

Serious eye damage/eye irritation Category 2

Label elements



Hazard statements

H319 - Causes serious eye irritation

Precautionary Statements - Prevention

Wash hands thoroughly after handling Wear eye protection/ face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

No storage statements

Precautionary Statements - Disposal

No disposal statements.

Other hazards which do not result in classification

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	CAS No.	Weight-%
Sodium acid pyrophosphate	7758-16-9	30-60
Ingredients determined not to be hazardous	-	to 100

4. FIRST AID MEASURES

Description of first aid measures

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

Emergency telephone number Poisons Information Center, New Zealand: 0800 764 766

Poisons Information Center, Australia: 13 11 26

Inhalation Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is

irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Call a physician immediately.

Skin contact Wash skin with soap and water. Get medical attention if irritation develops and persists.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Get

medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms Irritation. May cause redness and tearing of the eyes.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Foam. Water spray.

Unsuitable extinguishing media High volume water jet.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Non-combustible. Decomposes on heating emitting toxic fumes including those of oxides of phosphorus, oxides of carbon, and oxides of sodium. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Revision Number 3

Hazardous combustion products Oxides of phosphorus. Oxides of carbon. Oxides of sodium.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid generation of dust. **Personal precautions**

Avoid breathing dust / fume / gas / mist / vapours / spray. Avoid contact with skin, eyes, and clothing. Do not touch or walk through spilled material. Wash thoroughly after handling. Use

personal protective equipment as required. Keep people away from and upwind of spill/leak.

For emergency responders

Clear area of all unprotected personnel. Use personal protection recommended in Section

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Refer to protective measures listed in

Sections 7 and 8.

Methods and material for containment and cleaning up

Stop leak if you can do it without risk. Do not touch or walk through spilled material. **Methods for containment**

Remove ignition sources. Provide adequate ventilation. Dike far ahead of spill to collect runoff water. Soak up condensate with inert absorbent material and collect in ventilated

waste container for disposal.

Revision Number 3

Methods for cleaning up Slippery when wet. Dam up. Soak up with inert absorbent material. Vacuum or sweep

material and place in a disposal container. Avoid generation of dust. Pick up and transfer to

properly labelled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid breathing dust or spray mist. Do not eat, drink or smoke when using this product.

Avoid contact with skin, eyes, and clothing. Use personal protection equipment. Use according to package label instructions. Handle in accordance with good industrial hygiene

and safety practice.

General hygiene considerations Do not breathe dust. Regular cleaning of equipment, work area and clothing is

recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Avoid breathing dust / fume / gas / mist /

vapours / spray. Wear suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Protect from sunlight. Store

away from incompatible materials (refer to SDS). Keep container closed when not in use.

Incompatible materials Strong alkalis. Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by the New Zealand Workplace Health & Safety

Authority. However, Workplace Exposure Standard(s) for particulate(s):

Particulates not otherwise classified: 8hr WES-TWA 10 mg/m3 (inhalable dust) or 3 mg/m3 (respirable dust)

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Apply technical measures to

comply with the occupational exposure limits.

Revision Number 3

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



Eye/face protection Goggles.

Hand protection Impervious gloves.

Skin and body protection Wear suitable protective clothing. Overalls. Boots.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator

meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateSolidAppearancePowderColorWhiteOdorOdourless

Odor threshold No information available.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

рΗ 6-7 (10% slurry) None known Melting point / freezing point No data available None known Boiling point / boiling range No data available None known Flash point Not Applicable None known No data available **Evaporation rate** None known No data available Flammability (solid, gas) None known None known Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative densityNo data availableNone knownWater solubilityNo data availableNone known

000000025246 - UNITED BAKING POWDER DOUBLE

ACTING

Revision Number 3

Revision date: 22-Mar-2022

Soluble in water None known Solubility(ies) **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoidAvoid exposure to heat, sources of ignition, and open flame. Dust formation. Direct sunlight.

Incompatible materials

Incompatible materials Strong alkalis. Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Oxides of phosphorus. Oxides of carbon. Oxides of sodium.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product InformationNo adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

Inhalation May cause irritation.

Eye contact Causes serious eye irritation. Dust contact with the eyes can lead to mechanical irritation.

Skin contact May cause irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. May cause

gastrointestinal discomfort if consumed in large amounts.

Revision date: 22-Mar-2022

Revision Number 3

Symptoms Irritation. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium acid pyrophosphate	= >2000 mg/kg (Rat)	-	> 0.58 mg/L (Rat)4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation Causes serious eye irritation. Classification is based on mixture calculation methods based

on component data.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity Avoid contaminating waterways.

Terrestrial ecotoxicity There is no data for this product.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

ACTING

Revision Number 3

Revision date: 22-Mar-2022

Bioaccumulation No information available.

Mobility

Mobility in soil No information available.

Other adverse effects

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste.

Contaminated packaging

For packages that have been in direct contact with hazardous chemicals, the person must ensure that the package is rendered incapable of containing any chemical. It must be disposed of in a manner that is consistent with the requirements for disposal of the chemical that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the chemical to be classified as hazardous (class 6, 8, or 9 chemical).

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on

Land; NON-DANGEROUS GOODS.

IATA Not classified as Dangerous Goods by the criteria of the International Air Transport

Association (IATA) Dangerous Goods Regulations for transport by air;

NON-DANGEROUS GOODS.

IMDG Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Goods Code (IMDG Code) for transport by sea: NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand

National regulations See section 8 for national exposure control parameters

International Inventories

NZIOC All the constituents of this material are listed on the New Zealand Inventory of Chemicals.

Revision Number 3

TSCA

DSL/NDSL

Contact supplier for inventory compliance status.

All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

Legend:

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Prepared By

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and

SDS Services).

Issuing Date: 22-Mar-2022

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

U.S. Environmental Protection Agency Chemylew Databa European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

Revision Number 3

Revision date: 22-Mar-2022

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet