# **SAFETY DATA SHEET**



Revision date: 16-Sep-2021

**Revision Number** 2

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product identifier** 

Product Name CARBOPOL ULTREZ 30 POLYMER

**Product Code(s)** 000000025458

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Cosmetics, personal care products

Uses advised against No information available.

Details of the supplier of the safety data sheet

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia

Street Address: 166 Totara Street

Mt Maunganui South

New Zealand

Telephone Number: +64 9 309 2528 Facsimile: +64 9 0508 366 364

For further information, please contact

Contact Point Product Safety Department

Emergency telephone number

Emergency Telephone 0 800 734 607 (ALL HOURS)

# 2. HAZARDS IDENTIFICATION

Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS Classification

EPA New Zealand HSNO approval code or group standard Additives, Process Chemicals and Raw Materials (Subsidiary

Hazard) Group Standard 2020 Approval Number: HSR002503

Acute aquatic toxicity	Category 3 - (H402)
Chronic aquatic toxicity	Category 3 - (H412)

#### Label elements

#### **Hazard statements**

H412 - Harmful to aquatic life with long lasting effects

### **Precautionary Statements - Prevention**

Avoid release to the environment

#### **Precautionary Statements - Disposal**

In the case of a substance that is in compliance with a HSNO approval other than a Part 6A (Group Standards) approval, a label must provide a description of one or more appropriate and achievable methods for the disposal of a substance in accordance with the Hazardous Substances (Disposal) Notice 2017. This may also include any method of disposal that must be avoided.

#### Other hazards which do not result in classification

Harmful to aquatic life with long lasting effects Dust can form an explosive mixture with air

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

Chemical name	CAS No.	Weight-%
Cyclohexane	110-82-7	0.1-1
Non-hazardous ingredients	Proprietary	Balance

### 4. FIRST AID MEASURES

#### Description of first aid measures

Emergency telephone number Poisons Information Center, New Zealand: 0800 764 766

Poisons Information Center, Australia: 13 11 26

**Inhalation** Remove to fresh air. Call a physician if symptoms occur.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention if symptoms occur.

**Skin contact** Wash skin with soap and water. Call a physician if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Get

medical attention if symptoms occur.

### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

### 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** 

**Suitable Extinguishing Media** Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media Carbon dioxide (CO2) may be ineffective on large fires.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Combustible material. Dust can form an explosive mixture with air. Avoid generation of dust.

Hazardous combustion products

Carbon oxides.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Avoid generation of

> dust. Ensure adequate ventilation. Do not touch or walk through spilled material. Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate

personnel to safe areas. Wash thoroughly after handling.

Use personal protection recommended in Section 8. For emergency responders

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information. Prevent further leakage or spillage if

safe to do so. Keep out of drains, sewers, ditches and waterways.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled

material and place in suitable container. Avoid generating dust. Use non-sparking tools.

After cleaning, flush away traces with water and detergent. Slippery when wet.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Fine dust dispersed in

> air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Avoid generation of dust. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking and explosion

proof. Take precautionary measures against static discharges.

Do not eat, drink or smoke when using this product. Wash hands before breaks and General hygiene considerations

immediately after handling the product. Remove and wash contaminated clothing and

gloves, including the inside, before re-use.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from

sources of heat or ignition. Keep at a temperature not exceeding 80 °C. Protect from sunlight. Keep in properly labelled containers. Keep container closed when not in use.

**Incompatible materials** Strong oxidizing agents. Strong bases.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Limits No value assigned for this specific material by the New Zealand Workplace Health & Safety

Authority. However, Workplace Exposure Standard(s) for constituent(s):

Cyclohexane: WES-TWA 100 ppm, 350 mg/m³; WES-STEL 300 ppm, 1050 mg/m³ Particulates not otherwise classified: 8hr WES-TWA 10 mg/m³ (inhalable dust) or 3 mg/m³ (respirable dust)

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

WES - STEL (Workplace Exposure Standard - Short Term Exposure Limits) - The 15 minute average exposure standard. Applies to any 15 minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both short-term and eight-hour, time-weighted average exposures should be determined.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### Appropriate engineering controls

# **Engineering controls** Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, DUST MASK.



Eye/face protection Glasses.

Hand protection Impervious gloves.

**Skin and body protection**Wear suitable protective clothing. Overalls. Protective shoes or boots.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear a dust mask meeting the

requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid
Appearance Powder
Color White

OdorMild, Sour / AcidicOdor thresholdNo information available.

PropertyValuesRemarks • MethodpH2.5 - 31 % aqueous solution

Melting point / freezing point No data available None known Boiling point / boiling range No data available None known Flash point No data available None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available None known Vapor pressure No data available None known Vapor density @ 20 °C Relative density 1.4 Water solubility No data available None known Solubility(ies) Dispersible in water None known Partition coefficient No data available None known **Autoignition temperature** approx. 480 °C None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other information

Minimum Ignition Energy (mJ) 1,000 mJ

# 10. STABILITY AND REACTIVITY

Reactivity

**Reactivity** No information available.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard.

Possibility of hazardous reactions

**Possibility of hazardous reactions** Dust can form an explosive mixture with air.

Conditions to avoid

**Conditions to avoid**Dust formation. Static discharge (electrostatic discharge). Heat, flames and sparks.

Moisture.

Incompatible materials

**Incompatible materials** Strong oxidizing agents. Strong bases.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

### 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

#### Information on likely routes of exposure

**Product Information**No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

Inhalation May cause irritation of respiratory tract. Inhalation of dust in high concentration may cause

irritation of respiratory system. Specific test data for the substance or mixture is not available. Persons with sensitive airways (e.g., asthmatics) may react to vapours.

Eve contact Dust contact with the eyes can lead to mechanical irritation. Specific test data for the

substance or mixture is not available.

Skin contact Contact with dust can cause mechanical irritation or drying of the skin. Specific test data for

the substance or mixture is not available. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons.

**Ingestion** May cause gastrointestinal discomfort if consumed in large amounts. Specific test data for

the substance or mixture is not available.

**Symptoms** No information available.

**Acute toxicity** 

Numerical measures of toxicity

No information available.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Cyclohexane	= 12705 mg/kg(Rat)	> 2000 mg/kg(Rabbit)	> 9500 ppm (Rat) 4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Non-irritating to the skin.

Serious eye damage/eye irritation Non-irritating to the eyes.

**Respiratory or skin sensitization** Non-sensitiser to skin.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

**Chronic effects:** A two-year inhalation study in rats exposed to a respirable, water-absorbent sodium

polyacrylate dust resulted in lung effects such as inflammation, hyperplasia and tumors. There were no observed adverse effects at exposures of 0.05 mg/m³. In addition, long-term medical monitoring of potentially exposed workers has not revealed lung effects such as those observed in the rat. However, the inhalation of respirable dusts should be avoided by implementing respiratory protection measures and observing the recommended permissible

exposure limit of 0.05 mg/m3.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Ecotoxicity Harmful to aquatic life with long lasting effects. Keep out of waterways.

**Terrestrial ecotoxicity** There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Cyclohexane	EC50: >500mg/L (72h,	LC50: 3.96 - 5.18mg/L (96h,	EC50: >400mg/L (24h, Daphnia
	Desmodesmus subspicatus)	Pimephales promelas) LC50: 23.03	magna)
		- 42.07mg/L (96h, Pimephales	
		promelas) LC50: 24.99 - 44.69mg/L	
		(96h, Lepomis macrochirus) LC50:	
		48.87 - 68.76mg/L (96h, Poecilia	
		reticulata)	

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** No information available.

**Mobility** 

Mobility in soil No information available.

Chemical name	Partition coefficient
Cyclohexane	3.44

Other adverse effects

Other adverse effects No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with federal, state and local regulations. Dispose of waste in

accordance with environmental legislation.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on

Land; NON-DANGEROUS GOODS.

IATA Not classified as Dangerous Goods by the criteria of the International Air Transport

Association (IATA) Dangerous Goods Regulations for transport by air;

NON-DANGEROUS GOODS.

IMDG Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

# 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

**New Zealand** 

National regulations See section 8 for national exposure control parameters

EPA New Zealand HSNO approval code or group standard

Additives, Process Chemicals and Raw Materials (Subsidiary

Hazard) Group Standard 2020 Approval Number: HSR002503

Chemical name	New Zealand HSNO Chemical Classification
Cyclohexane - 110-82-7	Flammable liquid Category 2, Acute oral toxicity Category 4, Acute inhalation toxicity Category 4, Hazardous to the aquatic
	environment chronic Category 2.

**International Inventories** 

NZIOC All components are in compliance with chemical notification requirements in New Zealand.

Contact supplier for inventory compliance status. **TSCA** DSL/NDSL Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **EINECS/ELINCS ENCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL PICCS** Contact supplier for inventory compliance status. AIIC Contact supplier for inventory compliance status.

#### Legend:

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

- Australian Inventory of Industrial Chemicals

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# 16. OTHER INFORMATION

Supplier Safety Data Sheet 09/2021 CARBOPOL is a registered tradename.

Prepared By This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and

SDS Services).

Issuing Date: 16-Sep-2021

Reason(s) For Issue: 5 Yearly Revised Primary SDS

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

**End of Safety Data Sheet**