SAFETY DATA SHEET

Revision date: 24-May-2021

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name BEEF FLAVOUR POWDER P49339 (FJBEE49339)

Product Code(s) 00000026559

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Food flavour.

Uses advised against No information available.

Details of the supplier of the safety data sheet

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia Street Address: 166 Totara Street Mt Maunganui South New Zealand

Telephone Number: +64 9 309 2528 Facsimile: +64 9 0508 366 364

For further information, please contact

Contact Point

Product Safety Department

Emergency telephone number

Emergency Telephone

0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.

Based on available information, not classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS Classification

Label elements

Hazard statements



```
Revision Number 1
```

Other hazards which do not result in classification Dust can form an explosive mixture with air

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

| Chemical name | CAS No. | Weight-% |
|--|-----------|----------|
| Maltodextrin | 9050-36-6 | 30-60 |
| Sodium chloride | 7647-14-5 | 1-<10 |
| Ingredients determined not to be hazardous | - | 100 |

4. FIRST AID MEASURES

Description of first aid measures

| Emergency telephone number | Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26 | |
|--|--|--|
| Inhalation | Remove to fresh air. Call a physician if symptoms occur. | |
| Eye contact | In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if symptoms occur. | |
| Skin contact | Wash skin with soap and water. Call a physician if symptoms occur. | |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Get medical attention if symptoms occur. | |
| Most important symptoms and effe | cts, both acute and delayed | |
| Symptoms | No information available. | |
| Indication of any immediate medica | al attention and special treatment needed | |
| Note to physicians | Treat symptomatically. | |
| | | |
| | | |
| 5. FIRE FIGHTING MEASU | RES | |
| 5. FIRE FIGHTING MEASU Suitable Extinguishing Media Suitable Extinguishing Media | RES Dry chemical, CO2, water spray or regular foam. | |
| Suitable Extinguishing Media | | |
| Suitable Extinguishing Media Suitable Extinguishing Media | Dry chemical, CO2, water spray or regular foam. Do not use a solid water stream as it may scatter and spread fire. | |
| Suitable Extinguishing Media Suitable Extinguishing Media Unsuitable extinguishing media | Dry chemical, CO2, water spray or regular foam. Do not use a solid water stream as it may scatter and spread fire. | |
| Suitable Extinguishing Media Suitable Extinguishing Media Unsuitable extinguishing media Specific hazards arising from the c Specific hazards arising from the | Dry chemical, CO2, water spray or regular foam. Do not use a solid water stream as it may scatter and spread fire. hemical | |

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| Personal precautions | Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Avoid generation of dust. Ensure adequate ventilation. Do not touch or walk through spilled material. Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Wash thoroughly after handling. | |
|------------------------------------|--|--|
| For emergency responders | Use personal protection recommended in Section 8. | |
| Environmental precautions | | |
| Environmental precautions | See Section 12 for additional Ecological Information. | |
| Methods and material for containm | ent and cleaning up | |
| Methods for containment | Prevent further leakage or spillage if safe to do so. | |
| Methods for cleaning up | Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. | |
| Precautions to prevent secondary I | nazards | |
| Prevention of secondary hazards | Clean contaminated objects and areas thoroughly observing environmental regulations. | |

7. HANDLING AND STORAGE

Precautions for safe handling Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking and explosion proof. Take precautionary measures against static discharges. Conditions for safe storage, including any incompatibilities Storage Conditions Storage Conditions Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from sources of heat or ignition. Keep container closed when not in use. Incompatible materials Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for particulate(s):

Particulates not otherwise classified: 8hr WES-TWA 10 mg/m³ (inhalable dust) or 3 mg/m³ (respirable dust)

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, DUST MASK.

| Eye/face protection | Glasses. |
|---------------------------------|---|
| Hand protection | Impervious gloves. |
| Skin and body protection | Protective shoes or boots. Wear suitable protective clothing. Overalls. |
| Respiratory protection | If determined by a risk assessment an inhalation risk exists, wear a dust mask meeting the requirements of AS/NZS 1715 and AS/NZS 1716. |
| Environmental exposure controls | No information available. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical propertiesPhysical stateSolidAppearancePowder

| Color Odor Odor threshold | Beige Beef No information available. | |
|---|--|--|
| Property pH Melting point / freezing point Boiling point / boiling range | <u>Values</u> No data available No data available No data available | Remarks • Method None known None known None known |
| Flash point Evaporation rate | No data available No data available | None known None known |
| Flammability (solid, gas) Flammability Limit in Air | No data available | None known None known |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |
| Vapor pressure | No data available | None known |
| Vapor density | No data available | None known |
| Relative density | No data available | None known |
| Water solubility | No data available | None known |
| Solubility(ies) | No data available | None known |
| Partition coefficient | No data available | None known |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |

Other information

10. STABILITY AND REACTIVITY

| Reactivity | |
|------------------------------------|---|
| Reactivity | Non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | |
| Stability | Stable under normal conditions. |
| Explosion data | |
| Sensitivity to mechanical impact | None. |
| Sensitivity to static discharge | Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. |
| Possibility of hazardous reactions | |
| Possibility of hazardous reactions | None under normal processing. |
| Conditions to avoid | |
| Conditions to avoid | Dust formation. Static discharge (electrostatic discharge). Heat, flames and sparks. |
| Incompatible materials | |
| Incompatible materials | Oxidizing agents. |
| Hazardous decomposition products | <u>8</u> |

Hazardous decomposition products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

| Product Information | No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are: |
|---------------------|---|
| Inhalation | May cause irritation. Specific test data for the substance or mixture is not available. |
| Eye contact | Dust contact with the eyes can lead to mechanical irritation. Specific test data for the substance or mixture is not available. |
| Skin contact | Contact with dust can cause mechanical irritation or drying of the skin. Specific test data for the substance or mixture is not available. |
| Ingestion | May cause gastrointestinal discomfort if consumed in large amounts. Specific test data for the substance or mixture is not available. |
| Symptoms | No information available. |
| Acute toxicity | |

Numerical measures of toxicity No information available.

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-----------------|----------------|--------------------|-------------------|
| Sodium chloride | = 3 g/kg (Rat) | > 10 g/kg (Rabbit) | > 42 g/m³(Rat)1 h |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Skin corrosion/irritation | No information available. |
|-----------------------------------|---------------------------|
| Serious eye damage/eye irritation | No information available. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | No information available. |
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | No information available. |

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

Keep out of waterways.

Terrestrial ecotoxicity

There is no data for this product.

| Chemical name | EarthWorm | Avian | Honeybees |
|-----------------|------------------------------|-------|-----------|
| Sodium chloride | LC50 0.1 - 1 mg/cm2 (Eisenia | - | - |
| | foetida 48 h filter paper) | | |

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|-----------------|----------------------|---|---|
| Sodium chloride | - | LC50: 5560 - 6080mg/L (96h, Lepomis macrochirus) LC50: =12946mg/L (96h, Lepomis macrochirus) LC50: 6020 - 7070mg/L (96h, Pimephales promelas) LC50: =7050mg/L (96h, Pimephales promelas) LC50: 6420 - 6700mg/L (96h, Pimephales promelas) LC50: 4747 - 7824mg/L (96h, Oncorhynchus mykiss) | EC50: =1000mg/L (48h, Daphnia magna) EC50: 340.7 - 469.2mg/L (48h, Daphnia magna) |

Persistence and degradability

| Persistence and degradability | No information available. |
|-------------------------------|---------------------------|
|-------------------------------|---------------------------|

| Bioaccumulation No information | tion available. |
|--------------------------------|-----------------|
|--------------------------------|-----------------|

Mobility

Mobility in soil No information available.

Other adverse effects

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

| Waste treatment methods | |
|--|---|
| Waste from residues/unused products | Landfill or incineration in accordance with local, state and federal regulations. |
| Contaminated packaging | No information available. |

| 14. | TRANSPORT | INFORMATION |
|-----|-----------|-------------|
| | | |

| ROAD AND RAIL TRANSPORT | Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS. |
|-------------------------|--|
| ΙΑΤΑ | Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS. |
| IMDG | Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS. |

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand

National regulations

See section 8 for national exposure control parameters

| International Inventories | |
|---------------------------|--|
| NZIoC | Contact supplier for inventory compliance status. |
| TSCA | Contact supplier for inventory compliance status. |
| DSL/NDSL | Contact supplier for inventory compliance status. |
| EINECS/ELINCS | Contact supplier for inventory compliance status. |
| ENCS | Contact supplier for inventory compliance status. |
| IECSC | Contact supplier for inventory compliance status. |
| KECL | Contact supplier for inventory compliance status. |
| PICCS | Contact supplier for inventory compliance status. |
| AIIC | All the constituents of this material are listed on the Australian Inventory of Industrial |
| | Chemicals. |

Legend:

NZIOC - New Zealand Inventory of Chemicals TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

- Australian Inventory of Industrial Chemicals

,

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

| Prepared By | This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services). |
|----------------------|--|
| Issuing Date: | 24-May-2021 |
| Reason(s) For Issue: | First Issue Primary SDS |

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

| | : EXPOSURE CONTROLS/PERSC | | |
|---------|-----------------------------|------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | * | Skin designation |
| С | Carcinogen | | |

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

<u>Disclaimer</u>

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

End of Safety Data Sheet