# SAFETY DATA SHEET



Revision date: 07-Mar-2022

**Revision Number** 1

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product identifier** 

Product Name CATALYST FOR KLEENMOLD BASE 300

**Product Code(s)** 000000026756

Other means of identification

UN number 2735

Recommended use of the chemical and restrictions on use

**Recommended use**Lubricant. Industrial applications.

**Uses advised against** No information available.

Details of the supplier of the safety data sheet

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia

Street Address: 166 Totara Street

Mt Maunganui South

New Zealand

Telephone Number: +64 9 309 2528 Facsimile: +64 9 0508 366 364

For further information, please contact

Contact Point Product Safety Department

Emergency telephone number

Emergency Telephone 0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

# 2. HAZARDS IDENTIFICATION

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS Classification

**SIGNAL WORD** 

Danger

Additives, Process Chemicals and Raw Materials (Corrosive) Group Standard 2020

Approval number: HSR002491

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Chronic aquatic toxicity	Category 2

#### Label elements



#### **Hazard statements**

- H302 Harmful if swallowed
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H373 May cause damage to organs through prolonged or repeated exposure
- H411 Toxic to aquatic life with long lasting effects

### **Precautionary Statements - Prevention**

Do not eat, drink or smoke when using this product

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust / fume / gas / mist / vapours / spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves / protective clothing / eye protection / face protection

Avoid release to the environment

### **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS)

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

If skin irritation or rash occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Collect spillage

### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

### Other hazards which do not result in classification

May be harmful in contact with skin

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

Chemical name	CAS No.	Weight-%
4,4"-methylenebicyclohexamine	1761-71-3	50-<60
Other component(s)	-	to 100

# 4. FIRST AID MEASURES

**Description of first aid measures** 

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

**Emergency telephone number** Poisons Information Center, New Zealand: 0800 764 766

Poisons Information Center, Australia: 13 11 26

**Inhalation** Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is

irregular or stopped, administer artificial respiration. Seek immediate medical

attention/advice.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected

area. Immediate medical attention is required.

**Skin contact** Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated

clothing and wash before reuse. Get immediate medical advice/attention.

Ingestion Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention immediately if

symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms Irritation/Corrosion. May cause redness and tearing of the eyes. May cause allergic skin

reaction. Redness. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians Symptoms may be delayed. Can cause corneal burns. May cause sensitization by skin

contact. Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam.

**Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes, and soot. These may be

highly dangerous if inhaled in confined spaces or at high concentrations..

Hazardous combustion products Carbon dioxide (CO2). Nitrogen oxides. Ammonia.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Hazchem code 2X

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Avoid contact with skin, eyes and inhalation of vapors.

Keep people away from and upwind of spill/leak. Do not touch or walk through spilled material. Wash thoroughly after handling. Ensure adequate ventilation. Extremely slippery

when spilled.

For emergency responders Clear area of all unprotected personnel. Use personal protection recommended in Section

8.

**Environmental precautions** 

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Refer to protective measures listed in Sections 7 and 8.

#### Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far

ahead of spill to collect runoff water. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Remove ignition sources. Provide

adequate ventilation. Keep out of drains, sewers, ditches and waterways.

Methods for cleaning up Soak up with inert absorbent material. Sweep up and shovel into suitable containers for

disposal. Avoid generation of dust. Use personal protective equipment as required. Pick up

and transfer to properly labelled containers.

### Precautions to prevent secondary hazards

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Use personal protection equipment. Ensure adequate ventilation. In case of insufficient

ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Avoid breathing vapors or mists. Avoid contact with skin, eyes, and clothing. Handle product only in closed system or provide appropriate exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Use according to package

label instructions.

General hygiene considerations Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when

using this product. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs. Do not dry hands with rags that have been contaminated with product. Do not put contaminated rags into workwear products.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Store away from incompatible

materials (refer to SDS). Keep container closed when not in use. Keep out of the reach of children. Do not contaminate food or feed stuffs. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to sealing breakage, for example) onto hot casings or electrical

contacts.

**Incompatible materials** Strong oxidizing agents. Acids.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Limits No value assigned for this specific material by the New Zealand Workplace Health & Safety

Authority.

### Appropriate engineering controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.



Eye/face protection Tight sealing safety goggles. If splashes are likely to occur:. Face protection shield.

**Hand protection** Elbow-length impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Overalls. Boots.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear an organic vapour

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Very Viscous Paste

Color Black
Odor Amine -like

Odor threshold No information available.

Property Values Remarks • Method

pH < <7 None known

Melting point / freezing point No data available None known

Boiling point / boiling rangeNo data availableNone knownFlash point>110 °CNone knownEvaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure 2 hPa @ 25°C None known Vapor density No data available None known Relative density 1.25 g/cm3 @25°C None known Water solubility Miscible in water None known Solubility(ies) No data available None known **Partition coefficient** -0.62 (Log Pow) None known **Autoignition temperature** >400 °C (93% w/w) None known >200 °C **Decomposition temperature** None known Kinematic viscosity No data available None known **Dynamic viscosity** 5-60 mPas @ 25°C None known

Other information

# 10. STABILITY AND REACTIVITY

Reactivity

**Reactivity** No information available.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing. Contact with acids liberates very toxic gas.

Conditions to avoid

Conditions to avoid Contact with strong oxidizers (peroxides, chromates, etc.)may cause a fire hazard. Heat,

flames and sparks. Static discharge (electrostatic discharge). Heating can release

hazardous gases. Exposure to air or moisture over prolonged periods.

Incompatible materials

**Incompatible materials** Strong oxidizing agents. Acids.

Hazardous decomposition products

Hazardous decomposition products Carbon dioxide (CO2). Nitrogen oxides. Ammonia. Thermal decomposition can lead to

release of irritating and toxic gases and vapors. Incomplete combustion and thermolysis may produce gases of varying toxicity such as. Hydrocarbons. Aldehydes. Soot.

# 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

# Information on likely routes of exposure

**Product Information**No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

**Inhalation** Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

**Skin contact**Contact causes severe skin irritation and possible burns. Causes severe burns. Repeated

or prolonged skin contact may cause allergic reactions with susceptible persons.

Ingestion Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhoea. Can burn mouth, throat, and stomach.

Symptoms Irritation/Corrosion. May cause redness and tearing of the eyes. May cause allergic skin

reaction. Redness. Rashes. Hives.

**Acute toxicity** 

**Numerical measures of toxicity** 

No information available.

ATEmix (oral) 1052 mg/kg

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
4,4"-methylenebicyclohexamine	= 625 mg/kg (Rat)	LD50= 2110 mg/kg (Rabbit)	-

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes severe burns. Classification is based on mixture calculation methods based on

component data.

Serious eye damage/eye irritation Causes serious eye damage. Classification is based on mixture calculation methods based

on component data.

Respiratory or skin sensitization May cause sensitization by skin contact. Classification is based on mixture calculation

methods based on component data.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. Classification is based

on mixture calculation methods based on component data.

**Aspiration hazard** No information available.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Ecotoxicity** Harmful to aquatic life with long lasting effects. Avoid contaminating waterways.

**Terrestrial ecotoxicity**There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
4,4"-methylenebicyclohexamine	-	LC50: 46 - 100mg/L (96h, Leuciscus	EC50 (48h)=6.84 mg/l (Daphnia
		idus)	magna)

#### Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** No information available.

<u>Mobility</u>

Mobility in soil No information available.

**Component Information** 

Chemical name	Partition coefficient
4,4"-methylenebicyclohexamine	2.03

### Other adverse effects

Other adverse effects No information available.

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Waste from residues/unused products

Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste. Class 6 and 8 chemicals — may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that chemical); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is not tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances.

### Contaminated packaging

For packages that have been in direct contact with hazardous chemicals, the person must ensure that the package is rendered incapable of containing any chemical. It must be disposed of in a manner that is consistent with the requirements for disposal of the chemical that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the chemical to be classified as hazardous (class 6, 8, or 9 chemical).

### 14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on

Land: DANGEROUS GOODS.

UN number 2735

Proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS

4,4'-METHYLENEBIS(CYCLOHEXANAMINE))

Hazard class8Packing groupIISpecial Provisions274Hazchem code2X

IATA Classified as Dangerous Goods by the criteria of the International Air Transport Association

(IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 2735

UN proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS

4,4'-METHYLENEBIS(CYCLOHEXANAMINE))

Transport hazard class(es) 8
Packing group | |

IMDG Classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 2735

UN proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS

4,4'-METHYLENEBIS(CYCLOHEXANAMINE))

Transport hazard class(es) 8
Packing group II
IMDG EMS Fire F-A
IMDG EMS Spill S-B
Marine pollutant No

# 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

**New Zealand** 

National regulations See section 8 for national exposure control parameters

.

International Inventories

**NZIoC** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **TSCA** Contact supplier for inventory compliance status. **DSL/NDSL EINECS/ELINCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **ENCS IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. AIIC

Legend:

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# **16. OTHER INFORMATION**

Supplier Safety Data Sheet 05/2019

Prepared By

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and

SDS Services).

Issuing Date: 07-Mar-2022

Reason(s) For Issue: First Issue Primary SDS

### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

#### Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

**End of Safety Data Sheet**