# SAFETY DATA SHEET

Revision date: 09-May-2022

### **1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

Product identifier

Product Name FRAGRANCE STRAWBERRY BJ2086

Product Code(s) 00000032203

Other means of identification

UN number 3082

Recommended use of the chemical and restrictions on use

Recommended use Fragrances.

Uses advised against

No information available.

Details of the supplier of the safety data sheet

### **Supplier**

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia Street Address: 166 Totara Street Mt Maunganui South New Zealand

Telephone Number: +64 9 309 2528 Facsimile: +64 9 0508 366 364

### For further information, please contact

**Contact Point** 

Product Safety Department

### Emergency telephone number

**Emergency Telephone** 

0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

### 2. HAZARDS IDENTIFICATION

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

### GHS Classification

#### SIGNAL WORD Warning

Additives, Process Chemicals and Raw Materials (Carcinogenic) Group Standard 2020 Approval Number: HSR002512



```
Revision Number 4
```

Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Carcinogenicity	Category 2
Chronic aquatic toxicity	Category 2

Label elements



### Hazard statements

H319 - Causes serious eye irritation H317 - May cause an allergic skin reaction H351 - Suspected of causing cancer H411 - Toxic to aquatic life with long lasting effects

### **Precautionary Statements - Prevention**

Obtain special instructions before use Avoid breathing dust / fume / gas / mist / vapours / spray Wash hands thoroughly after handling Wear protective gloves / protective clothing / eye protection / face protection Contaminated work clothing should not be allowed out of the workplace Do not handle until all safety precautions have been read and understood Avoid release to the environment **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) If exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse Collect spillage **Precautionary Statements - Storage** Store locked up

# **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

### Other hazards which do not result in classification

May be harmful if swallowed

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Mixture

Chemical name	CAS No.	Weight-%
Benzyl benzoate	120-51-4	30-60
Propanol, oxybis-	25265-71-8	30-60
.alphaAmylcinnamaldehyde	122-40-7	0.1-<1
Musk ketone	81-14-1	0.1-<1
Ingredients determined not to be hazardous	-	to 100

# 4. FIRST AID MEASURES

### Description of first aid measures

	For othing control - Drivers Information Ocates (any shore Australia 40.44.00 Nove	
General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.	
Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26	
Inhalation	Remove to fresh air. Call a physician if symptoms occur.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get medical attention if symptoms occur.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Irritation. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	May cause sensitization by skin contact. Treat symptomatically.	

5. FIRE FIGHTING MEASURES		
Suitable Extinguishing Media		
Suitable Extinguishing Media	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.	
Unsuitable extinguishing media	No information available.	
Specific hazards arising from the chemical		
Specific hazards arising from the chemical	Combustible liquid. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	
Hazardous combustion products	Oxides of carbon.	
Special protective actions for fire-fighters		
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	
Hazchem code	•3Z	

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes, and clothing. Use personal protective equipment as required. Do not touch or walk through spilled material.	
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	Shut off ignition sources. Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Remove ignition sources. Provide adequate ventilation.	
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.	
Precautions to prevent secondary hazards		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	

# 7. HANDLING AND STORAGE

Precautions	for	safe	handling	

Advice on safe handling	Ensure adequate ventilation. Avoid breathing dust / fume / gas / mist / vapours / spray. Avoid contact with skin, eyes, and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Handle in accordance with good industrial hygiene and safety practice. Use according to package label instructions.	
General hygiene considerations	Contaminated work clothing should not be allowed out of the workplace. Wash hands and face before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Store locked up. Keep container tightly closed in a dry and well-ventilated place. Protect from sunlight. Store at around 15°C. Store away from incompatible materials described in Section 10. Store away from sources of heat or ignition. Keep container closed when not in use.	
Incompatible materials	Strong oxidizing agents.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority.

### Appropriate engineering controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

Eye/face protection	Glasses.
Hand protection	Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Boots. Overalls.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear
Color	Pale Yellow to Yellow
Odor	Strawberry
Odor threshold	No information available.
Property_	Values_
pH	No data available
Melting point / freezing point	No data available
Boiling point / boiling range	No data available
Flash point	112 @20°C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Flammability Limit in Air	
Upper flammability or explosive	No data available
limits	

### Remarks • Method

None known None known OCC (closed cup) None known None known None known

None known None known None known None known None known None known None known None known

Lower flammability or explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	1.060 - 1.080 @ 20°C
Water solubility	No data available
Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available

Other information

# **10. STABILITY AND REACTIVITY**

Reactivity	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Yes.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks. Static discharge (electrostatic discharge). Direct sunlight.
Incompatible materials	
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	<u>5</u>
Hazardous decomposition products	s Oxides of carbon.

### **11. TOXICOLOGICAL INFORMATION**

### Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Causes serious eye irritation.

Skin contact	May cause irritation. May cause sensitization by skin contact.
Ingestion	May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Symptoms	Irritation. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.
Acute toxicity	

Numerical measures of toxicity

The following values are calcu	lated based on chapter 3.1 of the GHS document
ATEmix (oral)	>2000-5000 mg/kg

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl benzoate	= 1600 mg/kg(Rat)	= 4000 mg/kg (Rabbit)	-
Propanol, oxybis-	= 14850 mg/kg (Rat)	-	-
.alphaAmylcinnamaldehyde	= 3730 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Musk ketone	> 10 000 mg/kg (Rat)	> 10 000 mg/kg (Rabbit)	-

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	Causes serious eye irritation. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.
Germ cell mutagenicity	No information available.
Carcinogenicity	Suspected of causing cancer. Classification is based on mixture calculation methods based on component data.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

### **12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

### Ecotoxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

### **Terrestrial ecotoxicity**

There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Benzyl benzoate	-	LC50: =2.32mg/L (96h, Danio rerio)	-
Propanol, oxybis-	-	LC50: >5000mg/L (24h, Carassius auratus)	-
		auralus)	

### Persistence and degradability

Persistence and degradability	No information available.	
Bioaccumulative potential		
Bioaccumulation	No information available.	
Mobility		
Mobility in soil	No information available.	
Component Information		
Chemical na	me	Partition coefficient

Benzyl benzoate

### Other adverse effects

Other adverse effects

No information available.

### **13. DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Waste from residues/unused products	Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste. Class 9 chemical, if the chemical, or if it contains a component that is bioaccumulative and not rapidly degradable, then any component that is bioaccumulative and not rapidly degradable must be removed. The product may only be discharged into the environment if an environmental exposure limit has been set for the chemical (or a component of the chemical); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the environmental exposure limit.
Contaminated packaging	For packages that have been in direct contact with hazardous chemicals, the person must ensure that the package is rendered incapable of containing any chemical. It must be disposed of in a manner that is consistent with the requirements for disposal of the chemical that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the chemical to be classified as hazardous (class 6, 8, or 9 chemical).

# **14. TRANSPORT INFORMATION**

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

4

UN number Proper shipping name Hazard class Packing group Environmental hazard Special Provisions Hazchem code	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (CONTAINS BENZYL BENZOATE) 9 III Yes 274, 331, 335, 375, AU01 •3Z
IATA_	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.
UN number UN proper shipping name Transport hazard class(es) Packing group	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (CONTAINS BENZYL BENZOATE) 9 III
IMDG	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.
UN number UN proper shipping name Transport hazard class(es) Packing group IMDG EMS Fire IMDG EMS Spill Marine pollutant	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (CONTAINS BENZYL BENZOATE) 9 III F-A S-F Yes

### **15. REGULATORY INFORMATION**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand	
National regulations	See section 8 for national exposure control parameters
International Inventories NZIoC TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AIIC	All components are in compliance with chemical notification requirements in New Zealand. Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

Legend:

### NZIOC - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

#### AIIC - Australian Inventory of Industrial Chemicals

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

### **16. OTHER INFORMATION**

Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Issuing Date:	09-May-2022
Reason(s) For Issue:	5 Yearly Revised Primary SDS

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C J	Carcinogen		·

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material

and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet