

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** 

# **STAR ANISEED OIL BP 2000**

**Recommended Use of the Chemical** Essential oil. and **Restrictions on Use** 

Supplier: Street Address:	Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia 166 Totara Street Mt Maunganui South New Zealand
Telephone Number:	+64 9 309 2528
Facsimile:	+64 9 0508 366 364
Emergency Telephone:	<b>0 800 734 607 (ALL HOURS)</b>

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

# 2. HAZARDS IDENTIFICATION

Classified as a Dangerous Good according to NZS 5433:2012 Transport of Dangerous Goods on Land.

Classified as hazardous according to criteria in the HS (Minimum Degrees of Hazard) Regulations 2001.

#### SIGNAL WORD: WARNING

#### Subclasses:

Subclass 6.1 Category E - Substances which are acutely toxic.
Subclass 6.3 Category B - Substances that are mildly irritating to the skin.
Subclass 6.5 Category B - Substances that are contact sensitisers.
Subclass 6.6 Category B - Substances that are suspected human mutagens.
Subclass 6.7 Category B - Substances that are suspected human carcinogens.
Subclass 9.1 Category B - Substances that are ecotoxic in the aquatic environment.

Additives, Process Chemicals and Raw Materials (Combustible, Toxic [6.7]) Group Standard 2006 Approval Number: HSR002513



Hazard Statement(s):

- H303 May be harmful if swallowed.
- H316 Causes mild skin irritation.
- H317 May cause an allergic skin reaction.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H411 Toxic to aquatic life with long lasting effects.

Product Name: STAR ANISEED OIL BP 2000 Substance No: 00000032912



#### Precautionary Statement(s):

**Prevention:** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use personal protective equipment as required.

#### **Response:**

P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P321 Specific treatment (see First Aid Measures on the Safety Data Sheet).
P363 Wash contaminated clothing before re-use.
P391 Collect spillage.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 In case of a substance that is in compliance with a HSNO approval other than a Part 6A (Group Standards) approval, a label must provide a description of one or more appropriate and achievable methods for the disposal of a substance in accordance with the Hazardous Substances (Disposal) Regulations 2017. This may also include any method of disposal that must be avoided.

# **3. COMPOSITION AND INFORMATION ON INGREDIENTS**

Components	CAS Number	Proportion	Hazard Codes
Oils, anise	8007-70-3	100%	H303, H316, H317, H341, H351, H411

# 4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

### Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

### Skin Contact:

If skin or hair contact occurs, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water and soap. If swelling, redness, blistering or irritation occurs seek medical assistance.



### Eye Contact:

If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre or a doctor, or for at least 15 minutes.

### Ingestion:

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.

### Indication of immediate medical attention and special treatment needed:

Treat symptomatically.

# **5. FIRE FIGHTING MEASURES**

### Suitable Extinguishing Media:

Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.

### Unsuitable Extinguishing Media:

Water jet.

### Hazchem or Emergency Action Code: 3Z

### Specific hazards arising from the substance or mixture:

Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon .

### Special protective equipment and precautions for fire-fighters:

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion. Keep containers cool with water spray.

# 6. ACCIDENTAL RELEASE MEASURES

## Emergency procedures/Environmental precautions:

Shut off all possible sources of ignition. Clear area of all unprotected personnel. If contamination of sewers or waterways has occurred advise local emergency services.

## Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact and breathing in vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal.

# 7. HANDLING AND STORAGE

Precautions for safe handling: Avoid skin and eye contact and breathing in vapour, mists and aerosols.

**Conditions for safe storage, including any incompatibilities:** Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for leaks.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Workplace Exposure Standards:** No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority.



### Appropriate engineering controls:

Use in well ventilated areas. If inhalation risk exists: Use with local exhaust ventilation or while wearing organic vapour/particulate respirator. Keep containers closed when not in use.

#### Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



Wear overalls, safety glasses and impervious gloves. Use with adequate ventilation. If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical state:** Clear Liquid to Semi- Solid Colourless to Pale Yellow Colour: Odour: Anise, Licorice **Odour Threshold:** Not available Solubility: Insoluble in water, Soluble in alcohol. **Specific Gravity:** 0.975 - 0.992 @ 20°C Relative Vapour Density (air=1): Not available Vapour Pressure (20 °C): Not available Flash Point (°C): 96 Flammability Limits (%): Not available Autoignition Temperature (°C): Not available **Boiling Point/Range (°C):** Not available **Decomposition Point (°C):** Not available pH: Not available Not available Viscosity: Partition Coefficient: Not available

# **10. STABILITY AND REACTIVITY**

**Reactivity:** 

No information available.

**Chemical stability:** 

Stable under normal conditions of use.



Possibility of hazardous reactions:	Hazardous polymerisation will not occur.
Conditions to avoid:	Avoid exposure to heat, sources of ignition, and open flame.
Incompatible materials:	Incompatible with strong oxidising agents and strong reducing agents .
Hazardous decomposition products:	Oxides of carbon.

# 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion:	Swallowing may result in nausea, vomiting, diarrhoea and abdominal pain.
Eye contact:	May be an eye irritant.
Skin contact:	Contact with skin will result in mild irritation. A skin sensitiser. Repeated or prolonged skin contact may lead to allergic contact dermatitis.
Inhalation:	Material may be irritant to the mucous membranes of the respiratory tract (airways).

Acute toxicity: No LD50 data available for the product.

Skin corrosion/irritation:	Mild irritant.
Serious eye damage/irritation:	No information available.
Respiratory or skin	A skin sensitiser.
sensitisation:	

Chronic effects: No information available for the product.

Mutagenicity:	Suspected of causing genetic defects.
Carcinogenicity:	Suspected of causing cancer.
Reproductive toxicity:	No information available.
Specific Target Organ Toxicity	No information available.
(STOT) - single exposure:	
Specific Target Organ Toxicity	No information available.
(STOT) - repeated exposure:	
Aspiration hazard:	No information available.

# **12. ECOLOGICAL INFORMATION**

Ecotoxicity	Avoid contaminating waterways.
Lootoxicity	, trona comaninating trator trayer

Persistence/degradability: No information available.

### **Bioaccumulative potential:** No information available.

Product Name: STAR ANISEED OIL BP 2000 Substance No: 00000032912



Mobility in soil:

No information available.

Aquatic toxicity:

Toxic to aquatic organisms. May cause long term adverse effects in the aquatic environment.

# **13. DISPOSAL CONSIDERATIONS**

### **Disposal methods:**

Refer to local government authority for disposal recommendations. Dispose of contents/container in accordance with local/regional/national/international regulations.

# 14. TRANSPORT INFORMATION

### Road and Rail Transport

Classified as a Dangerous Good according to NZS 5433:2012 Transport of Dangerous Goods on Land.



UN No:	3082
Transport Hazard Class:	9 Miscellaneous Dangerous Goods
Packing Group:	
Proper Shipping Name or	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (STAR
Technical Name:	ANISEED OIL)
Hazchem or Emergency Action	3Z
Code:	

### Marine Transport

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN No:	3082
Transport Hazard Class:	9 Miscellaneous Dangerous Goods
Packing Group:	III
Proper Shipping Name or	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (STAR
Technical Name:	ANISEED OIL)
IMDG EMS Fire:	F-A
IMDG EMS Spill:	S-F

### Air Transport

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN No:	3082
Transport Hazard Class:	9 Miscellaneous Dangerous Goods
Packing Group:	
Proper Shipping Name or	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (STAR
Technical Name:	ANISEED OIL)

Product Name: STAR ANISEED OIL BP 2000 Substance No: 00000032912



### **Classification:**

Classified as hazardous according to criteria in the HS (Minimum Degrees of Hazard) Regulations 2001.

### Subclasses:

Subclass 6.1 Category E - Substances which are acutely toxic.
Subclass 6.3 Category B - Substances that are mildly irritating to the skin.
Subclass 6.5 Category B - Substances that are contact sensitisers.
Subclass 6.6 Category B - Substances that are suspected human mutagens.
Subclass 6.7 Category B - Substances that are suspected human carcinogens.
Subclass 9.1 Category B - Substances that are ecotoxic in the aquatic environment.

Additives, Process Chemicals and Raw Materials (Toxic [6.7]) Group Standard 2017 Approval Number: HSR002512

### Hazard Statement(s):

H303 May be harmful if swallowed.
H316 Causes mild skin irritation.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H411 Toxic to aquatic life with long lasting effects.

# **16. OTHER INFORMATION**

Supplier Safety Data Sheet; 05/ 2014.

This safety data sheet has been prepared by Ixom Operations Pty Ltd Toxicology & SDS Services.

Reason(s) for Issue: Reissue of an obsolete SDS





This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.