

## **1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

Product Name:

### **ZINC GLUCONATE**

Other name(s):

Zinc Gluconate Trihydrate; Zinc Gluconate Fine Granular USP-FCC

**Recommended Use of the Chemical** Food additive. **and Restrictions on Use** 

Supplier: Street Address:	Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia 166 Totara Street Mt Maunganui South New Zealand
Telephone Number:	+64 9 309 2528
Facsimile:	+64 9 0508 366 364
Emergency Telephone:	<b>0 800 734 607 (ALL HOURS)</b>

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

Classified as a Dangerous Good according to NZS 5433:2012 Transport of Dangerous Goods on Land.

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and the Hazardous Substances (Classification) Notice 2017.

### SIGNAL WORD: DANGER

**Subclasses:** Subclass 8.3 Category A - Substances that are corrosive to ocular tissue. Subclass 9.1 Category A - Substances that are very ecotoxic in the aquatic environment.

Food Additives and Fragrance Materials (Subsidiary Hazard) Group Standard 2017 Approval Number: HSR002578



Hazard Statement(s): H318 Causes serious eye damage. H410 Very toxic to aquatic life with long lasting effects.

#### **Precautionary Statement(s):**

#### **Prevention:**

P102 Keep out of reach of children.P103 Read label before use.P273 Avoid release to the environment.P280 Wear eye protection.

Product Name: ZINC GLUCONATE Substance No: 000000034237



#### **Response:**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician. P391 Collect spillage.

#### Storage:

No storage statements.

#### Disposal:

P501 In case of a substance that is in compliance with a HSNO approval other than a Part 6A (Group Standards) approval, a label must provide a description of one or more appropriate and achievable methods for the disposal of a substance in accordance with the Hazardous Substances (Disposal) Notice 2017. This may also include any method of disposal that must be avoided.

### **3. COMPOSITION AND INFORMATION ON INGREDIENTS**

Components	CAS Number	Proportion	Hazard Codes
Zinc gluconate	4468-02-4	100%	H318 H410

## 4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

### Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

### Skin Contact:

If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If irritation occurs seek medical advice.

### Eye Contact:

Immediately wash in and around the eye area with large amounts of water for at least 15 minutes. Eyelids to be held apart. Remove clothing if contaminated and wash skin. Urgently seek medical assistance. Transport promptly to hospital or medical centre.

### Ingestion:

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical assistance.

### Indication of immediate medical attention and special treatment needed:

Treat symptomatically. Can cause corneal burns.

## **5. FIRE FIGHTING MEASURES**

### Suitable Extinguishing Media:

Alcohol resistant foam is the preferred firefighting medium but, if it is not available, fine water spray or water fog can be used.

### Hazchem or Emergency Action Code: 2Z



### Specific hazards arising from the chemical:

Combustible solid. On burning will emit toxic fumes, including those of oxides of carbon and oxides of zinc. Environmentally hazardous.

### Special protective equipment and precautions for fire-fighters:

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion. If safe to do so, remove containers from path of fire.

### 6. ACCIDENTAL RELEASE MEASURES

### **Emergency procedures/Environmental precautions:**

Clear area of all unprotected personnel. Shut off all possible sources of ignition. Do not allow container or product to get into drains, sewers, streams or ponds. If contamination of sewers or waterways has occurred advise local emergency services.

### Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Wear protective equipment to prevent skin and eye contact and breathing in dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal.

## 7. HANDLING AND STORAGE

**Precautions for safe handling:** Avoid skin and eye contact and breathing in dust. Avoid handling which leads to dust formation. May form flammable dust clouds in air. For precautions necessary refer to Safety Data Sheet "Dust Explosion Hazards". Take precautionary measures against static discharges.

**Conditions for safe storage, including any incompatibilities:** Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for spills.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Workplace Exposure Standards:** No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for particulates:

Particulates not otherwise classified: 8hr WES-TWA 10 mg/m<sup>3</sup> (inhalable dust) or 3 mg/m<sup>3</sup> (respirable dust)

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.



### Appropriate engineering controls:

Ensure ventilation is adequate to maintain air concentrations below Workplace Exposure Standards. Avoid generating and breathing in dusts. Keep containers closed when not in use.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

### Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



Wear overalls, chemical goggles and impervious gloves. Avoid generating and inhaling dusts. If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Powder or G
White
Odourless
Not available
Soluble in wa
Not available
Not available
Not available
Not applicabl
Not available
Not available
Not available
Not available
5.5 - 7.5

iranules e ater. Э Э Э le е Э е е

# **10. STABILITY AND REACTIVITY**

### **Reactivity:**

No information available.

### **Chemical stability:**

Stable under normal conditions of use.



Possibility of hazardous reactions:	Hazardous polymerisation will not occur.
Conditions to avoid:	Avoid exposure to heat, sources of ignition, and open flame. Avoid dust generation.
Incompatible materials:	Incompatible with strong oxidising agents.
Hazardous decomposition products:	Oxides of carbon. Zinc oxide.

## **11. TOXICOLOGICAL INFORMATION**

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion:	Swallowing may result in nausea, vomiting, and abdominal pain.
Eye contact:	A severe eye irritant. Contamination of eyes can result in permanent injury.
Skin contact:	Contact with skin may result in irritation.
Inhalation:	Breathing in dust may result in respiratory irritation.

Acute toxicity: No LD50 data available for the product.

Skin corrosion/irritation:	May cause mechanical irritation.
Serious eye damage/irritation:	Causes serious eye damage.
Respiratory or skin	No information available.
sensitisation:	

Chronic effects: No information available for the product.

Mutagenicity:	No information available.
Carcinogenicity:	No information available.
Reproductive toxicity:	No information available.
Specific Target Organ Toxicity	No information available.
(STOT) - single exposure:	
Specific Target Organ Toxicity	No information available.
(STOT) - repeated exposure:	
Aspiration hazard:	No information available.

# **12. ECOLOGICAL INFORMATION**

Ecotoxicity	Avoid contaminating waterways.
Persistence/degradability:	No information available.
Bioaccumulative potential:	No information available.
Mobility in soil:	No information available.

Product Name: ZINC GLUCONATE Substance No: 00000034237



Aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

### **13. DISPOSAL CONSIDERATIONS**

### **Disposal methods:**

Refer to local government authority for disposal recommendations. Dispose of contents/container in accordance with local/regional/national/international regulations.

## **14. TRANSPORT INFORMATION**

### Road and Rail Transport

Classified as a Dangerous Good according to NZS 5433:2012 Transport of Dangerous Goods on Land.



UN No:3077Transport Hazard Class:9 Miscellaneous Dangerous GoodsPacking Group:IIIProper Shipping Name orENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINCTechnical Name:GLUCONATE)Hazchem or Emergency Action2Z

### Marine Transport

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN No:	3077
Transport Hazard Class:	9 Miscellaneous Dangerous Goods
Packing Group:	
Proper Shipping Name or	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC
Technical Name:	GLUCONATE)

### Air Transport

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN No: Transport Hazard Class:	3077 9 Miscellaneous Dangerous Goods
Packing Group:	
Proper Shipping Name or Technical Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC GLUCONATE)

## **15. REGULATORY INFORMATION**

### **Classification:**

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and the Hazardous Substances (Classification) Notice 2017.



### Subclasses:

Subclass 8.3 Category A - Substances that are corrosive to ocular tissue. Subclass 9.1 Category A - Substances that are very ecotoxic in the aquatic environment.

Food Additives and Fragrance Materials (Subsidiary Hazard) Group Standard 2017 Approval Number: HSR002578

Hazard Statement(s): H318 Causes serious eye damage. H410 Very toxic to aquatic life with long lasting effects.

### **16. OTHER INFORMATION**

Supplier Safety Data Sheet; 09/ 2018.

This safety data sheet has been prepared by Ixom Operations Pty Ltd (Toxicology & SDS Services).

### Reason(s) for Issue:

Revised Primary SDS Change from non-DG to DG Change in Hazardous Chemical Classification Change in Personal Protection Requirements

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.