SAFETY DATA SHEET

Revision date: 11-Oct-2023

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier **Product Name** LEMON OIL HA1007 (FALEM57062) (NZ) Product Code(s) 00000034570 Other means of identification **UN number** 1197 Recommended use of the chemical and restrictions on use Flavour. **Recommended use** Uses advised against No information available Details of the supplier of the safety data sheet Supplier Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia Street Address: 166 Totara Street Mt Maunganui South New Zealand Telephone Number: +64 9 309 2528 Facsimile: +64 9 0508 366 364 For further information, please contact **Contact Point** Product Safety Department

Emergency telephone number

Emergency Telephone

0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS Classification

SIGNAL WORD Danger

Food Additives and Fragrance Materials (Flammable) Group Standard 2020 Approval Number: HSR002576



```
Revision Number 5
```

Flammable liquids	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

Label elements



Hazard statements

H226 - Flammable liquid and vapor

H315 - Causes skin irritation

H318 - Causes serious eye damage

H317 - May cause an allergic skin reaction

H373 - May cause damage to organs through prolonged or repeated exposure

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground and bond container and receiving equipment Use explosion-proof electrical, ventilating, lighting equipment Use non-sparking tools Take action to prevent static discharges Do not breathe fume, gas, mist, vapours, spray Wash hands thoroughly after handling Wear protective gloves / protective clothing / eye protection / face protection **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) Get medical advice/attention if you feel unwell IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish. **Precautionary Statements - Storage** Store in a well-ventilated place. Keep cool **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
d-Limonene	5989-27-5	>60%
Lemon oil	8008-56-8	1-<10%
Citral	5392-40-5	1-<10%

4. FIRST AID MEASURES

Description of first aid measures		
General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.	
Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26	
Inhalation	Remove to fresh air. Call a physician if symptoms occur.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician if symptoms occur.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get medical attention if symptoms occur.	
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Irritation. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.	
Indication of any immediate medica	al attention and special treatment needed	
Note to physicians	Can cause corneal burns. May cause sensitization by skin contact. Treat symptomatically.	
5. FIRE FIGHTING MEASU	RES	
Suitable Extinguishing Media		
Suitable Extinguishing Media	Foam. Carbon dioxide (CO2). Dry chemical.	
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.	
Specific hazards arising from the c	hemical	
Specific hazards arising from the chemical	Flammable. Risk of ignition. Keep product and empty container away from heat and sources of ignition. Containers may explode when heated. Environmentally hazardous. In the event of fire, cool tanks with water spray. Runoff may create fire or explosion hazard. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	

Hazardous combustion products Oxides of carbon.

Special protective actions for fire-fighters

Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
fire-fighters	gear. Use personal protection equipment.

Hazchem code

3Y

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Use personal protective equipment as required. See section 8 for more information. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.	
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Prevent further leakage or spillage if safe to do so. Refer to protective measures listed in Sections 7 and 8. Prevent product from entering drains.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.	
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.	
Precautions to prevent secondary	hazards	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes, and clothing. Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from
heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static
electricity). Keep in properly labelled containers. Do not store near combustible materials.
Protect from direct sunlight. Keep in an area equipped with sprinklers. Store in accordance
with the particular national regulations. Store in accordance with local regulations.

Incompatible materials Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority.

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.

Eye/face protection	Tight sealing safety goggles.
Hand protection	Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Antistatic boots. Overalls.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical propertiesPhysical stateLiquidAppearanceClear

Color	Colourless to Pale Brown	
Odor	Distinctive Lemon	
Odor threshold	No information available	
Property	Values	Remarks • Method
pH	No data available	None known
Melting point / freezing point	No data available	None known
•••••••	No data available	None known
Boiling point / boiling range	59 °C	
Flash point		CC (closed cup) None known
Evaporation rate	No data available	
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	0.830 - 0.850 @ 20°C	None known
Water solubility	No data available	None known
Solubility(ies)	Immiscible in water	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
_ ,		

Other information

10. STABILITY AND REACTIVITY

Reactivity	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Yes.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing. Heating can cause expansion or decomposition of the material, which can lead to the containers exploding.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks. Static discharge (electrostatic discharge). Avoid contact with combustible substances. Direct sunlight.
Incompatible materials	
Incompatible materials	Oxidizing agents.
Hazardous decomposition products	<u>S</u>

Hazardous decomposition products Oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Causes serious eye damage.
Skin contact	Causes skin irritation. May cause sensitization by skin contact.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. May cause gastrointestinal discomfort if consumed in large amounts.
Symptoms	Irritation. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity No information available

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure			
Skin corrosion/irritation	Causes skin irritation. Classification is based on mixture calculation methods based on component data.		
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.		
Respiratory or skin sensitization	May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.		
Germ cell mutagenicity	No information available.		
Carcinogenicity	No information available.		
Reproductive toxicity	No information available.		
STOT - single exposure	No information available.		
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure. Classification is based on mixture calculation methods based on component data.		
Aspiration hazard	No information available.		

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

Very toxic to aquatic life with long lasting effects. Keep out of waterways.

Terrestrial ecotoxicity

There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
d-Limonene	-	LC50: 0.619 - 0.796mg/L (96h, Pimephales promelas) LC50:	LC50 Daphnia magna (Water flea) 0.577 mg/L/48 hr (1)
		=35mg/L (96h, Oncorhynchus mykiss)	
Citral	EC50: =16mg/L (72h, Desmodesmus subspicatus) EC50: =19mg/L (96h, Desmodesmus subspicatus)	LC50: 4.6 - 10mg/L (96h, Leuciscus idus)	EC50: =7mg/L (48h, Daphnia magna)

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

<u>Mobility</u>

Mobility in soil

No information available.

Component Information

Chemical name	Partition coefficient
d-Limonene	4.23
Citral	2.76

Other adverse effects

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste. Class 2, 3 and 4 chemicals - may not be disposed of into or onto a landfill or sewage facility. They may only be burnt in certain situations. Class 2.1.1, 3.1 and 4.1.1 chemicals may only be discharged into the environment as waste if the substance will not at any time come into contact with class 1 or class 5 substances; and there will be no ignition source in the vicinity of the disposal site at any time and if the substance were to ignite, no person, or place where a person may legally be, would be exposed to an unsafe level of heat radiation.
Contaminated packaging	For packages that have been in direct contact with hazardous chemicals, the person must ensure that the package is rendered incapable of containing any chemical. It must be disposed of in a manner that is consistent with the requirements for disposal of the

chemical that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the chemical to be classified as hazardous (class 6, 8, or 9 chemical).

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT	Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.	
UN number	1197	
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID	
Hazard class	3	
Packing group	III	
Special Provisions	223	
Hazchem code	3Y	
IATA_	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.	
UN number	1197	
UN proper shipping name	EXTRACTS, FLAVOURING, LIQUID	
Transport hazard class(es)	3	
Packing group	III	
IMDG	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.	
UN number	1197	
UN proper shipping name	EXTRACTS, FLAVOURING, LIQUID	
Transport hazard class(es)	3	
Packing group	III	
IMDG EMS Fire	F-E	
IMDG EMS Spill	S-D	

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand		
National regulations	See section 8 for national exposure control parameters	
International Inventories		
NZIOC	All the hazardous constituents of this material are listed on the New Zealand Inventory of Chemicals.	
TSCA	Contact supplier for inventory compliance status.	
DSL/NDSL	Contact supplier for inventory compliance status.	
EINECS/ELINCS	Contact supplier for inventory compliance status.	
ENCS	Contact supplier for inventory compliance status.	
IECSC	Contact supplier for inventory compliance status.	
KECL	Contact supplier for inventory compliance status.	
PICCS	Contact supplier for inventory compliance status.	
AIIC	Contact supplier for inventory compliance status.	

Legend:

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Issuing Date:	11-Oct-2023
Reason(s) For Issue:	5 Yearly Revised Primary SDS

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Sec	ction 8: EXPOSURE CONTROLS/PERSONAL	PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

ENCS - Japan Existing and New Chemical Substances

Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet