

SAFETY DATA SHEET



Revision date: 26-Oct-2020

Revision Number 4

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name SA-TR-8
Product Code(s) 000000035471

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Pigment. Cosmetics additive.
Uses advised against No information available.

Details of the supplier of the safety data sheet

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia
Street Address: 166 Totara Street
Mt Maunganui South
New Zealand

Telephone Number: +64 9 309 2528
Facsimile: +64 9 0508 366 364

For further information, please contact

Contact Point Product Safety Department

Emergency telephone number

Emergency Telephone 0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

Not classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

Based on available information, not classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and the Hazardous Substances (Classification) Notice 2017.

GHS Classification

Label elements

Hazard statements

Other hazards which do not result in classification**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No.	Weight-%
Titanium dioxide	13463-67-7	>65%
Talc	14807-96-6	<30%
Aluminium hydroxide	21645-51-2	<10%
Polydimethyl siloxane	63148-62-9	<5%

4. FIRST AID MEASURESDescription of first aid measures

Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26
Inhalation	Remove to fresh air. Call a physician if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if symptoms occur.
Skin contact	Wash skin with soap and water. Call a physician if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE FIGHTING MEASURESSuitable Extinguishing Media

Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Non-combustible.

Special protective actions for fire-fighters

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Avoid breathing dust / fume / gas / mist / vapours / spray. Avoid generation of dust.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid breathing dust / fume / gas / mist / vapours / spray. Avoid contact with skin and eyes. Avoid generation of dust. Wash thoroughly after handling. See section 8 for more information.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Keep container closed when not in use.

Incompatible materials Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituent(s):

Titanium dioxide: WES-TWA 10 mg/m³
Talc (containing no asbestos fibres): WES-TWA 2 mg/m³ Respirable dust

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls

Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, DUST MASK.



Eye/face protection

Glasses.

Hand protection

Impervious gloves.

Skin and body protection

Protective shoes or boots. Wear suitable protective clothing. Overalls.

Respiratory protection

If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls

No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid
Appearance	Powder
Color	White
Odor	Slight Characteristic
Odor threshold	No information available.

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not applicable	None known
Melting point / freezing point	No data available	None known

Boiling point / boiling range	No data available	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	Insoluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information**10. STABILITY AND REACTIVITY**Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Dust formation.

Incompatible materials

Incompatible materials Strong acids.

Hazardous decomposition products

Hazardous decomposition products Oxides of magnesium. Oxides of silicon. Carbon oxides. Formaldehyde.

11. TOXICOLOGICAL INFORMATIONAcute toxicityInformation on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	Dust contact with the eyes can lead to mechanical irritation.
Skin contact	Contact with dust can cause mechanical irritation or drying of the skin.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.
Symptoms	No information available.

Acute toxicity**Numerical measures of toxicity**

No information available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Aluminium hydroxide	> 5000 mg/kg (Rat)	-	-
Polydimethyl siloxane	> 24 g/kg (Rat) > 17 g/kg (Rat)	> 2 g/kg (Rabbit)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Not classified. Refer to 'Chronic effects' section below.

Chemical name	New Zealand	IARC
Talc - 14807-96-6		Group 3

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard Not classified.

Chronic effects: Titanium dioxide has been classified by the International Agency for Research on Cancer (IARC) as a Group 2B agent. The agent is possibly carcinogenic to humans. Talc (not containing asbestos or asbestiform fibres) has been classified by the International Agency for Research on Cancer (IARC) as a Group 3 agent. The agent is not classifiable as to its carcinogenicity to humans. Repeated or prolonged overexposure to talc dust exceeding the occupational exposure limits might induce a mild pneumoconiosis, called talcosis.

12. ECOLOGICAL INFORMATION

Ecotoxicity**Ecotoxicity** Keep out of waterways.**Terrestrial ecotoxicity** There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Talc	-	LC50: >100g/L (96h, Brachydanio rerio)	-

Persistence and degradability**Persistence and degradability** No information available.**Bioaccumulative potential****Bioaccumulation** No information available.**Mobility****Mobility in soil** No information available.**Other adverse effects****Other adverse effects** No information available.**13. DISPOSAL CONSIDERATIONS****Waste treatment methods****Waste from residues/unused products** Landfill or incineration in accordance with local, state and federal regulations.**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.**14. TRANSPORT INFORMATION****ROAD AND RAIL TRANSPORT** Not classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.**IATA** Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.**IMDG** Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

New Zealand**National regulations** See section 8 for national exposure control parameters

Chemical name	New Zealand HSNO Chemical Classification
Polydimethyl siloxane - 63148-62-9	9.4A Present

International Inventories

NZIoC	All the hazardous constituents of this material are listed on the New Zealand Inventory of Chemicals.
TSCA	Contact supplier for inventory compliance status.
DSL/NDL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

Legend:**NZIoC** - New Zealand Inventory of Chemicals**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**- Australian Inventory of Industrial Chemicals****International Regulations****The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable**The Stockholm Convention on Persistent Organic Pollutants** Not applicable**The Rotterdam Convention** Not applicable**16. OTHER INFORMATION**

Supplier Safety Data Sheet 04/ 2016

Prepared By

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Issuing Date:

26-Oct-2020

Reason(s) For Issue:

5 Yearly Revised Primary SDS

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian Industrial Chemicals Introduction Scheme (AICIS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
RTECS (Registry of Toxic Effects of Chemical Substances)
World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

End of Safety Data Sheet