SAFETY DATA SHEET

Revision date: 31-Aug-2021

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier	
Product Name	CVM 1054 VOLATILE SILICONE FLUID
Product Code(s)	00000035557
Other means of identification	
Synonyms	Silicone CVM 1054; CVM 1056 Volatile Silicone Fluid; CVM155; CVM156
Recommended use of the chemical	and restrictions on use
Recommended use	Cosmetics applications
Uses advised against	No information available.
Details of the supplier of the safety	data sheet_
<u>Supplier</u> Ixom Operations Pty Ltd (Bronson & Ja Street Address: 166 Totara Street Mt Maunganui South New Zealand	acobs division) - incorporated in Australia
Telephone Number: +64 9 309 2528 Facsimile: +64 9 0508 366 364	
For further information, please cont	act
Contact Point	Product Safety Department
Emergency telephone number	
Emergency Telephone	0 800 734 607 (ALL HOURS)

2. HAZARDS IDENTIFICATION

Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS Classification

SIGNAL WORD Warning

EPA New Zealand HSNO approval code or group standard

Additives, Process Chemicals and Raw Materials (Combustible) Group Standard 2020



Approval Number: HSR002490

Flammable liquids

Category 4 - (H227)

Label elements

Hazard statements H227 - Combustible liquid

Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Wear protective gloves / protective clothing / eye protection / face protection In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet for extinction. **Precautionary Statements - Storage** Store in a well-ventilated place. Keep cool **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

A mixture of volatile cyclic silicones.

Chemical name	CAS No.	Weight-%
Cyclosiloxanes, dimethyl (cyclomethicone)	69430-24-6	100

4. FIRST AID MEASURES

Description of first aid measures

Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26
Inhalation	Remove to fresh air. Call a physician if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8).
Most important symptoms and effe	cts, both acute and delayed
_	

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. FIRE FIGHTING MEASU	RES
Suitable Extinguishing Media	
Suitable Extinguishing Media	Alcohol resistant foam. Dry chemical or CO2.
Unsuitable extinguishing media	High volume water jet. Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the c	hemical
Specific hazards arising from the chemical	Combustible liquid. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Flash back possible over considerable distance. May form flammable vapour mixtures with air.
Hazardous combustion products	Carbon oxides. Formaldehyde.
Special protective actions for fire-f	ighters
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information. Prevent further leakage or spillage if safe to do so.
Methods and material for containm	ent and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.
Precautions to prevent secondary I	hazards
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Protect from direct sunlight.
Incompatible materials	Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



Skin and body protection	Wear suitable protective clothing. Overalls. Antistatic boots.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and c Physical state Appearance Color Odor Odor threshold	hemical properties Liquid Clear No information available. Faint, Organic No information available.	
Property	Values	Remarks • Method
pH	No data available	None known
Melting point / freezing point	-40 °C	None known
Boiling point / boiling range	103 - >205 °C	None known
Flash point	>= 75 °C	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	13.21 (for CVM155)	
limits		
Lower flammability or explosive	0.45 (for CVM155)	
limits	- ···	0
Vapor pressure	2 mmHg	@ 50 °C
Vapor density	No data available	None known
Relative density	0.95 - 0.97	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available 392 °C	None known None known
Autoignition temperature	No data available	None known
Decomposition temperature Kinematic viscosity	No data available	None known
Dynamic viscosity	4 - 6 cP	@ 25 °C
Dynamic viscosity		e 20 0

Other information 100

10. STABILITY AND REACTIVITY

information available.
ble under normal conditions.
ne.
5.

Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	
Incompatible materials	Oxidizing agents.
Hazardous decomposition products	<u>8</u>

Hazardous decomposition products Carbon oxides. Formaldehyde.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation. Specific test data for the substance or mixture is not available.
Eye contact	May cause irritation. Specific test data for the substance or mixture is not available.
Skin contact	May cause irritation. Specific test data for the substance or mixture is not available.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts. Specific test data for the substance or mixture is not available.
Symptoms	No information available.

Acute toxicity

Numerical measures of toxicity No information available.

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure
--

Skin corrosion/irritation	No information available.	
Serious eye damage/eye irritation	No information available.	
Germ cell mutagenicity	No information available.	
Carcinogenicity	No information available.	
Reproductive toxicity	No information available.	
STOT - single exposure	No information available.	

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION				
Ecotoxicity				
Ecotoxicity	Keep out of waterways.			
Terrestrial ecotoxicity	There is no data for this product.			
Persistence and degradability				
Persistence and degradability	No information available.			
Bioaccumulative potential				
Bioaccumulation	Material does not bioaccumulate.			
<u>Mobility</u>	No information available.			
Mobility in soil				
Other adverse effects				
Other adverse effects	No information available.			
13. DISPOSAL CONSIDER	ATIONS			
Waste treatment methods				
Waste from residues/unused products	Dispose of in accordance with federal, state and local regulations. Dispose of waste in accordance with environmental legislation.			
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.			
14. TRANSPORT INFORMATION				
ROAD AND RAIL TRANSPORT	Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.			
IATA	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.			
IMDG_	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.			

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand		
National regulations	See section 8 for national exposure control parameters	
EPA New Zealand HSNO approval o	code or group standard	Additives, Process Chemicals and Raw Materials (Combustible) Group Standard 2020 Approval Number: HSR002490
International Inventories NZIoC TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AIIC	All the constituents of this material are listed on the New Zealand Inventory of Chemicals. Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.	

Legend:

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

- **ENCS** Japan Existing and New Chemical Substances
- **IECSC** China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Issuing Date:	31-Aug-2021
Reason(s) For Issue:	Revised Primary SDS Addition/Change of synonymous name(s)

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Sec	tion 8: EXPOSURE CONTROLS/PERSONAL	PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		-

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal

Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

End of Safety Data Sheet