SAFETY DATA SHEET

Revision date: 19-Jul-2021



Revision Number 4

1. IDENTIFICATION OF TH	E MATERIAL AND SUPPLIER
Product identifier	
Product Name	SEPITONIC M3
Product Code(s)	00000035626
Other means of identification	
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ZINC GLUCONATE)
UN number	3082
Recommended use of the chemical	and restrictions on use
Recommended use	Cosmetics applications
Uses advised against	No information available.
Details of the supplier of the safety	data sheet
<u>Supplier</u> Ixom Operations Pty Ltd (Bronson & J Street Address: 166 Totara Street Mt Maunganui South New Zealand	acobs division) - incorporated in Australia
Telephone Number: +64 9 309 2528 Facsimile: +64 9 0508 366 364	
For further information, please cont	tact
Contact Point	Product Safety Department
Emergency telephone number	
Emergency Telephone	0 800 734 607 (ALL HOURS)
2. HAZARDS IDENTIFICAT	ION

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS Classification

EPA New Zealand HSNO approval code or group standard

Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020

Approval Number: HSR002503

Chronic aquatic toxicity

Category 2 - (H411)

Label elements



Hazard statements H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention Avoid release to the environment Collect spillage

Other hazards which do not result in classification No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	CAS No.	Weight-%
1,2-Pentanediol	5343-92-0	<=5
Zinc gluconate	4468-02-4	<=5
Copper gluconate	527-09-3	<1
Ingredients determined not to be hazardous	-	to 100

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.	
Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26	
Inhalation	Remove to fresh air. Call a physician if symptoms occur.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash skin with soap and water. Call a physician if symptoms occur.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get medical attention if symptoms occur.	

Most important symptoms and effects, both acute and delayed

Symptoms	No information available.
----------	---------------------------

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. FIRE FIGHTING MEASURES		
Suitable Extinguishing Media		
Suitable Extinguishing Media	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.	
Unsuitable extinguishing media	No information available.	
Specific hazards arising from the chemical		
Specific hazards arising from the chemical	Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	
Hazardous combustion products	Carbon oxides. Nitrogen oxides. Metal oxides.	
Special protective actions for fire-fighters		
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	
Hazchem code	•3Z	
6. ACCIDENTAL RELEASE MEASURES		
6. ACCIDENTAL RELEASE	E MEASURES	
	E MEASURES	
Personal precautions, protective en	quipment and emergency procedures Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Do not touch or walk	
Personal precautions, protective en	quipment and emergency procedures Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Do not touch or walk through spilled material.	
Personal precautions, protective en Personal precautions For emergency responders	quipment and emergency procedures Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Do not touch or walk through spilled material.	
Personal precautions, protective en Personal precautions For emergency responders Environmental precautions	quipment and emergency procedures Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Use personal protection recommended in Section 8. Keep out of drains, sewers, ditches and waterways. See Section 12 for additional Ecological Information.	
Personal precautions, protective en Personal precautions For emergency responders <u>Environmental precautions</u> Environmental precautions	quipment and emergency procedures Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Use personal protection recommended in Section 8. Keep out of drains, sewers, ditches and waterways. See Section 12 for additional Ecological Information.	
Personal precautions, protective en Personal precautions For emergency responders <u>Environmental precautions</u> Environmental precautions <u>Methods and material for containm</u>	quipment and emergency procedures Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Use personal protection recommended in Section 8. Keep out of drains, sewers, ditches and waterways. See Section 12 for additional Ecological Information. ment and cleaning up.	
Personal precautions, protective en Personal precautions For emergency responders <u>Environmental precautions</u> Environmental precautions <u>Methods and material for containment</u>	quipment and emergency procedures. Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Use personal protection recommended in Section 8. Keep out of drains, sewers, ditches and waterways. See Section 12 for additional Ecological Information. ent and cleaning up Prevent further leakage or spillage if safe to do so. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.	

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Do not eat, drink or smoke when using this product.	
General hygiene considerations	Avoid contact with skin, eyes, and clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing and gloves, including the inside, before re-use.	
Conditions for safe storage, includi	ncluding any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from foodstuffs.	
Incompatible materials	Oxidizing agents.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituent(s):

Copper fume: WES-TWA 0.2 mg/m³

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

Eye/face protection	Glasses.	
Hand protection	Impervious gloves.	
Skin and body protection	Wear suitable protective clothing. Overalls. Protective shoes or boots.	
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.	
Environmental exposure controls	No information available.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	
Appearance	Transparent	
Color	Blue. Grey. Green.	
Odor	Characteristic	
Odor threshold	No information available.	

Property pH	<u>Values</u> 3.5 - 5.5	Remarks • Method
Melting point / freezing point	No data available	None known
Boiling point / boiling range Flash point	100 °C No data available	Initial boiling point None known
Evaporation rate Flammability (solid, gas)	No data available No data available	None known None known
Flammability Limit in Air Upper flammability or explosive	No data available	None known
limits Lower flammability or explosive	No data available	
limits Vapor pressure	No data available	None known
Vapor density Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies) Partition coefficient	Soluble in cold water No data available	None known
Autoignition temperature Decomposition temperature	No data available No data available	None known None known
Kinematic viscosity Dynamic viscosity	No data available 5 mPa s	None known @ 20 °C

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	None known based on information supplied.
Incompatible materials	
Incompatible materials	Oxidizing agents.
Hazardous decomposition product	<u>S</u>

Hazardous decomposition products Carbon oxides. Nitrogen oxides. Metal oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation. Specific test data for the substance or mixture is not available.
Eye contact	May cause irritation. Specific test data for the substance or mixture is not available.
Skin contact	May cause irritation. Specific test data for the substance or mixture is not available.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts. Specific test data for the substance or mixture is not available.
Symptoms	No information available.
A	

Acute toxicity

Numerical measures of toxicity No information available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1,2-Pentanediol	= 12700 mg/kg(Rat)	-	-
Copper gluconate	= 66 mg/kg (Rat)	-	-

	= 1709 mg/kg (Rat)

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Non-irritating to the skin.
Serious eye damage/eye irritation	Non-irritating to the eyes.
Respiratory or skin sensitization	Non-sensitiser to skin.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity Toxic to aquatic life with long lasting effects. Keep out of waterways.

Terrestrial ecotoxicity

There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
1,2-Pentanediol	-	LC50: >1096mg/L (96h, Danio rerio)	-
Zinc gluconate	EC50: = 0.1 - 1 mg/L (72h,	EC50: = 10 - 100 mg/L (96h,	EC50: = 10 - 100 mg/L (48h,
- C	Pseudokirchneriella subcapitata)	Oncorhynchus mykiss)	Daphnia magna)
Copper gluconate	EC50: = 0.126 mg/L (72h,	LC50: = 0.37 mg/L (96h,	EC50: = 0.74 mg/L (48h, Daphnia
	Pseudokirchneriella subcapitata)	Oncorhynchus mykiss)	magna)

Persistence and degradability	
Persistence and degradability	Readily biodegradable.
Bioaccumulative potential	
Bioaccumulation	No information available.
<u>Mobility</u>	
Mobility in soil	No information available.
Other adverse effects	

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with federal, state and local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the chemical to be classified as hazardous (class 6, 8, or 9 chemical).

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT	Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.
UN number Proper shipping name Hazard class Packing group Environmental hazard Hazchem code	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ZINC GLUCONATE) 9 III Yes •3Z
IATA_	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.
UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ZINC GLUCONATE)
Transport hazard class(es) Packing group	9 III
IMDG	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.
UN number UN proper shipping name Transport hazard class(es) Packing group IMDG EMS Fire	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ZINC GLUCONATE) 9 III F-A
IMDG EMS Spill Marine pollutant	S-F Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand

National regulations

See section 8 for national exposure control parameters

EPA New Zealand HSNO approval code or group standard Additives, Process Chemicals and Raw Materials (Subsidiary

Hazard) Group Standard 2020 Approval Number: HSR002503

Chemical name	New Zealand HSNO Chemical Classification
1,2-Pentanediol - 5343-92-0	Aspiration hazard Category 1
Copper gluconate - 527-09-3	Acute oral toxicity Category 4, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1,

International Inventories

NZIoC	All the hazardous constituents of this material are listed on the New Zealand Inventory of
	Chemicals.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	All the constituents of this material are listed on the Australian Inventory of Industrial
	Chemicals.

Legend:

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances

- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet; 05/ 2021 SEPITONIC is a registered trademark.

Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Issuing Date:	19-Jul-2021
Reason(s) For Issue:	Revised Primary SDS Change from non-DG to DG

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

TWATWA (time-weighted average)STELSTEL (Short Term Exposure LimitCeilingMaximum limit value*Skin designationCCarcinogen*Skin designation	
Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's PubMed database (NLM PUBMED) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Inform	

<u>Disclaimer</u>

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

End of Safety Data Sheet