



SAFETY DATA SHEET

Revision date: 23-Sep-2024

Revision Number 5

Section 1: Identification

Product identifier

Product Name FRAGRANCE LEMON CITRUS F42470

Product Code(s) 000000037177

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Fragrances.

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia
Street Address: 166 Totara Street
Mt Maunganui South
New Zealand

Telephone Number: +64 9 309 2528

Facsimile: +64 9 0508 366 364

Emergency telephone number

Emergency Telephone 0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

Section 2: Hazard identification

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS Classification

Flammable liquids	Category 4
Aspiration hazard	Category 1
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

Label elements



Signal word
Danger

Hazard statements

H227 - Combustible liquid
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H351 - Suspected of causing cancer
H373 - May cause damage to organs through prolonged or repeated exposure
H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash hands thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/clothing and eye/face protection.
Avoid release to the environment.

Precautionary Statements - Response

Specific treatment (see First aid on this label).
IF exposed or concerned, get medical advice.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN: Wash with plenty of water and soap.
If skin irritation or rash occurs: Get medical advice/attention.
Take off immediately all contaminated clothing and wash it before reuse.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Do NOT induce vomiting.
In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish..
Collect spillage.

Precautionary Statements - Storage

Store locked up.
Store in a well-ventilated place.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other hazards which do not result in classification

Toxic to aquatic life.

Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Propanol, oxybis-	25265-71-8	30-60
Citral	5392-40-5	10-<30
Pine oil	8002-09-3	1-<10
d-Limonene	5989-27-5	1-<10
Terpenes and terpenoids, lemon oil	68917-33-9	1-<10
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	106-24-1	1-<10
Dipentene	138-86-3	1-<10
2,6-Octadien-1-ol, 3,7-dimethyl-, (Z)- (Nerol)	106-25-2	1-<10
Coumarin	91-64-5	1-<10
Oils, lime	8008-26-2	1-<10
Litsea cubeba oil	68855-99-2	1-<10
Undecanal, 2-methyl-	110-41-8	<1
Tetrahydrolinalool	78-69-3	<1
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	78-70-6	<1
.alpha.-Hexylcinnamaldehyde	101-86-0	<1
Fragrance ingredients present at non-hazardous concentrations	-	to 100

Section 4: First-aid measures

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. (Call a physician if symptoms occur).
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area. Get medical attention immediately if symptoms occur.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Symptoms Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. May cause sensitization by skin contact. Delayed pulmonary edema may occur. Can cause corneal burns.

Section 5: Fire-fighting measures

Hazchem code •3Z

Suitable Extinguishing Media

Suitable Extinguishing Media Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.

Unsuitable extinguishing media

Specific hazards arising from the chemical

Specific hazards arising from the chemical Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Oxides of carbon.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Use personal protective equipment as required.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not allow to enter into soil/subsoil. Prevent product from entering drains. Refer to protective measures listed in Sections 7 and 8. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Remove ignition sources. Provide adequate ventilation. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Use non-sparking tools. Slippery when spilt. Avoid accidents, clean up immediately.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take off contaminated clothing and wash before reuse. Wash thoroughly after handling. Use personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Use according to package label instructions. Keep out of reach of children.

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Store locked up. Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Store away from incompatible materials described in Section 10. Do not contaminate food or feed stuffs.

Incompatible materials

Oxidizing agent.

Section 8: Exposure controls/personal protection

Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority.

Chemical name	New Zealand	Australia	ACGIH TLV	United Kingdom
Citral 5392-40-5	-	-	TWA: 5 ppm inhalable fraction and vapor Sk* dermal sensitizer	-

Appropriate engineering controls

Engineering controls

Ensure adequate ventilation, especially in confined areas. Eyewash stations.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



Eye/face protection

Tight sealing safety goggles.

Hand protection	Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Boots. Overalls.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear
Color	Colourless to Yellow
Odor	Sweet , Green , Lemony , citrusy , Floral and Woody
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	72 °C	CC (closed cup)
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	
Vapor density	No data available	
Relative density	0.9430 - 0.9630 @20°C	
Water solubility	No data available	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

Particle characteristics

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.**Possibility of hazardous reactions****Possibility of hazardous reactions** None under normal processing.**Conditions to avoid****Conditions to avoid** Heat, flames and sparks. static discharge (electrostatic discharge). Direct sunlight. Do not contaminate food or feed stuffs.**Incompatible materials****Incompatible materials** Oxidizing agent.**Hazardous decomposition products****Hazardous decomposition products** Oxides of carbon.**Section 11: Toxicological information****Acute toxicity****Information on likely routes of exposure****Product Information** No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:**Inhalation** May cause irritation.**Eye contact** Causes serious eye damage. Can result in permanent injury.**Skin contact** Causes skin irritation. May cause sensitization by skin contact.**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.**Symptoms** Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.**Acute toxicity****Numerical measures of toxicity****Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propanol, oxybis-	= 14850 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	> 2.34 mg/L (Rat) 4 h
Citral	= 4960 mg/kg (Rat)	= 2250 mg/kg (Rabbit)	-
Pine oil	= 3200 mg/kg (Rat)	= 400 mg/kg (Rabbit)	> 3.79 mg/L (Rat) 4 h
d-Limonene	= 5200 mg/kg (Rat) = 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	-

2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Dipentene	= 5300 mg/kg (Rat)	-	-
2,6-Octadien-1-ol, 3,7-dimethyl-, (Z)- (Nerol)	= 4500 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Coumarin	> 5000 mg/kg (Rat)	= 293 mg/kg (Rat)	-
Oils, lime	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Litsea cubeba oil	> 5 g/kg (Rat)	-	-
Undecanal, 2-methyl-	> 5 g/kg (Rat)	> 10 mL/kg (Rabbit)	-
Tetrahydrolinalool	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	= 2790 mg/kg (Rat)	= 5610 mg/kg (Rabbit)	-
.alpha.-Hexylcinnamaldehyde	= 3100 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	> 5 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.
Germ cell mutagenicity	No information available.
Carcinogenicity	Suspected of causing cancer. Classification is based on mixture calculation methods based on component data.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	New Zealand	IARC
d-Limonene - 5989-27-5	-	Group 3
Coumarin - 91-64-5	Carcinogenicity Category 2	Group 3

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure. Classification is based on mixture calculation methods based on component data.
Aspiration hazard	May be fatal if swallowed and enters airways. Risk of serious damage to the lungs (by aspiration).

Data used to identify the health effects

Refer to Section 16 for Key literature references and sources for data used to compile the SDS.

Section 12: Ecological information**Ecotoxicity****Aquatic ecotoxicity**

Avoid contaminating waterways. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Propanol, oxybis-	EC50: >100mg/L (72h, <i>Desmodesmus subspicatus</i>)	-	EC50: >100mg/L (48h, <i>Daphnia magna</i>)
Citral	EC50: =16mg/L (72h, <i>Desmodesmus subspicatus</i>) EC50: =19mg/L (96h, <i>Desmodesmus subspicatus</i>)	-	EC50: =7mg/L (48h, <i>Daphnia magna</i>)
Pine oil	-	-	EC50: 17 - 28mg/L (48h, <i>Daphnia magna</i>)
d-Limonene	-	LC50: 0.619 - 0.796mg/L (96h, <i>Pimephales promelas</i>) LC50: =35mg/L (96h, <i>Oncorhynchus mykiss</i>)	LC50 <i>Daphnia magna</i> (Water flea) 0.577 mg/L/48 hr (1)
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	-	LC50: =22mg/L (96h, <i>Danio rerio</i>)	-
2,6-Octadien-1-ol, 3,7-dimethyl-, (Z)- (Nerol)	-	LC50: =20.3mg/L (96h, <i>Danio rerio</i>)	-
Undecanal, 2-methyl-	-	LC50: =0.35mg/L (96h, <i>Oncorhynchus mykiss</i>)	-
Tetrahydrolinalool	-	LC50: =8.9mg/L (96h, <i>Danio rerio</i>)	-
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	EC50: =88.3mg/L (96h, <i>Desmodesmus subspicatus</i>)	LC50: =27.8mg/L (96h, <i>Oncorhynchus mykiss</i>)	EC50: =20mg/L (48h, <i>Daphnia magna</i>)

Terrestrial ecotoxicity

There is no data for this product.

Persistence and degradability

No information available.

Bioaccumulative potential**Bioaccumulation**

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Propanol, oxybis-	-0.462
Citral	2.76
d-Limonene	4.23
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	2.6
2,6-Octadien-1-ol, 3,7-dimethyl-, (Z)- (Nerol)	2.76
Undecanal, 2-methyl-	4.9
Tetrahydrolinalool	3.3
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	2.9

Mobility in soil**Mobility** No information available.**Other adverse effects**

No information available.

Section 13: Disposal considerations**Waste treatment methods****Waste from residues/unused products**

Dispose of product in packaging in a way that is consistent with the EPA Consolidation 30 April 2021 of the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste.

Environmentally hazardous substances – if the substance, or if it contains a component that is hazardous to the aquatic environment or bioaccumulative and not rapidly degradable, then any component that is bioaccumulative and not rapidly degradable must be removed. The product may only be discharged into the environment if an environmental exposure limit has been set for the substance (or a component of the substance); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the environmental exposure limit.

Contaminated packaging

For packages that have been in direct contact with hazardous substances, the person must ensure that the package is rendered incapable of containing any substance. It must be disposed of in a manner that is consistent with the requirements for disposal of the substance that it contained, taking into account the material the package is manufactured from.

Packages may only be reused or recycled if:

- the substance has a physical hazard other than corrosive to metal, and has been treated to remove any residual contents of the hazardous substance;
- or for substances that have a health or environmental hazard, or corrosive to metal, the contents of the residue in the package are below the threshold for the substance to be classified as hazardous in the Hazardous Substances (Hazard Classification) Notice 2020.

Section 14: Transport information**ROAD AND RAIL TRANSPORT**

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

UN number or ID number

3082

Proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)

Transport hazard class(es)

9

Packing group

III

Hazchem code

•3Z

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number

3082

UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)

Transport hazard class(es)

9

Packing group

III

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)
Transport hazard class(es)	9
Packing group	III
IMDG EMS Fire	F-A
IMDG EMS Spill	S-F

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Special precautions for user

Please refer to the applicable dangerous goods regulations for additional information

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture**

EPA New Zealand HSNO approval code or group standard	HSR002513 - Additives, Process Chemicals and Raw Materials (Combustible, Carcinogenic)
---	--

National regulations	There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances
-----------------------------	---

Certified handlers, tracking and controlled substance license requirements	<p>Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information</p> <p>Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information</p> <p>Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017 for more information</p>
---	--

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer	Not applicable
---	----------------

The Stockholm Convention on Persistent Organic Pollutants	Not applicable
--	----------------

The Rotterdam Convention	Not applicable
---------------------------------	----------------

International Inventories

NZIoC	All the constituents of this material are listed on the New Zealand Inventory of Chemicals.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.
TCSI	Contact supplier for inventory compliance status.

Legend:

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIC AIIC- Australian Inventory of Industrial Chemicals

TCSI - Taiwan Chemical Substance Inventory

Section 16: Other information

Prepared By This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services).

Revision date: 23-Sep-2024

Reason(s) For Issue: Revised Primary SDS

Revision Note:

***Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend**

SVHC: Substances of Very High Concern for Authorization:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate

LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
**	Hazard Designation	+	Sensitizers
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGl(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet