

SAFETY DATA SHEET



Revision date: 13-Jul-2022

Revision Number 3

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name FRAGRANCE KIWIFRUIT

Product Code(s) 000000038548

Other means of identification

UN number 3082

Recommended use of the chemical and restrictions on use

Recommended use Industrial fragrance.

Uses advised against No information available.

Details of the supplier of the safety data sheet

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia
Street Address: 166 Totara Street
Mt Maunganui South
New Zealand

Telephone Number: +64 9 309 2528

Facsimile: +64 9 0508 366 364

For further information, please contact

Contact Point Product Safety Department

Emergency telephone number

Emergency Telephone 0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS Classification

SIGNAL WORD

Warning

Food Additives and Fragrance Materials (Combustible) Group Standard 2020

Approval Number: HSR002574

| | |
|-----------------------------------|------------|
| Flammable liquids | Category 4 |
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2 |
| Skin sensitization | Category 1 |
| Reproductive toxicity | Category 2 |
| Acute aquatic toxicity | Category 2 |
| Chronic aquatic toxicity | Category 2 |

Label elements



Hazard statements

H227 - Combustible liquid
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H361 - Suspected of damaging fertility or the unborn child
H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Avoid breathing dust / fume / gas / mist / vapours / spray
Obtain special instructions before use
Wash hands thoroughly after handling
Contaminated work clothing should not be allowed out of the workplace
Do not handle until all safety precautions have been read and understood
Wear protective gloves / protective clothing / eye protection / face protection
Avoid release to the environment

Precautionary Statements - Response

Specific treatment (see First aid on this SDS)
If exposed or concerned: Get medical advice/attention
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
IF ON SKIN: Wash with plenty of water and soap
If skin irritation or rash occurs: Get medical advice/attention
Take off contaminated clothing and wash before reuse
In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish.
Collect spillage

Precautionary Statements - Storage

Store in a well-ventilated place
Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| Chemical name | CAS No. | Weight-% |
|---|------------|----------|
| Propanol, oxybis- | 25265-71-8 | 30-60 |
| 2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial) | 80-54-6 | 1-<10 |
| .alpha.-Amylcinnamaldehyde | 122-40-7 | 1-<10 |
| Terpenes and terpenoids, lemon oil | 68917-33-9 | 1-<10 |
| Diethyl phthalate | 84-66-2 | 1-<10 |
| Benzyl salicylate | 118-58-1 | 1-<10 |
| Terpenes and terpenoids, lime oil | 68917-71-5 | 1-<10 |
| Lemon oil | 8008-56-8 | 1-<10 |
| Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)- (Cyclamen aldehyde) | 103-95-7 | 1-<10 |
| d-Limonene | 5989-27-5 | 1-<10 |
| 3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl)- (Lyrall) | 31906-04-4 | 0.1-<1 |
| Oils, lime | 8008-26-2 | 0.1-<1 |
| Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate | 32210-23-4 | 0.1-<1 |
| Litsea cubeba oil | 68855-99-2 | 0.1-<1 |
| Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester | 77-83-8 | 0.1-<1 |
| Other ingredient(s) | - | to 100 |

4. FIRST AID MEASURES

Description of first aid measures

| | |
|-----------------------------------|---|
| General advice | For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. |
| Emergency telephone number | Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26 |
| Inhalation | Remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms occur. |
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If symptoms persist, call a physician. |

Most important symptoms and effects, both acute and delayed

| | |
|-----------------|--|
| Symptoms | Irritation. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives. |
|-----------------|--|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|---|
| Note to physicians | May cause sensitization by skin contact. Treat symptomatically. |
|---------------------------|---|

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Oxides of carbon.

Special protective actions for fire-fighters

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Hazchem code •3Z

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not allow to enter into soil/subsoil. Prevent product from entering drains. Refer to protective measures listed in Sections 7 and 8. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Remove ignition sources. Provide adequate ventilation. Do not touch or walk through spilled material. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Slippery when spilt. Avoid accidents, clean up immediately. Take precautionary measures against static discharges. Use non-sparking tools. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling**Advice on safe handling**

Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Obtain special instructions before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use personal protection equipment. Take off contaminated clothing and wash before reuse. Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Not to be used by pregnant workers and workers who have recently given birth or who are breastfeeding. Keep out of reach of children.

General hygiene considerations

Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands and face before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Wear suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Store locked up. Keep container tightly closed in a dry and well-ventilated place. Protect from sunlight. Store away from foodstuffs and sources of heat or ignition. Store away from incompatible materials (refer to SDS). Keep container closed when not in use.

Incompatible materials

Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters****Exposure Limits**

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituent(s):

Diethyl phthalate: WES-TWA 5 mg/m³

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls**Engineering controls**

Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



| | |
|--|--|
| Eye/face protection | Goggles. |
| Hand protection | Impervious gloves. |
| Skin and body protection | Wear suitable protective clothing. Boots. Overalls. |
| Respiratory protection | If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. |
| Environmental exposure controls | No information available. |

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

| | |
|-----------------------|--|
| Physical state | Liquid |
| Appearance | Clear |
| Color | Pale Yellow to Yellow |
| Odor | Sweet , Kiwifruit , Green , Floral , Citrus , Fruity , Melon , Musky |
| Odor threshold | No information available. |

| Property | Values | Remarks • Method |
|---|---------------------|-------------------------|
| pH | No data available | None known |
| Melting point / freezing point | No data available | |
| Boiling point / boiling range | No data available | |
| Flash point | 67 °C | CC (closed cup) |
| Evaporation rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |
| Vapor pressure | No data available | |
| Vapor density | No data available | |
| Relative density | 0.988 - 1.008 @20°C | |
| Water solubility | No data available | |
| Solubility(ies) | Immiscible in water | None known |
| Partition coefficient | No data available | None known |
| Autoignition temperature | No data available | |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |

Other information**10. STABILITY AND REACTIVITY**Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. Static discharge (electrostatic discharge). Direct sunlight. Contact with foodstuffs.

Incompatible materials

Incompatible materials Oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Oxides of carbon.

11. TOXICOLOGICAL INFORMATIONAcute toxicityInformation on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

Inhalation May cause irritation.

Eye contact Causes serious eye irritation.

Skin contact Causes skin irritation. May cause sensitization by skin contact.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms Irritation. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.

Acute toxicity**Numerical measures of toxicity**

ATEmix (oral) >10000 mg/kg

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|--|--------------------------|--------------------------------------|
| Propanol, oxybis- | = 14850 mg/kg (Rat) | - | - |
| 2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial) | = 1390 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | > 1802 mg/m ³ (Rat) 4 h |
| .alpha.-Amylcinnamaldehyde | = 3730 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | - |
| Diethyl phthalate | = 8600 mg/kg (Rat) | > 11200 mg/kg (Rat) | > 4.64 mg/L (Rat) 6 h |
| Benzyl salicylate | = 2227 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | - |
| Lemon oil | = 2840 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | - |
| Benzenepropanal, .alpha.-methyl-4-(1-methylethyl) - (Cyclamen aldehyde) | = 3810 mg/kg (Rat) | > 5000 mg/kg (Rat) | - |
| d-Limonene | = 5200 mg/kg (Rat) = 4400 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | - |
| 3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl)- (Lylal) | = 3250 µL/kg (Rat) | = 11300 µL/kg (Rabbit) | - |
| Oils, lime | > 5000 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | - |
| Litsea cubeba oil | > 5000 mg/kg (Rat) | = 4800 mg/kg (Rabbit) | - |
| Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester | = 5470 mg/kg (Rat) | - | - |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|--|
| Skin corrosion/irritation | Causes skin irritation. Classification is based on mixture calculation methods based on component data. |
| Serious eye damage/eye irritation | Causes serious eye irritation. Classification is based on mixture calculation methods based on component data. |
| Respiratory or skin sensitization | May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | No information available. |
| Reproductive toxicity | Suspected of damaging fertility or the unborn child. Classification is based on mixture calculation methods based on component data. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | No information available. |

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Ecotoxicity Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

Terrestrial ecotoxicity There is no data for this product.

| Chemical name | EarthWorm | Avian | Honeybees |
|-------------------|--|-------|-----------|
| Diethyl phthalate | LC50 0.66 - 1.09 mg/cm2 (Eisenia foetida 48 h filter paper) | - | - |

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|---|--|--|---|
| Propanol, oxybis- | - | LC50: >5000mg/L (24h, Carassius auratus) | - |
| 2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial) | - | LC50: 2.2 - 4.6mg/L (96h, Brachydanio rerio) | EC50: =10.7mg/L (48h, Daphnia magna) |
| Diethyl phthalate | EC50: =23mg/L (72h, Desmodesmus subspicatus) EC50: =21mg/L (96h, Desmodesmus subspicatus) EC50: 42 - 255mg/L (72h, Pseudokirchneriella subcapitata) EC50: 2.11 - 4.29mg/L (96h, Pseudokirchneriella subcapitata) | LC50: =17mg/L (96h, Pimephales promelas) LC50: =16.8mg/L (96h, Pimephales promelas) LC50: =22mg/L (96h, Lepomis macrochirus) LC50: =16.7mg/L (96h, Lepomis macrochirus) LC50: =12mg/L (96h, Oncorhynchus mykiss) | EC50: 36 - 74mg/L (48h, Daphnia magna) EC50: =86mg/L (48h, Daphnia magna) |
| Benzyl salicylate | - | LC50: =1.03mg/L (96h, Danio rerio) | - |
| d-Limonene | - | LC50: 0.619 - 0.796mg/L (96h, Pimephales promelas) LC50: =35mg/L (96h, Oncorhynchus mykiss) | - |
| Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate | - | LC50: =8.6mg/L (96h, Cyprinus carpio) LC50: =15.5mg/L (48h, Leuciscus idus) | EC50: =9.6mg/L (24h, Daphnia magna) |
| Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester | - | LC50: =4.2mg/L (96h, Oncorhynchus mykiss) | - |

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Mobility

Mobility in soil No information available.

Component Information

| Chemical name | Partition coefficient |
|--|-----------------------|
| 2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial) | 4.2 |
| Diethyl phthalate | 2.35 |
| d-Limonene | 4.23 |

Other adverse effects

Other adverse effects No information available.

Endocrine Disruptor Information

| Chemical name | EU - Endocrine Disruptors Candidate List | EU - Endocrine Disruptors - Evaluated Substances | Endocrine disrupting potential |
|-------------------|--|--|--------------------------------|
| Diethyl phthalate | Group III Chemical | - | - |

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste. Class 9 chemical, if the chemical, or if it contains a component that is bioaccumulative and not rapidly degradable, then any component that is bioaccumulative and not rapidly degradable must be removed. The product may only be discharged into the environment if an environmental exposure limit has been set for the chemical (or a component of the chemical); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the environmental exposure limit.

Contaminated packaging

For packages that have been in direct contact with hazardous chemicals, the person must ensure that the package is rendered incapable of containing any chemical. It must be disposed of in a manner that is consistent with the requirements for disposal of the chemical that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the chemical to be classified as hazardous (class 6, 8, or 9 chemical).

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

UN number 3082
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS LEMON TERPENES)
Hazard class 9
Packing group III
Environmental hazard Yes
Special Provisions 274; 331; 335; 375; AU01
Hazchem code •3Z

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 3082
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS LEMON TERPENES)
Transport hazard class(es) 9
Packing group III

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

| | |
|----------------------------|---|
| UN number | 3082 |
| UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS LEMON TERPENES) |
| Transport hazard class(es) | 9 |
| Packing group | III |
| IMDG EMS Fire | F-A |
| IMDG EMS Spill | S-F |
| Marine pollutant | Yes |

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand

National regulations See section 8 for national exposure control parameters

International Inventories

| | |
|----------------------|---|
| NZIoC | All the constituents of this material are listed on the New Zealand Inventory of Chemicals. |
| TSCA | Contact supplier for inventory compliance status. |
| DSL/NDSL | Contact supplier for inventory compliance status. |
| EINECS/ELINCS | Contact supplier for inventory compliance status. |
| ENCS | Contact supplier for inventory compliance status. |
| IECSC | Contact supplier for inventory compliance status. |
| KECL | Contact supplier for inventory compliance status. |
| PICCS | Contact supplier for inventory compliance status. |
| AIIC | All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals. |

Legend:

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Prepared By This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Issuing Date: 13-Jul-2022

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| | | | |
|---------|-----------------------------|------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | * | Skin designation |
| C | Carcinogen | | |

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGl(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australian Industrial Chemicals Introduction Scheme (AICIS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 RTECS (Registry of Toxic Effects of Chemical Substances)
 World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet