

# SAFETY DATA SHEET

Revision date: 26-Aug-2024 Revision Number 4

## Section 1: Identification

**Product identifier** 

Product Name SODIUM HYDROXIDE 1.0N

**Product Code(s)** 000000050135

Other means of identification

Synonyms Sodium hydroxide 1N; Caustic soda 1.0N; Caustic soda 1N.

Recommended use of the chemical and restrictions on use

Recommended use Laboratory reagent.

Uses advised against No information available

Details of the supplier of the safety data sheet

**Supplier** 

IXOM Operations Pty Ltd (Incorporated in Australia)

NZBN: 9429041465226

Street Address: 166 Totara Street

Mt Maunganui South

New Zealand

Telephone Number: +64 9 368 2700

Facsimile: +64 9 368 2710

Emergency telephone number

Emergency Telephone 0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## Section 2: Hazard identification

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020. GHS Classification

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

## Label elements



#### Signal word

Danger

Hazard statements H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

## **Precautionary Statements - Prevention**

Keep only in original packaging.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/clothing and eye/face protection.

#### **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS).

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

#### Skir

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

#### Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

#### Spill

Absorb spillage to prevent material damage.

#### **Precautionary Statements - Storage**

Store locked up.

Store in corrosion resistant container with a resistant inner liner.

## **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

#### Other hazards which do not result in classification

No information available.

## Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Sodium hydroxide	1310-73-2	4%
Water	7732-18-5	96%

## Section 4: First-aid measures

#### Description of first aid measures

## General advice

For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.

Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If Inhalation

breathing has stopped, give artificial respiration. Get medical attention immediately.

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Eve contact

Consult a physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Immediately call a POISON CENTER or doctor/physician.

Rinse mouth thoroughly with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Ingestion

Get immediate medical attention.

Most important symptoms and effects, both acute and delayed

**Symptoms** Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness).

Burning.

No information available. **Effects of Exposure** 

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. Can cause corneal burns.

# Section 5: Fire-fighting measures

Hazchem code 2R

Suitable Extinguishing Media

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam.

No information available. Unsuitable extinguishing media

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Contact with

metals may evolve flammable hydrogen gas.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin and eyes. Do not breathe vapor or mist. Ensure adequate

> ventilation. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Stop leak if you can do it without risk. Use personal protective equipment as required. Wash

thoroughly after handling.

For emergency responders Use personal protection recommended in Section 8.

**Environmental precautions** 

Environmental precautions Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use a non-combustible material like vermiculite, sand or earth to soak up the product and

place into a container for later disposal. After cleaning, flush away traces with water.

Precautions to prevent secondary hazards

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: Handling and storage

## Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Ensure adequate

ventilation. Use personal protection equipment. Wash thoroughly after handling. Keep out of

reach of children.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from

foodstuffs. Do not store in aluminium or galvanised containers nor use die-cast zinc or aluminium bungs; plastic bungs should be used. At temperatures greater than 40°C, tanks

must be stress relieved. Keep container closed when not in use.

Packaging materials Do not store in aluminium containers. Do not store in tin containers. Do not store in zinc

containers.

Incompatible materials Acids. Ammonium salts. Aluminum. Tin. Zinc.

# Section 8: Exposure controls/personal protection

## **Control parameters**

Exposure Limits No value assigned for this specific material by the New Zealand Workplace Health & Safety

Authority. However, Workplace Exposure Standard(s) for constituents:.

Sodium hydroxide Ceiling 2 mg/m³ Peak: 2 mg/m³	Chemical name	New Zealand	Australia	ACGIH TLV	United Kingdom
1310-73-2	7	Ceiling 2 mg/m <sup>3</sup>	Peak: 2 mg/m <sup>3</sup>	-	-

As published by the New Zealand Workplace Health & Safety Authority.

WES - Ceiling (Workplace Exposure Standard - Ceiling). A concentration that should not be exceeded during any part of the working day.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### Appropriate engineering controls

Engineering controls Ensure that eyewash stations and safety showers are close to the workstation location.

Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.



Eye/face protection Tight sealing safety goggles. If splashes are likely to occur:. Face protection shield.

**Hand protection** Elbow-length impervious gloves.

**Skin and body protection** Apron. Rubber boots. Overalls.

**Respiratory protection** If determined by a risk assessment an inhalation risk exists, wear a suitable mist respirator

meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

# Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear to Slightly turbid

ColorColourlessOdorNegligible

Odor threshold No information available

Property
pH
14
None known
No data available

Melting point / freezing point No data available None known Boiling point / boiling range ca. 103°C None known Flash point Not applicable None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive Not applicable

limits

Lower flammability or explosive Not applicable

limits

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative densityca. 1.05None knownWater solubilityNo data availableNone known

Solubility(ies)Miscible in waterNone knownPartition coefficientNo data availableNone knownAutoignition temperatureNot applicableNone knownDecomposition temperatureNone known

Kinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other information Particle characteristics

# Section 10: Stability and reactivity

Reactivity

**Reactivity** Reacts with strong acids.

**Chemical stability** 

Stability Stable under normal ambient and anticipated storage and handling conditions of

temperature and pressure.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions Contact with metals (aluminum, zinc, tin) may release hydrogen gas.

Conditions to avoid

**Conditions to avoid**Do not contaminate food or feed stuffs. Contact with foodstuffs.

Incompatible materials

**Incompatible materials** Acids. Ammonium salts. Aluminum. Tin. Zinc.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

# Section 11: Toxicological information

#### **Acute toxicity**

Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety

Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is

mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** Causes serious eye damage.

**Skin contact** Causes burns.

**Ingestion** Can burn mouth, throat, and stomach.

Symptoms Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness).

Burning.

Acute toxicity

**Numerical measures of toxicity** 

No information available

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hydroxide	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-
Water	> 90 mL/kg (Rat)	-	-

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes burns. Classification is based on mixture calculation methods based on component

data.

Serious eye damage/eye irritation Causes serious eye damage. Classification is based on mixture calculation methods based

on component data.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** Not listed as carcinogenic according to IARC.

(IARC - International Agency for Research on Cancer).

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

Data used to identify the health

effects

Refer to Section 16 for Key literature references and sources for data used to compile the

SDS.

# Section 12: Ecological information

**Ecotoxicity** 

Aquatic ecotoxicity Keep out of waterways.

**Terrestrial ecotoxicity** There is no data for this product.

**Persistence and degradability**Biodegradation is not an applicable endpoint since the product is an inorganic chemical.

Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

Mobility in soil

**Mobility** No information available.

Other adverse effects

No information available.

# Section 13: Disposal considerations

#### Waste treatment methods

# Waste from residues/unused products

Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020.

Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste.

Class 6 and 8 chemicals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that chemical); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is not tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances...

#### Contaminated packaging

For packages that have been in direct contact with hazardous substances, the person must ensure that the package is rendered incapable of containing any substance. It must be disposed of in a manner that is consistent with the requirements for disposal of the substance that it contained, taking into account the material the package is manufactured from.

Packages may only be reused or recycled if:

- the substance has a physical hazard other than corrosive to metal, and has been treated to remove any residual contents of the hazardous substance;
- or for substances that have a health or environmental hazard, or corrosive to metal, the contents of the residue in the package are below the threshold for the substance to be classified as hazardous in the Hazardous Substances (Hazard Classification) Notice 2020.

# Section 14: Transport information

## **ROAD AND RAIL TRANSPORT**

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

UN number or ID number Proper shipping name Transport hazard class(es)

1824

SODIUM HYDROXIDE SOLUTION

8

Packing group Ш Hazchem code 2R

Classified as Dangerous Goods by the criteria of the International Air Transport Association IATA

(IATA) Dangerous Goods Regulations for transport by air: DANGEROUS GOODS.

**UN** number

UN proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) Packing group Ш

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous **IMDG** 

Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

**UN** number 1824

SODIUM HYDROXIDE SOLUTION **UN proper shipping name** 

Transport hazard class(es) Packing group Ш **IMDG EMS Fire IMDG EMS Spill** S-B

Marine pollutant Not applicable

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

## Special precautions for user

Please refer to the applicable dangerous goods regulations for additional information

## Section 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

**EPA New Zealand HSNO approval** code or group standard

HSR002491 - Additives, Process Chemicals and Raw Materials (Corrosive)

**National regulations** 

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information

Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information

Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017 for more information

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

**International Inventories** 

**NZIoC** All the constituents of this material are listed on the New Zealand Inventory of Chemicals.

**TSCA** Contact supplier for inventory compliance status. DSL/NDSL Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS IECSC** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **KECL PICCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. AIIC **TCSI** Contact supplier for inventory compliance status.

Legend:

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
VECU - Versey Existing and Evaluated Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AIIC- Australian Inventory of Industrial Chemicals** 

TCSI - Taiwan Chemical Substance Inventory

## Section 16: Other information

Prepared By

This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and

SDS Services).

Revision date: 26-Aug-2024

**Reason(s) For Issue:** 5 Yearly Revised Primary SDS

**Revision Note:** 

\*\*\*Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

## **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since IXOM Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their IXOM representative or IXOM Operations Pty Ltd at the contact details on page 1.

IXOM Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**