SAFETY DATA SHEET



Revision date: 28-May-2021

Revision Number 4

1. IDENTIFICATION OF TH	E MATERIAL AND SUPPLIER
Product identifier	
Product Name	TOLONATE HDT LV2
Product Code(s)	00000050647
Other means of identification	
CAS No.	28182-81-2
Recommended use of the chemical	and restrictions on use
Recommended use	Manufacture of paints and varnishes. Industrial applications.
Uses advised against	No information available.
Details of the supplier of the safety	data sheet
Supplier Ixom Operations Pty Ltd (Incorporated NZBN: 9429041465226 Address: 166 Mt Maunganui South New Zealand	
Telephone Number: +64 9 368 2700 Facimile: +64 9 368 2710	
For further information, please con	tact
Contact Point	Product Safety Department
Emergency telephone number	
Emergency Telephone	0 800 734 607 (ALL HOURS)
Please ensure you refer to the limitations of this	Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.
2. HAZARDS IDENTIFICAT	ION
Not classified as a Dangerous Good u	under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.
Classified as hazardous according to	criteria in the Hazardous Substances (Hazard Classification) Notice 2020.
GHS Classification	
SIGNAL WORD Danger	

Approval Number: HSR003565

Acute toxicity - Inhalation (Vapors)	Category 4
Respiratory sensitization	Category 1
Skin sensitization	Category 1

Label elements



Hazard statements H317 - May cause an allergic skin reaction H332 - Harmful if inhaled H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary Statements - Prevention

Keep out of reach of children. Do not breathe fume, gas, mist, vapours, spray Use only outdoors or in a well-ventilated area Contaminated work clothing should not be allowed out of the workplace Wear protective gloves / protective clothing / eye protection / face protection In case of inadequate ventilation wear respiratory protection **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician Call a POISON CENTER or doctor/physician if you feel unwell **Precautionary Statements - Storage** No storage statements **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical name	CAS No.	Weight-%
Hexamethylene diisocyanate, homopolymer	28182-81-2	ca. 100%
Hexamethylene diisocyanate	822-06-0	<0.5%

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26
Inhalation	Remove to fresh air. Call a physician if symptoms occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact	Wash skin with soap and water. Call a physician if symptoms occur.	
Ingestion	Do NOT induce vomiting. Give nothing to drink. Get immediate medical advice/attention.	
Most important symptoms and effe	ects, both acute and delayed	
Symptoms	Irritation. Redness. Rashes. Hives. May cause allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE FIGHTING MEASU	RES	
Suitable Extinguishing Media		
Suitable Extinguishing Media	Foam. Dry chemical or CO2.	
Unsuitable extinguishing media	Water.	
Specific hazards arising from the chemical		
Specific hazards arising from the chemical	Combustible material. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Cool drums with water spray.	
Hazardous combustion products	Carbon oxides. Nitrogen oxides.	
Special protective actions for fire-fighters		
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes and inhalation of vapors. Stop leak if you can do it without risk. Do not touch or walk through spilled material. Evacuate personnel to safe areas. Remove all sources of ignition. Use personal protective equipment as required. Wash thoroughly after handling.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. After cleaning, flush away traces with water. Recover the cleaning water for subsequent disposal. For large amounts, pump off product.	

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE	

Precautions for safe handling

Advice on safe handling	Avoid contact with skin and eyes. Avoid breathing vapors or mists. Use personal protection equipment. Wash thoroughly after handling.
Conditions for safe storage, ir	cluding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Keep/store only in original container. Store away from foodstuffs and sources of heat or ignition. Keep container closed when not in use.
Packaging materials	Do not store in copper or copper alloy containers. Do not store in tin containers.
Incompatible materials	Alcohols, Amines, Bases, Water, Protic solvents, Copper, Tin,

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituent(s):

Isocyanates, all, (as -NCO): WES-TWA 0.02 mg/m³; WES-STEL 0.07 mg/m³, dsen, rsen

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

WES - STEL (Workplace Exposure Standard - Short Term Exposure Limits) - The 15 minute average exposure standard. Applies to any 15 minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both short-term and eight-hour, time-weighted average exposures should be determined.

(dsen) - Dermal sensitiser.

(rsen) - Respiratory sensitiser.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls

Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, RESPIRATOR.



9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid No information available. Colourless to Slightly Yellow Odourless No information available.	
Property	Values	Remarks • Method
pH	Not applicable	None known
Melting point / freezing point	< -20°C	None known
Boiling point / boiling range	>220°C (1.33 hPa)	None known
Flash point	228°C	CC (closed cup)
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.13 @25°C	None known

Water solubility
Solubility(ies)
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity

Reacts with water No data available 600 mPa.s @25°C None known None known None known None known None known None known

Other information

10. STABILITY AND REACTIVITY

Reactivity	
Reactivity	Reacts with water.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	Reacts with alcohols, amines, bases, water, aqueous solutions, protic solvents with a great release of carbon dioxide, and hence a risk of a pressure build-up in confined areas.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks. Moisture.
Incompatible materials	
Incompatible materials	Alcohols. Amines. Bases. Water. Protic solvents. Copper. Tin.
Hazardous decomposition products	
Hazardous decomposition products	carbon oxides. Nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation. Harmful if inhaled. May cause sensitization by inhalation.
Eye contact	May cause irritation.
Skin contact	May cause irritation. May cause sensitization by skin contact.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms

Irritation. Redness. Rashes. Hives. May cause allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Acute toxicity

Numerical measures of toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hexamethylene diisocyanate, homopolymer	= >2500 mg/kg (Female Rat)	= >2000 mg/kg(Rat)	= 18500 mg/m³(Rat)1 h
Hexamethylene diisocyanate	= 738 mg/kg (Rat)	= 593 mg/kg (Rabbit)	= 0.06 mg/L (Rat)4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Respiratory or skin sensitization	May cause sensitization by inhalation. May cause sensitization by skin contact.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
STOT - single exposure	No information available.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.

12. ECOLOGICAL INFORMATION

Ecotoxicity		
Ecotoxicity	Keep out of waterways.	
Terrestrial ecotoxicity	There is no data for this product.	
Persistence and degradability		
Persistence and degradability	Not readily biodegradable.	
Bioaccumulative potential Bioaccumulation Mobility	Material does not bioaccumulate.	

Mobility in soil

No information available.

Other adverse effects

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused
productsDispose of product in packaging/container in a way that is consistent with the Hazardous
Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments
and Revocations) Notice 2020. Treat the chemical using a method that changes the
characteristics or composition of the chemical so that the chemical is no longer a hazardous
chemical; or export the chemical from New Zealand as waste.Contaminated packagingEmpty containers should be taken to an approved waste handling site for recycling or
disposal.

14. TRANSPORT INFORMATION		
ROAD AND RAIL TRANSPORT	Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.	
IATA_	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.	
IMDG	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.	

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand	
National regulations	See section 8 for national exposure control parameters
International Inventories NZIoC TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS	This material is listed on the New Zealand Inventory of Chemicals. Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. This material is listed on the Australian Inventory of Industrial Chemicals.

Legend:

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 01/2020 Tolonate is a trademark.

Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Issuing Date:	28-May-2021
Reason(s) For Issue:	5 Yearly Revised Primary SDS

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION			
TŴA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet