

# SAFETY DATA SHEET



Revision date: 23-Dec-2021

Revision Number 4

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

### Product identifier

**Product Name** DTPA 50% SOLUTION

**Product Code(s)** 000000050779

### Other means of identification

**UN number** 3267

**Synonyms** Dissolvine D-50

### Recommended use of the chemical and restrictions on use

**Recommended use** Chelating agent.

**Uses advised against** No information available.

### Details of the supplier of the safety data sheet

#### Supplier

Ixom Operations Pty Ltd (Incorporated in Australia)  
NZBN: 9429041465226 Address: 166 Totara Street  
Mt Maunganui South  
New Zealand

Telephone Number: +64 9 368 2700

Facimile: +64 9 368 2710

### For further information, please contact

**Contact Point** Product Safety Department

### Emergency telephone number

**Emergency Telephone** 0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

### GHS Classification

#### **SIGNAL WORD**

Danger

Additives, Process Chemicals and Raw Materials (Corrosive, Carcinogenic) Group Standard 2020

Approval Code: HSR002493

**Corrosive to metals**

Category 1

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 2
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

**Label elements****Hazard statements**

H290 - May be corrosive to metals  
H314 - Causes severe skin burns and eye damage  
H332 - Harmful if inhaled  
H351 - Suspected of causing cancer  
H361 - Suspected of damaging fertility or the unborn child  
H373 - May cause damage to organs through prolonged or repeated exposure

**Precautionary Statements - Prevention**

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Keep only in original container  
Do not breathe fume, gas, mist, vapours, spray  
Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves / protective clothing / eye protection / face protection  
Use personal protective equipment as required

**Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention  
Get medical advice/attention if you feel unwell  
Specific treatment (see First aid on this SDS)  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor/physician  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
Wash contaminated clothing before reuse  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
Call a POISON CENTER or doctor/physician if you feel unwell  
IF SWALLOWED: Rinse mouth. DO NOT induce vomiting  
Absorb spillage to prevent material damage

**Precautionary Statements - Storage**

Store locked up  
Store in corrosive resistant container with a resistant inner liner

**Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

**Other hazards which do not result in classification****3. COMPOSITION/INFORMATION ON INGREDIENTS****Mixture**

Chemical name	CAS No.	Weight-%
Diethylenetriaminepentaacetic acid, pentasodium	140-01-2	50-<70

salt		
Glycine, N,N-bis(carboxymethyl)-, trisodium salt	5064-31-3	1-<10
Sodium hydroxide	1310-73-2	1-<2.5
Non hazardous component(s)	-	to 100

#### 4. FIRST AID MEASURES

##### Description of first aid measures

**General advice** For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.

##### **Emergency telephone number**

**Inhalation** Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

**Skin contact** IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

**Ingestion** Rinse mouth thoroughly with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

##### Most important symptoms and effects, both acute and delayed

**Symptoms** Irritation/Corrosion. May cause redness and tearing of the eyes.

##### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically. Can cause corneal burns.

#### 5. FIRE FIGHTING MEASURES

##### Suitable Extinguishing Media

**Suitable Extinguishing Media** Dry chemical, CO<sub>2</sub>, water spray or regular foam.

**Unsuitable extinguishing media** No information available.

##### Specific hazards arising from the chemical

**Specific hazards arising from the chemical** Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Non-combustible.

##### Special protective actions for fire-fighters

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**Hazchem code** 2X

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Do not breathe vapor or mist. Avoid contact with skin, eyes, and clothing. Do not touch or walk through spilled material. Evacuate personnel to safe areas. Use personal protective equipment as required. Wash thoroughly after handling.

**For emergency responders** Use personal protection recommended in Section 8.

**Environmental precautions**

**Environmental precautions** Local authorities should be advised if significant spillages cannot be contained.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

**Precautions to prevent secondary hazards**

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Advice on safe handling** Do not breathe vapor or mist. Avoid contact with skin, eyes, and clothing. Do not eat, drink or smoke when using this product. Use personal protection equipment. Wash thoroughly after handling. Not to be used by pregnant workers and workers who have recently given birth or who are breastfeeding.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container closed when not in use.

**Incompatible materials** Aluminium. Copper. Nickel. Zinc.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters**

**Exposure Limits** No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituent(s):

Sodium hydroxide: Ceiling 2 mg/m<sup>3</sup>

As published by the New Zealand Workplace Health & Safety Authority.

WES - Ceiling (Workplace Exposure Standard - Ceiling). A concentration that should not be exceeded during any part of the working day.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

### Appropriate engineering controls

#### **Engineering controls**

Ensure that eyewash stations and safety showers are close to the workstation location. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.



#### **Eye/face protection**

Tight sealing safety goggles. Face protection shield.

#### **Hand protection**

Impervious gloves.

#### **Skin and body protection**

Boots. Apron. Overalls.

#### **Respiratory protection**

If determined by a risk assessment an inhalation risk exists, wear a suitable mist respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

#### **Environmental exposure controls**

No information available.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	No information available.
<b>Color</b>	Light yellow
<b>Odor</b>	Slight Ammonia -like
<b>Odor threshold</b>	No information available.

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	11-12 (1% in water)	None known
<b>Melting point / freezing point</b>	No data available	None known
<b>Boiling point / boiling range</b>	105-110°C	None known
<b>Flash point</b>	Not applicable	None known

Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	Not applicable	
Lower flammability or explosive limits	Not applicable	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.15-1.5	None known
Water solubility	Miscible in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	log Pow = <0	None known
Autoignition temperature	Not applicable	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	10-140 mm <sup>2</sup> /s @20°C	None known
Dynamic viscosity	20-150 mPa.s @20°C	None known

Other information**10. STABILITY AND REACTIVITY**Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions Corrosive to aluminium.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Incompatible materials Aluminium. Copper. Nickel. Zinc.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides.

**11. TOXICOLOGICAL INFORMATION**Acute toxicityInformation on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

**Inhalation**

May cause irritation.

**Eye contact**

Causes serious eye damage.

**Skin contact**

Contact causes severe skin irritation and possible burns.

**Ingestion**

Can burn mouth, throat, and stomach.

**Symptoms**

Irritation/Corrosion. May cause redness and tearing of the eyes.

**Acute toxicity****Numerical measures of toxicity**

<b>ATEmix (oral)</b>	>5000 mg/kg
<b>ATEmix (dermal)</b>	>5000 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	2.97 mg/L /4hr

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diethylenetriaminepentaacetic acid, pentasodium salt	= 4550 mg/kg ( Rat )	-	-
Glycine, N,N-bis(carboxymethyl)-, trisodium salt	= 1100 mg/kg ( Rat )	-	> 5 mg/L ( Rat ) 4 h
Sodium hydroxide	-	= 1350 mg/kg ( Rabbit )	-

See section 16 for terms and abbreviations

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Skin corrosion/irritation**

Causes burns.

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Respiratory or skin sensitization**

No information available.

**Germ cell mutagenicity**

No information available.

**Carcinogenicity**

Suspected of causing cancer.

**Reproductive toxicity**

H361 - Suspected of damaging fertility or the unborn child.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard**

No information available.

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Ecotoxicity**

Keep out of waterways.

**Terrestrial ecotoxicity** There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Diethylenetriaminepentaacetic acid, pentasodium salt	-	LC50: >300mg/L (96h, Pimephales promelas) LC50: 1005 - 1250mg/L (96h, Lepomis macrochirus)	EC50: >500mg/L (48h, Daphnia magna)
Glycine, N,N-bis(carboxymethyl)-, trisodium salt	EC50: 560 - 1000mg/L (96h, Chlorella vulgaris)	LC50: 93 - 170mg/L (96h, Pimephales promelas) LC50: 175 - 225mg/L (96h, Lepomis macrochirus) LC50: =252mg/L (96h, Lepomis macrochirus) LC50: =470mg/L (96h, Pimephales promelas) LC50: 560 - 1000mg/L (96h, Oryzias latipes) LC50: 72 - 133mg/L (96h, Oncorhynchus mykiss) LC50: 560 - 1000mg/L (96h, Poecilia reticulata) LC50: =114mg/L (96h, Pimephales promelas)	LC50: 560 - 1000mg/L (48h, Daphnia magna)
Sodium hydroxide	-	LC50: =45.4mg/L (96h, Oncorhynchus mykiss)	-

#### Persistence and degradability

**Persistence and degradability** No information available.

#### Bioaccumulative potential

**Bioaccumulation** No information available.

#### Mobility

**Mobility in soil** No information available.

#### Component Information

Chemical name	Partition coefficient
Diethylenetriaminepentaacetic acid, pentasodium salt	-3.05

#### Other adverse effects

**Other adverse effects** No information available.

### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

##### **Waste from residues/unused products**

Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste. Class 6 and 8 chemicals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that chemical); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is not tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances.

##### **Contaminated packaging**

For packages that have been in direct contact with hazardous chemicals, the person must ensure that the package is rendered incapable of containing any chemical. It must be



disposed of in a manner that is consistent with the requirements for disposal of the chemical that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the chemical to be classified as hazardous (class 6, 8, or 9 chemical).

## 14. TRANSPORT INFORMATION

### ROAD AND RAIL TRANSPORT

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

UN number	3267
Proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (DIETHYLENETRIAMINE PENTAACETIC ACID, PENTASODIUM SALT SOLUTION) CORROSIVE ON ALUMINIUM
Hazard class	8
Packing group	II
Hazchem code	2X

### IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number	3267
UN proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (DIETHYLENETRIAMINE PENTAACETIC ACID, PENTASODIUM SALT SOLUTION) CORROSIVE ON ALUMINIUM
Transport hazard class(es)	8
Packing group	II

### IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number	3267
UN proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (DIETHYLENETRIAMINE PENTAACETIC ACID, PENTASODIUM SALT SOLUTION) CORROSIVE ON ALUMINIUM
Transport hazard class(es)	8
Packing group	II
IMDG EMS Fire	F-A
IMDG EMS Spill	S-B
Marine pollutant	No

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### New Zealand

**National regulations** See section 8 for national exposure control parameters

#### International Inventories

NZIoC	All the constituents of this material are listed on the New Zealand Inventory of Chemicals.
TSCA	Contact supplier for inventory compliance status.
DSL/NDL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.

**KECL** Contact supplier for inventory compliance status.  
**PICCS** Contact supplier for inventory compliance status.  
**AIIC** All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

**Legend:**

**NZIoC** - New Zealand Inventory of Chemicals  
**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**- Australian Inventory of Industrial Chemicals**

**International Regulations**

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

**16. OTHER INFORMATION**

Supplier Safety Data Sheet 05/ 2021

**Prepared By** This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

**Issuing Date:** 23-Dec-2021

**Reason(s) For Issue:** 5 Yearly Revised Primary SDS  
Updated Formulation  
Change in Hazardous Chemical Classification

**Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
RTECS (Registry of Toxic Effects of Chemical Substances)  
World Health Organization

**Disclaimer**

**This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.**

**If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.**

**Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.**

**End of Safety Data Sheet**