# SAFETY DATA SHEET



Revision date: 14-Jun-2022

#### **Revision Number** 3

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER			
Product identifier			
Product Name	ADD 7C		
Product Code(s)	00000050833		
Other means of identification			
UN number	3267		
Recommended use of the chemical	and restrictions on use		
Recommended use	Additive to be used in membrane cleaning in the food, beverage and dairy markets in New Zealand.		
Uses advised against	No information available.		
Details of the supplier of the safety	data sheet		
Supplier Ixom Operations Pty Ltd (Incorporated NZBN: 9429041465226 Address: 166 Mt Maunganui South New Zealand			
Telephone Number: +64 9 368 2700 Facimile: +64 9 368 2710			
For further information, please cont	act		
Contact Point	Product Safety Department		
Emergency telephone number			
Emergency Telephone	0 800 734 607 (ALL HOURS)		
Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.			
2. HAZARDS IDENTIFICATION			
Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.			
Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.			
GHS Classification			
SIGNAL WORD Danger			
Additives, Process Chemicals and Raw Materials (Corrosive) Group Standard 2020 Approval Number: HSR002491			

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1 Sub-category B

#### Serious eye damage/eye irritation

Category 1

Label elements



Hazard statements H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage

#### **Precautionary Statements - Prevention**

Keep only in original container Do not breathe fume, gas, mist, vapours, spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves / protective clothing / eye protection / face protection **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Absorb spillage to prevent material damage **Precautionary Statements - Storage** Store locked up Store in corrosive resistant container with a resistant inner liner **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### <u>Mixture</u>

Chemical name	CAS No.	Weight-%
EDTA tetrasodium salt	64-02-8	10-25
Alkoxylated alcohol	-	<3
Other ingredient(s)	-	to 100

#### 4. FIRST AID MEASURES

#### Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26

Inhalation	Remove to fresh air. Call a physician if symptoms occur.		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.		
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Get immediate medical advice/attention.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Burning.		
Indication of any immediate medica	I attention and special treatment needed		
Note to physicians	Treat symptomatically. Can cause corneal burns.		
5. FIRE FIGHTING MEASU Suitable Extinguishing Media	KES		
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.		
Unsuitable extinguishing media	No information available.		
Unsuitable extinguishing media Specific hazards arising from the cl			
Specific hazards arising from the cl	hemical_ Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Non-combustible.		
Specific hazards arising from the cl Specific hazards arising from the chemical	hemical_ Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Non-combustible.		
Specific hazards arising from the cl Specific hazards arising from the chemical Special protective actions for fire-fi Special protective equipment for	hemical Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Non-combustible. ghters Firefighters should wear self-contained breathing apparatus and full firefighting turnout		
Specific hazards arising from the cl Specific hazards arising from the chemical Special protective actions for fire-fi Special protective equipment for fire-fighters	hemical Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Non-combustible. ghters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. 2X		
Specific hazards arising from the cl Specific hazards arising from the chemical Special protective actions for fire-fi Special protective equipment for fire-fighters Hazchem code 6. ACCIDENTAL RELEASE	hemical Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Non-combustible. ghters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. 2X		
Specific hazards arising from the cl Specific hazards arising from the chemical Special protective actions for fire-fi Special protective equipment for fire-fighters Hazchem code 6. ACCIDENTAL RELEASE	hemical Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Non-combustible. ghters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. 2X MEASURES		
Specific hazards arising from the clean chemical Special protective actions for fire-fi Special protective equipment for fire-fighters Hazchem code 6. ACCIDENTAL RELEASE Personal precautions, protective equipment	hemical Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Non-combustible. ghters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. 2X <b>MEASURES</b> upment and emergency procedures Do not breathe vapor or mist. Avoid contact with skin, eyes, and clothing. Do not touch or walk through spilled material. Evacuate personnel to safe areas. Use personal protective		
Specific hazards arising from the clean chemical Special protective actions for fire-fi Special protective equipment for fire-fighters Hazchem code <b>6. ACCIDENTAL RELEASE</b> Personal precautions, protective ecoremotic Personal precautions	hemical Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Non-combustible. ghters firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. 2X <b>MEASURES</b> Jupment and emergency procedures Do not breathe vapor or mist. Avoid contact with skin, eyes, and clothing. Do not touch or walk through spilled material. Evacuate personnel to safe areas. Use personal protective equipment as required. Wash thoroughly after handling.		

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. After cleaning, flush away traces with water.	
Precautions to prevent secondary hazards		

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Do not breathe vapor or mist. Avoid contact with skin, eyes, and clothing. Do not eat, drink or smoke when using this product. Do not mix with sodium hypochlorite nor materials containing sodium hypochlorite. Use personal protection equipment. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep container<br/>closed when not in use.

Incompatible materials Acids. Aluminium. Copper. Nickel. Zinc. Sodium hypochlorite.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Limits No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority.

#### Appropriate engineering controls

**Engineering controls** Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.



Eye/face protection	Tight sealing safety goggles. If splashes are likely to occur:. Face protection shield.
Hand protection	Elbow-length impervious gloves.
Skin and body protection	Boots. Apron. Overalls.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear a suitable mist respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Information on basic physical and o	chemical properties	
Physical state	Liquid	
Appearance	Clear	
Color	Colourless to Pale Yellow	
Odor	Characteristic	
Odor threshold	No information available.	
Property_	Values_	Remarks • Method
pH	12	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	Not applicable	
limits		
Lower flammability or explosive	Not applicable	
limits		
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.19 @20°C	None known
Water solubility	Miscible in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	Not applicable	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	8 cPs @25°C	None known

Other information

### **10. STABILITY AND REACTIVITY**

Reactivity	
Reactivity	Reacts with strong acids.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.

Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	Ethylene diamine tetraacetic acid, and its salts, react violently with materials containing sodium hypochlorite, producing heat.
Conditions to avoid	
Conditions to avoid	None known based on information supplied.
Incompatible materials	
Incompatible materials	Acids. Aluminium. Copper. Nickel. Zinc. Sodium hypochlorite.
Hazardous decomposition products	<u>5</u>

Hazardous decomposition products Carbon oxides.

#### **11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Causes serious eye damage.
Skin contact	Contact causes severe skin irritation and possible burns.
Ingestion	Can burn mouth, throat, and stomach.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Burning.

Acute toxicity

#### Numerical measures of toxicity No information available.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
EDTA tetrasodium salt	= 1658 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes burns.

- Serious eye damage/eye irritation Causes serious eye damage.
- **Respiratory or skin sensitization** No information available.

Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Crustacea
EDTA tetrasodium salt	-	LC50: =41mg/L (96h, Lepomis	EC50: =610mg/L (24h, Daphnia
		macrochirus) LC50: =59.8mg/L	magna)
		(96h, Pimephales promelas)	

Persistence and degradability	
Persistence and degradability	No information available.
Bioaccumulative potential	
Bloaccumulative potential	
Bioaccumulation	No information available.
<u>Mobility</u>	
Mobility in soil	No information available.
Other adverse effects	

### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Other adverse effects

Waste from residues/unused products	Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste. Class 6 and 8 chemicals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that chemical); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding
	mixing, result in the concentration of the substance in an environmental medium exceeding

No information available.

the tolerable exposure limit. If there is not tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances.

**Contaminated packaging** For packages that have been in direct contact with hazardous chemicals, the person must ensure that the package is rendered incapable of containing any chemical. It must be disposed of in a manner that is consistent with the requirements for disposal of the chemical that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the chemical to be classified as hazardous (class 6, 8, or 9 chemical).

#### **14. TRANSPORT INFORMATION**

ROAD AND RAIL TRANSPORT	Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.
UN number Proper shipping name Hazard class Packing group Hazchem code	3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS EDTA TETRASODIUM SALT SOLUTION) CORROSIVE ON ALUMINIUM 8 II 2X
ΙΑΤΑ	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.
UN number UN proper shipping name Transport hazard class(es) Packing group	3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS EDTA TETRASODIUM SALT SOLUTION) CORROSIVE ON ALUMINIUM 8 II
IMDG	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.
UN number UN proper shipping name Transport hazard class(es) Packing group IMDG EMS Fire IMDG EMS Spill Marine pollutant	3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS EDTA TETRASODIUM SALT SOLUTION) CORROSIVE ON ALUMINIUM 8 II F-A S-B No

#### **15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand

**National regulations** 

See section 8 for national exposure control parameters

#### International Inventories

NZIOC TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS	Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.

Legend:

#### NZIOC - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

- EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- **ENCS** Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHE	K INFORMATIO	N		
Prepared By		This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).		
Issuing Date:	uing Date: 14-Jun-2022			
Reason(s) Fo	r Issue:	5 Yearly Revised Primary SDS		
, ,		nd acronyms used in NTROLS/PERSONAL hted average)		STEL (Short Term Exposure Limit)
Ceiling	Maximum limit v	0,	31EL *	SheL (Short Term Exposure Limit) Skin designation
С	Carcinogen			
•		rces for data used to isease Registry (ATSI	•	
U.S. Environm	ental Protection Ager	icy ChemView Databa	,	
	d Safety Authority (EF nental Protection Age			

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**