SAFETY DATA SHEET



Revision date: 20-Feb-2023

Revision Number 4

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier			
Product Name	ZYDOX 10		
Product Code(s)	00000051430		
Other means of identification			
Recommended use of the chemical	and restrictions on use		
Recommended use	Water treatment chemical.		
Uses advised against	No information available		
Details of the supplier of the safety	data sheet		
<u>Supplier</u> Ixom Operations Pty Ltd (Incorporated NZBN: 9429041465226 Address: 166 Mt Maunganui South New Zealand			
Telephone Number: +64 9 368 2700 Facsimile: +64 9 368 2710			
For further information, please contact			
Contact Point	Product Safety Department		
Emergency telephone number			
Emergency Telephone	0 800 734 607 (ALL HOURS)		
Please ensure you refer to the limitations of this S	Safety Data Sheet as set out in the "Other Information" section at the	end of this Data Sheet.	
2. HAZARDS IDENTIFICAT	ION		
Not classified as a Dangerous Good u	nder NZS 5433 Transport of Dangerous Goods on La	nd; NON-DANGEROUS GOODS.	
Classified as hazardous according to c	criteria in the Hazardous Substances (Hazard Classific	cation) Notice 2020.	
GHS Classification			
SIGNAL WORD Warning			
Water Treatment Chemicals (Subsidia Approval Number: HSR002684	ry Hazard) Group Standard 2020		
Skin corrosion/irritation Serious eye damage/eye irritation		Category 2 Category 2	
ourious eye uamayereye irritation			

Label elements



Hazard statements H315 - Causes skin irritation H319 - Causes serious eye irritation

Precautionary Statements - Prevention Keep out of reach of children. Precautionary Statements - Response Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse Precautionary Statements - Storage No storage statements Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
Chlorine dioxide	10049-04-4	1%
Non hazardous component(s)	-	to 100%

4. FIRST AID MEASURES

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26
Inhalation	Remove to fresh air. Call a physician if symptoms occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water. Call a physician if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician immediately.

Most important symptoms and effects, both acute and delayed				
Symptoms	Irritation. May cause redness and tearing of the eyes. Erythema (skin redness).			
Indication of any immediate medica	al attention and special treatment needed			
Note to physicians	Treat symptomatically.			
5. FIRE FIGHTING MEASU	RES			
Suitable Extinguishing Media				
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.			
Unsuitable extinguishing media	No information available.			
Specific hazards arising from the chemical				
Specific hazards arising from the chemical	Non-combustible.			
Special protective actions for fire-fighters				
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			
6. ACCIDENTAL RELEASE	MEASURES			
Personal precautions, protective equipment and emergency procedures				
Personal precautions	Avoid contact with skin and eyes. Avoid breathing vapors or mists. Stop leak if you can do it without risk. Ensure adequate ventilation. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Use personal protective equipment as required. Wash thoroughly after handling.			

For emergency responders	Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.		

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Keep out of reach of children. Avoid contact with skin and eyes. Avoid breathing vapors of mists. Use personal protection equipment. Wash thoroughly after handling.	
Conditions for safe storage, includin	ng any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Store at above 10°C as a precipitate may form at lower temperatures. Keep container closed when not in use.	
Incompatible materials	Acids. Metal salts. Reducing agents. Oxidizing agents. Combustible material. Ammonium compounds. Finely powdered metals. Sulfur.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituent(s) and decomposition product(s):

Chlorine dioxide: WES-TWA 0.1 ppm, 0.28 mg/m³ Chlorine: WES-TWA 0.5 ppm, 1.5 mg/m³; WES-STEL 1 ppm, 2.9 mg/m³

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

WES - STEL (Workplace Exposure Standard - Short Term Exposure Limits) - The 15 minute average exposure standard. Applies to any 15 minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both short-term and eight-hour, time-weighted average exposures should be determined.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls


Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear
Color	Pale Yellow
Odor	Slight Chlorine
Odor threshold	No information available

Property	Values	Remarks • Method
рН	7.9-8.2	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.008 @23°C	None known
Water solubility	Miscible in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity	Reacts with strong acids.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	Contact with acids liberates toxic gas.
Conditions to avoid	
Conditions to avoid	Avoid temperatures below 10°C.
Incompatible materials	
Incompatible materials	Acids. Metal salts. Reducing agents. Oxidizing agents. Combustible material. Ammonium compounds. Finely powdered metals. Sulfur.

Hazardous decomposition products

Hazardous decomposition products Chlorine.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:	
Inhalation	May cause irritation.	
Eye contact	Causes serious eye irritation.	
Skin contact	Causes skin irritation.	
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.	
Symptoms	Irritation. May cause redness and tearing of the eyes. Erythema (skin redness).	

Acute toxicity

Numerical measures of toxicity Refer to component information below.

Component Information			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50

Chlorine dioxide	= 292 mg/kg (Rat)	-	= 32 ppm (Rat)4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye irritation. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity	Keep out of waterways.
Terrestrial ecotoxicity	There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Chlorine dioxide	-	LC50: =0.021mg/L (96h, Danio	-
		rerio)	

Persistence and degradability

Persistence and degradability	Biodegradable.
-------------------------------	----------------

Bioaccumulative potential	
Bioaccumulation	No information available.
<u>Mobility</u>	
Mobility in soil	No information available.
Other adverse effects	
Other adverse effects	No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT	Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.
<u>IATA</u>	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.
IMDG	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand	
National regulations	See section 8 for national exposure control parameters
International Inventories NZIOC TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AIIC	Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.
DSL/NDSL - Canadian Domestic Su	aces Control Act Section 8(b) Inventory ubstances List/Non-Domestic Substances List ory of Existing Chemical Substances/European List of Notified Chemical Substances emical Substances Chemical Substances ted Chemical Substances

AIIC- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Issuing Date:	20-Feb-2023
Reason(s) For Issue:	5 Yearly Revised Primary SDS

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION			
TWA	TWA (time-weighted average)	STEL	
Ceiling	Maximum limit value	*	
С	Carcinogen		

STEL (Short Term Exposure Limit) Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

<u>Disclaimer</u>

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet