

Revision date: 30-Oct-2024

SAFETY DATA SHEET

Revision Number 5

-		
Section 1: Identification		
Product identifier		
Product Name	CDE 85%	
Product Code(s)	00000051657	
Other means of identification		
Synonyms	CDEW 85%	
Recommended use of the chemical and restrictions on use		
Recommended use	Thickening agent. Foam stabilising agent.	
Uses advised against	No information available	
Details of the supplier of the safety	data sheet	
Supplier IXOM Operations Pty Ltd (Incorporate NZBN: 9429041465226 Street Address: 166 Totara Street Mt Maunganui South New Zealand	d in Australia)	
Telephone Number: +64 9 368 2700 Facsimile: +64 9 368 2710		
Emergency telephone number		
Emergency Telephone	0 800 734 607 (ALL HOURS)	

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

Section 2: Hazard identification

Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020. **<u>GHS Classification</u>**

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Label elements



Signal word Danger

Hazard statements

H315 - Causes skin irritation H318 - Causes serious eye damage H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands and face thoroughly after handling. Wash eyes thoroughly after handling. Wear protective gloves/clothing and eye/face protection. Use personal protective equipment as required.

Precautionary Statements - Response

Specific treatment (see First aid on this SDS). Get medical advice/attention if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Precautionary Statements - Storage

No storage statements.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Other hazards which do not result in classification

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
N,N-Bis(2-hydroxyethyl) coconut oil amide	68603-42-9	84-86
Diethanolamine	111-42-2	<=5
Non hazardous component(s)	-	to 100

Section 4: First-aid measures

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.	
Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. (Call a physician if symptoms occur).	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness).	

Effects of Exposure	No information available.
Indication of any immediate medical	attention and special treatment needed

Note to physicians Treat symptomatically. Can cause corneal burns.

Section 5: Fire-fighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media High volume water jet.

Specific hazards arising from the chemical

Specific hazards arising from the Combustible liquid. chemical

Hazardous combustion products Carbon oxides. Nitrogen oxides.

Special protective actions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. **precautions for fire-fighters**

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Do not breathe vapor or mist. Do not touch or walk through spilled material. Evacuate personnel to safe areas. Stop leak if you can do it without risk. Use personal protective equipment as required. Wash thoroughly after handling.

For emergency responders	Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Take up with sand or other noncombustible absorbent material and place into containers for later disposal.		
Precautions to prevent secondary hazards			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling	Avoid contact with skin and eyes. Avoid breathing vapors or mists. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Use personal protection equipment. Wash thoroughly after handling.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands and face before breaks and immediately after handling the product.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from sources of heat or ignition. Keep container closed when not in use.
Incompatible materials	Strong oxidizing agents. Strong acids.

Section 8: Exposure controls/personal protection

Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituents:.

Chemical name	New Zealand	Australia	ACGIH TLV	United Kingdom
Diethanolamine	TWA: 3 ppm	TWA: 3 ppm	TWA: 1 mg/m ³	-
111-42-2	TWA: 13 mg/m ³	TWA: 13 mg/m ³	inhalable fraction and	
	Sk*		vapor	
			Sk*	

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

Skin' Notice - absorption through the skin may be a significant source of exposure. The exposure standard is invalidated if such

contact should occur.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls

Eyewash stations. Apply technical measures to comply with occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold Liquid Viscous Pale Yellow Characteristic Mild Amine No information available

Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate <u>Values</u> 9-11 <15°C No data available >100°C No data available Remarks • Method None known None known None known None known None known

Flammability (solid, gas) Flammability Limit in Air	No data available	None known None known
Upper flammability or explosive limits	No data available	NOTE KIOWI
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	0.980-1.000	None known
Water solubility	Dispersible	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information Particle characteristics

Section 10: Stability and reactivity

Reactivity	
Reactivity	Reacts with strong oxidising agents. Reacts with strong acids.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	
Incompatible materials	Strong oxidizing agents. Strong acids.
Hazardous decomposition products	-
Hazardous decomposition products	Carbon oxides. Nitrogen oxides.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Causes serious eye damage.
Skin contact	Causes skin irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness).
Acute toxicity	

Numerical measures of toxicity No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
N,N-Bis(2-hydroxyethyl) coconut oil amide	> 5000 mg/kg (Rat)	> 2 g/kg (Rabbit)	-
Diethanolamine	= 780 mg/kg (Rat)	= 11.9 mL/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	New Zealand	IARC
N,N-Bis(2-hydroxyethyl) coconut oil amide -	-	Group 2B
68603-42-9		
Diethanolamine - 111-42-2	-	Group 2B

IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure. Classification is

based on mixture calculation methods based on component data.

Aspiration hazard	No information available.
Data used to identify the health effects	Refer to Section 16 for Key literature references and sources for data used to compile the SDS.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Keep out of waterways. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Crustacea
N,N-Bis(2-hydroxyethyl) coconut oil	-	LC50: =3.6mg/L (96h,	-
amide		Brachydanio rerio)	
Diethanolamine		LC50: 4460 - 4980mg/L (96h,	EC50: =55mg/L (48h, Daphnia
	Desmodesmus subspicatus)	Pimephales promelas)	magna)
	EC50: 2.1 - 2.3mg/L (96h,	LC50: 1200 - 1580mg/L (96h,	
	Pseudokirchneriella	Pimephales promelas)	
	subcapitata)	LC50: 600 - 1000mg/L (96h,	
		Lepomis macrochirus)	

Terrestrial ecotoxicity	There is no data for this product.
Persistence and degradability	Readily biodegradable.
Bioaccumulative potential	
Bioaccumulation	There is no data for this product.
<u>Mobility in soil</u> Mobility	No information available.
Other adverse effects	

No information available.

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused products	Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste.
	from New Zealand as waste.

Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
Castion 44. Transport information		

Section 14: Transport information

ROAD AND RAIL TRANSPORT	Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.
ΙΑΤΑ	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.
IMDG_	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Special precautions for user

Please refer to the applicable dangerous goods regulations for additional information

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EPA New Zealand HSNO approval code or group standard	HSR002503 - Additives, Process Chemicals and Raw Materials (Subsidiary Hazard)
National regulations	There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances
Certified handlers, tracking and controlled substance license requirements	Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017 for more information

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories NZIoC

All the constituents of this material are listed on the New Zealand Inventory of Chemicals or

STEL (Short Term Exposure Limit)

Skin designation Sensitizers

	are exempt.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
TCSI	Contact supplier for inventory compliance status.

Legend:

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC- Australian Inventory of Industrial Chemicals

TCSI - Taiwan Chemical Substance Inventory

Section 16: Other information

Supplier Safety Data Sheet 01/2023

Prepared By	This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services).
Revision date:	30-Oct-2024
Reason(s) For Issue:	5 Yearly Revised Primary SDS

Revision Note:

***Indicates updated data since last publication. Key or legend to abbreviations and acronyms used in the safety data sheet

Leaend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL
Ceiling	Maximum limit value	*
**	Hazard Designation	+
С	Carcinogen	

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

6.3A, 6.9B, 8.3A, 9.1C

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since IXOM Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their IXOM representative or IXOM Operations Pty Ltd at the contact details on page 1.

IXOM Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet