SAFETY DATA SHEET



Revision date: 05-Jun-2020

Revision Number 2

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier	
Product Name	CALDE MIX SC 84 M18
Product Code(s)	00000051918
Other means of identification	
Recommended use of the chemical	and restrictions on use
Recommended use	Unshaped refractory material. Restricted to industrial or professional users for application as safety or wear linings and maintenance of both in all industrial devices at temperatures above 1000°C.
Uses advised against	No information available.
Details of the supplier of the safety	data sheet
Supplier Ixom Operations Pty Ltd (Incorporated NZBN: 9429041465226 Address: 166 Mt Maunganui South New Zealand	
Telephone Number: +64 9 368 2700 Facimile: +64 9 368 2710	
For further information, please cont	act
Contact Point	Product Safety Department
Emergency telephone number	
Emergency Telephone	0 800 734 607 (ALL HOURS)

2. HAZARDS IDENTIFICATION

Not classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

Based on available information, not classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and the Hazardous Substances (Classification) Notice 2017.

GHS Classification

Label elements

Hazard statements

Other hazards which do not result in classification

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	CAS No.	Weight-%
Aluminium oxide	1344-28-1	>=50%
Magnesium oxide	1309-48-4	10-<25%

4. FIRST AID MEASURES

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.		
Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26		
Inhalation	Remove to fresh air. Call a physician if symptoms occur.		
Eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.		
Skin contact	Wash skin with soap and water. Call a physician if symptoms occur.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	No information available.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		
5. FIRE FIGHTING MEASURES			
Suitable Extinguishing Media			
Suitable Extinguishing Media	Water.		
Unsuitable extinguishing media	No information available.		
Specific hazards arising from the chemical			
Specific hazards arising from the chemical	Avoid generation of dust.		
	Avoid generation of dust.		

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin and eyes.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.	
Precautions to prevent secondary hazards		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. Avoid generation of dust.	
Conditions for safe storage, includi	ng any incompatibilities	
Storage Conditions	Keep containers tightly closed in a cool, well-ventilated place. Store under cover in a dry place.	
Incompatible materials	None known based on information supplied.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituent(s):

Aluminium oxide: 8hr WES-TWA = 10 mg/m³ Magnesium oxide fume: 8hr WES-TWA = 10 mg/m³

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, DUST MASK.



9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Dry mixture of aggregates and fine powders.
Appearance	No information available.
Color	Brown
Odor	Odourless
Odor threshold	No information available.

Property_
рН
Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation rate

Values Not applicable >1800°C No data available No data available No data available

Remarks • Method None known

None known None known None known None known

Flammability (solid, gas)	No data available	None known None known
Flammability Limit in Air Upper flammability or explosive limits	No data available	None known
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	Insoluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

10. STABILITY AND REACTIVITY

Reactivity		
Reactivity	Non-reactive under normal conditions of use, storage and transport.	
Chemical stability		
Stability	Stable.	
Explosion data		
Sensitivity to mechanical impact	None.	
Sensitivity to static discharge	None.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid		
Conditions to avoid	Dust formation.	
Incompatible materials		
Incompatible materials	None known based on information supplied.	
Hazardous decomposition products		

Hazardous decomposition products None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information

No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	Dust contact with the eyes can lead to mechanical irritation.
Skin contact	Contact with dust can cause mechanical irritation or drying of the skin.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.
Symptoms	No information available.

Acute toxicity

Numerical measures of toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Aluminium oxide	> 5000 mg/kg (Rat)	-	-
Magnesium oxide	= 3990 mg/kg (Rat) = 3870 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

	Delayed and immediate effects as well as chronic effects from short and long	-term exposure
--	--	----------------

Skin corrosion/irritation	Not classified.	
Serious eye damage/eye irritation	Not classified.	
Sensitization	Not classified.	
Germ cell mutagenicity	Not classified.	
Carcinogenicity	Not classified.	
Reproductive toxicity	Not classified.	
STOT - single exposure	Not classified.	
STOT - repeated exposure	Not classified.	
Aspiration hazard	Not classified.	

12. ECOLOGICAL INFORMATION

Ecotoxicity	
Ecotoxicity	Keep out of waterways.
Persistence and degradability	
Persistence and degradability	No information available.

Bioaccumulative potential		
Bioaccumulation	No information available.	
<u>Mobility</u>		
Mobility in soil	No information available.	
Other adverse effects		
Other adverse effects	No information available.	
13. DISPOSAL CONSIDERATIONS		

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	No information available.

14. TRANSPORT INFORMATION		
ROAD AND RAIL TRANSPORT	Not classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.	
ΙΑΤΑ	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.	
IMDG	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.	

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand

National regulations

See section 8 for national exposure control parameters

All the constituents of this material are listed on the New Zealand Inventory of Chemicals.

Chemical name	New Zealand HSNO Chemical Classification
Magnesium oxide - 1309-48-4	Present

Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

International Inventories NZIOC TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL

PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend:

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 06/ 2017 CALDE is a registered trademark. **Prepared By**

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Issuing Date: 05-Jun-2020

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend	Section 8: EXPOSURE CONTROLS/PERSONAL	PROTECTION
TWA	TWA (time-weighted average)	STEL
Ceiling	Maximum limit value	*
С	Carcinogen	

STEL (Short Term Exposure Limit) Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet