

Revision date: 13-Jun-2024

# SAFETY DATA SHEET

**Revision Number** 2

Section 1: Identification		
Product identifier		
Product Name	CALDE TROWEL HQ 95 U	
Product Code(s)	00000051920	
Other means of identification		
Recommended use of the chemical	and restrictions on use	
Recommended use	Unshaped refractory material. Restricted to industrial or professional use.	
Uses advised against	No information available	
Details of the supplier of the safety	data sheet	
Supplier IXOM Operations Pty Ltd (Incorporated in Australia) NZBN: 9429041465226 Street Address: 166 Totara Street Mt Maunganui South New Zealand		
Telephone Number: +64 9 368 2700 Facsimile: +64 9 368 2710		
Emergency telephone number		
Emergency Telephone	0 800 734 607 (ALL HOURS)	
Please ensure you refer to the limitations of this S	Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.	
Section 2: Hazard identification		
Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.		
Based on available information, not classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020. <u>GHS Classification</u>		
Label elements		

Other hazards which do not result in classification May cause cancer by inhalation if this product is allowed to dry out.

# Section 3: Composition/information on ingredients

**Chemical nature** 

Considering the product is in wet form, the fine fraction of crystalline silica is no longer available and classification would not be warranted.

Chemical name	CAS No.	Weight-%
Crystalline silica (Quartz)	14808-60-7	>50 - <=100

# Section 4: First-aid measures

# Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.	
Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766	
Inhalation	Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. (Call a physician if symptoms occur).	
Eye contact	In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.	
Skin contact	Wash skin with soap and water. Get medical attention if symptoms occur.	
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Get medical attention if symptoms occur.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Effects of Exposure	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
Section 5: Fire-fighting measures		
Suitable Extinguishing Media		

Suitable Extinguishing Media	Use extinguishing agent suitable for type of surrounding fire.

**Unsuitable extinguishing media** No information available.

Specific hazards arising from the chemical

Specific hazards arising from the Non-combustible. chemical

Special protective actions for fire-fighters

**Special protective equipment and** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. **precautions for fire-fighters** 

# Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal precautions	Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Do not breathe dust. Do not touch or walk through spilled material. Ensure adequate ventilation. Evacuate personnel to safe areas. Use personal protective equipment as required. Wash thoroughly after handling.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
Methods and material for containment and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.
Precautions to prevent secondary hazards	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: Handling and storage

# Precautions for safe handling

Advice on safe handling Do not allow to dry out.

# Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Do not allow to dry out. Keep container closed when not in use.
Incompatible materials	Hydrofluoric acid. Alkaline aqueous solutions. Catechol.

# Section 8: Exposure controls/personal protection

# Control parameters

# **Exposure Limits**

Chemical name	New Zealand	Australia	ACGIH TLV	United Kingdom
Crystalline silica (Quartz) 14808-60-7	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup> respirable particulate matter	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>

Silica-Crystalline a-Quartz: WES-TWA = 0.025 mg/m<sup>3</sup> (respirable dust), confirmed carcinogen (r)

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

Carcinogen Category 1 - established human carcinogen. There is sufficient evidence to establish a causal association between human exposure and the development of cancer.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

### Appropriate engineering controls


**Engineering controls** Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

# Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



# Section 9: Physical and chemical properties

# Information on basic physical and chemical propertiesPhysical stateWetted SolidAppearanceNo information availableColorGreyOdorNot specifiedOdor thresholdNo information available

Property_	Values_	Remarks • M
pH	Not applicable	None known
Melting point / freezing point	>1700°C	None known
Boiling point / boiling range	No data available	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	Not applicable	None known
Vapor density	Not applicable	None known
Relative density	>1 g/cm <sup>3</sup> at 20°C	None known
Water solubility	Insoluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	Not applicable	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information **Particle characteristics** 

### rks • Method known known

known known known known known known known known known known known known known

# Section 10: Stability and reactivity

Reactivity		
Reactivity	Reacts with hydrofluoric acid.	
Chemical stability		
Stability	Stable under normal conditions.	
Explosion data		
Sensitivity to mechanical impact	None.	
Sensitivity to static discharge	None.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid		
Conditions to avoid	Dust formation.	
Incompatible materials		
Incompatible materials	Hydrofluoric acid. Alkaline aqueous solutions. Catechol.	
Hazardous decomposition products		
Hazardous decomposition products None known based on information supplied.		

# Section 11: Toxicological information

# Acute toxicity

# Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	May cause irritation.
Skin contact	May cause irritation.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.
Symptoms	No information available.
Acute toxicity	
Numerical measures of toxicity	

Numerical measures of toxicity No information available

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Chronic effects:	The toxicity of crystalline silica is directly proportional to the ability of any particle to reach the lower respiratory tract. Quartz particles with an aerodynamic diameter below 4um are likely to be most harmful to humans, as they reach the lower respiratory tract and are less readily removed by the lungs.
	Increases in lung cancer have been attributed to the inhalation of crystalline silica in a

	number of industries, including; ore mining, quarrying and granite works, ceramics, pottery, refractory brick and diatomaceous earth industries and in foundry workers.
	The International Agency for Research on Cancer has classified crystalline silica as a Type 1 Carcinogen - Carcinogenic to Humans, based on sufficient evidence in humans and animals.
	Increasing in vitro and in vivo evidence suggests that lung carcinomas in rats are a result of marked and persistent inflammation and epithelial proliferation.
Data used to identify the health effects	Crystalline silica also causes a range of non-neoplastic pulmonary effects, including; inflammation, silicosis, lymph node fibrosis, airways disease, emphysema and increased permeability of the airspace epithelium. In case of prolonged inhalation and/or exceeding exposure limits, the breathable quartz powder may cause silicosis. Refer to Section 16 for Key literature references and sources for data used to compile the SDS.
enects	000.

Section	12: Ec	ological	information
---------	--------	----------	-------------

<u>Ecotoxicity</u>		
Aquatic ecotoxicity	Keep out of waterways.	
Terrestrial ecotoxicity	There is no data for this product.	
Persistence and degradability	Biodegradation is not an applicable endpoint since the product is an inorganic substance.	
Bioaccumulative potential		
Bioaccumulation	There is no data for this product.	
<u>Mobility in soil</u>		
-	No information available.	
Mobility		
Other adverse effects		
No information available.		
Section 13: Disposal considerations		
Waste treatment methods		
Waste from residues/unused products	Dispose of in accordance with federal, state and local regulations.	
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal	

# Section 14: Transport information

ROAD AND RAIL TRANSPORT	Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.
IATA_	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.
IMDG	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

## Special precautions for user

Please refer to the applicable dangerous goods regulations for additional information

# Section 15: Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

EPA New Zealand HSNO approval code or group standard	Not applicable
National regulations	There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances
Certified handlers, tracking and controlled substance license requirements	Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017 for more information

# International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories	
NZIOC	Contact supplier for inventory compliance status.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
TCSI	Contact supplier for inventory compliance status.

Legend:

NZIOC - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AllC- Australian Inventory of Industrial Chemicals

TCSI - Taiwan Chemical Substance Inventory

# Section 16: Other information

Supplier Safety Data Sheet 02/ 2024 CALDE is a registered trademark.

Prepared By	This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services).
Revision date:	13-Jun-2024
Reason(s) For Issue:	Reissue of an obsolete SDS

# **Revision Note:**

\*\*\*Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

### Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL
Ceiling	Maximum limit value	*
**	Hazard Designation	+
С	Carcinogen	

STEL (Short Term Exposure Limit) Skin designation Sensitizers

Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

# **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since IXOM Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their IXOM representative or IXOM Operations Pty Ltd at the contact details on page 1.

IXOM Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet