SAFETY DATA SHEET



Revision date: 03-Mar-2021

Revision Number 3

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER Product identifier ZINPOL 340 Product Code(s) 00000053152

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Liquid - Flexo

Uses advised against No information available.

Details of the supplier of the safety data sheet

Supplier

Ixom Operations Pty Ltd (Incorporated in Australia) NZBN: 9429041465226 Address: 166 Totara Street Mt Maunganui South New Zealand

Telephone Number: +64 9 368 2700 Facimile: +64 9 368 2710

For further information, please contact

Contact Point

Product Safety Department

Emergency telephone number

Emergency Telephone

0 800 734 607 (ALL HOURS)

2. HAZARDS IDENTIFICATION

Not classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and the Hazardous Substances (Classification) Notice 2017.

GHS Classification

SIGNAL WORD Warning

Subclass 6.5 Category B - Substances that are contact sensitisers.

Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2017 Approval Number: HSR002503

Label elements



Hazard statements H317 - May cause an allergic skin reaction

Precautionary Statements - Prevention

Avoid breathing dust / fume / gas / mist / vapours / spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves/protective clothing **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse **Precautionary Statements - Storage** No storage statements **Precautionary Statements - Disposal**

In the case of a substance that is in compliance with a HSNO approval other than a Part 6A (Group Standards) approval, a label must provide a description of one or more appropriate and achievable methods for the disposal of a substance in accordance with the Hazardous Substances (Disposal) Notice 2017. This may also include any method of disposal that must be avoided.

Other hazards which do not result in classification

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Butyl acrylate	141-32-2	0.1-1%
Non hazardous component(s)	-	to 100%

4. FIRST AID MEASURES

Description of first aid measures

Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26
Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. Get immediate medical advice/attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

Symptoms	Irritation. Redness. Rashes. Hives. May cause allergic skin reaction.		
Indication of any immediate medic	al attention and special treatment needed		
Note to physicians	Treat symptomatically. May cause sensitization by skin contact.		
5. FIRE FIGHTING MEASU Suitable Extinguishing Media	IRES		
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.		
jjj			
Unsuitable extinguishing media	No information available.		
Specific hazards arising from the c	<u>chemical</u>		
Specific hazards arising from the chemical	Sealed containers may rupture when heated.		
Special protective actions for fire-f	ighters		
Special protective equipment for	Firefighters should wear self-contained breathing apparatus and full firefighting turnout		
fire-fighters	gear. Use personal protection equipment.		
6. ACCIDENTAL RELEASE			
6. ACCIDENTAL RELEASE Personal precautions, protective e	EMEASURES		
6. ACCIDENTAL RELEASE Personal precautions, protective e Personal precautions	E MEASURES quipment and emergency procedures Avoid contact with skin, eyes, and clothing. Evacuate personnel to safe areas. Stop leak i		
6. ACCIDENTAL RELEASE Personal precautions, protective e Personal precautions For emergency responders	E MEASURES quipment and emergency procedures Avoid contact with skin, eyes, and clothing. Evacuate personnel to safe areas. Stop leak i you can do it without risk.		
6. ACCIDENTAL RELEASE Personal precautions, protective e Personal precautions For emergency responders Environmental precautions	E MEASURES quipment and emergency procedures Avoid contact with skin, eyes, and clothing. Evacuate personnel to safe areas. Stop leak i you can do it without risk.		
6. ACCIDENTAL RELEASE Personal precautions, protective e Personal precautions For emergency responders Environmental precautions Environmental precautions	E MEASURES quipment and emergency procedures Avoid contact with skin, eyes, and clothing. Evacuate personnel to safe areas. Stop leak i you can do it without risk. Use personal protection recommended in Section 8. See Section 12 for additional Ecological Information.		
6. ACCIDENTAL RELEASE	E MEASURES quipment and emergency procedures Avoid contact with skin, eyes, and clothing. Evacuate personnel to safe areas. Stop leak i you can do it without risk. Use personal protection recommended in Section 8. See Section 12 for additional Ecological Information.		
6. ACCIDENTAL RELEASE Personal precautions, protective e Personal precautions For emergency responders Environmental precautions Environmental precautions Methods and material for containm	E MEASURES quipment and emergency procedures Avoid contact with skin, eyes, and clothing. Evacuate personnel to safe areas. Stop leak i you can do it without risk. Use personal protection recommended in Section 8. See Section 12 for additional Ecological Information. ment and cleaning up Prevent further leakage or spillage if safe to do so.		
6. ACCIDENTAL RELEASE Personal precautions, protective e Personal precautions For emergency responders Environmental precautions Environmental precautions Methods and material for containm Methods for containment	E MEASURES quipment and emergency procedures. Avoid contact with skin, eyes, and clothing. Evacuate personnel to safe areas. Stop leak i you can do it without risk. Use personal protection recommended in Section 8. See Section 12 for additional Ecological Information. hent and cleaning up Prevent further leakage or spillage if safe to do so. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. After cleaning, flush away traces with water and detergent.		

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Stir well before use.
Conditions for safe storage,	including any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing. Keep container closed when not in use. Keep in properly labelled containers.

Incompatible materials Acids. Bases. Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituent(s):

n-Butyl acrylate: WES-TWA 2 ppm, 11 mg/m3; WES-STEL 4 ppm, 22 mg/m3, dsen

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

WES - STEL (Workplace Exposure Standard - Short Term Exposure Limits) - The 15 minute average exposure standard. Applies to any 15 minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both short-term and eight-hour, time-weighted average exposures should be determined.

(dsen) - Dermal sensitiser.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

Eye/face protection	Glasses.
Hand protection	Impervious gloves.
Skin and body protection	Boots. Wear suitable protective clothing. Overalls.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear a suitable mist respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	
Appearance	No information available.	
Color	White to Off-white	
Odor	Slight Acrylate	
Odor threshold	No information available.	

Property	<u>Values</u> 8-9	Remarks • Method None known
pH Melting point / freezing point	0°C	None known
Boiling point / boiling range	ca. 100°C	None known
Flash point	Not applicable	None known
Evaporation rate	<1 (n-Butyl acetate = 1)	None known
•	No data available	None known
Flammability (solid, gas)		None known
Flammability Limit in Air	No data available	None known
Upper flammability or explosive limits	NO Gala available	
	No data available	
Lower flammability or explosive limits	NO UALA AVAIIADIE	
	ca. 18 torr @20°C	None known
Vapor pressure Vapor donsity	<1 (air=1)	None known
Vapor density Relative density	1.08 @20°C	None known
Water solubility	Dispersible	None known
,	No data available	None known
Solubility(ies) Partition coefficient		None known
	No data available	None known
Autoignition temperature	No data available	
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	<1000 mPa.s @25°C	None known

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity	No information available.	
Chemical stability		
Stability	Stable under normal conditions.	
Explosion data		
Sensitivity to mechanical impact	None.	
Sensitivity to static discharge	None.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid		
Conditions to avoid	Do not freeze. Exposure to air.	
Incompatible materials		
Incompatible materials	Acids. Bases. Strong oxidizing agents.	
Hazardous decomposition products		

Hazardous decomposition products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	May cause irritation.
Skin contact	May cause irritation. May cause sensitization by skin contact.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Symptoms	Irritation. Redness. Rashes. Hives.
Acute toxicity	

Numerical measures of toxicity No information available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Butyl acrylate	= 9050 mg/kg (Rat)	= 3024 mg/kg (Rabbit) = 2	= 10.3 mg/L (Rat) 4 h = 2730
		mL/kg (Rabbit)	ppm(Rat)4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure
--

Skin corrosion/irritation	No information available.			
Serious eye damage/eye irritation	No information available.			
Respiratory or skin sensitization	May cause se	May cause sensitization by skin contact.		
Germ cell mutagenicity	No information available.			
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.			
Chemical name		New Zealand	IARC	
Butyl acrylate - 141-32-2				
Reproductive toxicity	No informatic	on available.		
STOT - single exposure	No information available.			
STOT - repeated exposure	No information available.			
Aspiration hazard	No information available.			
Chronic effects:	Persons with sensitive airways (e.g., asthmatics) may react to vapours.			

Ecotoxicity

Ecotoxicity Keep out of waterways.

Terrestrial ecotoxicity There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Butyl acrylate	EC50: =5.5mg/L (96h,	LC50: =5.2mg/L (96h,	EC50: =8.2mg/L (48h, Daphnia
	Pseudokirchneriella subcapitata)	Oncorhynchus mykiss) LC50:	magna) EC50: =42mg/L (24h,
		=5mg/L (72h, Carassius auratus)	Daphnia magna)

Persistence and degradability	nd degradability
-------------------------------	------------------

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Mobility

Mobility in soil

No information available.

Component Information

Chemical name	Partition coefficient
Butyl acrylate	2.38

Other adverse effects

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Dispose of product in packaging in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION		
ROAD AND RAIL TRANSPORT	Not classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.	
ΙΑΤΑ	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.	
IMDG_	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.	

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand

National regulations

See section 8 for national exposure control parameters

Chemical name	New Zealand HSNO Chemical Classification
Butyl acrylate - 141-32-2	3.1C,6.1C (All),6.1C (I),6.1D (D),6.1D
	(O),6.3A,6.4A,6.5B,6.8B,6.9B (All),6.9B (I),9.1D (All),9.1D
	(A),9.1D (C),9.1D (F),9.3C

Contact supplier for inventory compliance status.

International Inventories NZIoC TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS

Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.

Legend:

AICS

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 02/ 2019 ZINPOL is a trademark.

Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Issuing Date:	03-Mar-2021
Reason(s) For Issue:	5 Yearly Revised Primary SDS

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section	8: EXPOSURE CONTROLS/PERSON	AL PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		-

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet