

Revision date: 13-Nov-2024

SAFETY DATA SHEET

Revision Number 2

Section 1: Identification			
Product identifier			
Product Name	SURFACTANT 305		
Product Code(s)	00000053211		
Other means of identification			
Recommended use of the chemical	and restrictions on use		
Recommended use	Surfactant. Industrial applications.		
Uses advised against	No information available		
Details of the supplier of the safety	data sheet		
Supplier IXOM Operations Pty Ltd (Incorporated NZBN: 9429041465226 Street Address: 166 Totara Street Mt Maunganui South New Zealand	d in Australia)		
Telephone Number: +64 9 368 2700 Facsimile: +64 9 368 2710			
Emergency telephone number			
Emergency Telephone	0 800 734 607 (ALL HOURS)		
Please ensure you refer to the limitations of this \$	Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.		
Section 2: Hazard identification			
Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.			

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020. GHS Classification

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Acute aquatic toxicity	Category 1

Label elements



Signal word Danger

Hazard statements

H290 - May be corrosive to metals H315 - Causes skin irritation H318 - Causes serious eye damage H335 - May cause respiratory irritation H400 - Very toxic to aquatic life

Precautionary Statements - Prevention

Keep only in original packaging. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/clothing and eye/face protection. Avoid release to the environment.

Precautionary Statements - Response

Specific treatment (see First aid on this SDS).
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN: Wash with plenty of soap and water.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
Wash contaminated clothing before reuse.
Call a POISON CENTER or doctor/physician if you feel unwell.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
Absorb spillage to prevent material damage.
Collect spillage.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosion resistant container with a resistant inner liner.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Other hazards which do not result in classification

No information available.

Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%

Chemical name	CAS No.	Weight-%
Poly(oxy-1,2-ethanediyl),	39464-66-9	>95
.alphadodecylomegahydroxy-, phosphate		
Phosphoric acid	7664-38-2	<5

Section 4: First-aid measures		
Description of first aid measures		
General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.	
Inhalation	Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash skin with soap and water. Get medical attention immediately if symptoms occur.	
Ingestion	Clean mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Immediate medical attention is required.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Coughing and/ or wheezing. Difficulty in breathing.	
Effects of Exposure	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically. Can cause corneal burns.	
Section 5: Fire-fighting measures		

Section 5. File-lighting measures		
Hazchem code	2X	
Suitable Extinguishing Media		
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.	
Unsuitable extinguishing media Specific hazards arising from the c	High volume water jet. <u>hemical</u>	
Specific hazards arising from the chemical	Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Combustible liquid. May burn with an almost invisible flame in bright light. Most vapors are heavier than air. Vapors may spread along ground and collect in low or confined areas (sewers, basements, tanks). Environmentally hazardous.	

Hazardous combustion products Carbon oxides. Phosphorus oxides.

Special protective actions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. **precautions for fire-fighters**

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Ensure adequate ventilation. Evacuate personnel to safe areas. Stop leak if you can do it without risk. Do not touch or walk through spilled material. Use personal protective equipment as required. Wash thoroughly after handling.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Local authorities should be advised if significant spillages cannot be contained.	
Methods and material for containment and cleaning up		
Methods for containment	Dike to collect large liquid spills. Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.	
Precautions to prevent secondary hazards		

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling	Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Use personal protection equipment. Wash thoroughly after handling.
General hygiene considerations	Wash hands and face before breaks and immediately after handling the product. When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container closed when not in use.
Incompatible materials	Metals. Oxidizing agents.

Section 8: Exposure controls/personal protection

Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituents:.

Chemical name	New Zealand	Australia	ACGIH TLV	United Kingdom
Phosphoric acid	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³
7664-38-2	-	STEL: 3 mg/m ³	STEL: 3 mg/m ³	STEL: 2 mg/m ³

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Eyewash stations. Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, RESPIRATOR.

Eye/face protection	Tight sealing safety goggles.
Hand protection	Impervious gloves.
Skin and body protection	Overalls. Boots. Apron.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

information on basic physical and c		
Physical state	Liquid at 30°C	
Appearance	No information available	
Color	No information available	
Odor	Slight Ether	
Odor threshold	Not determined	
Property	Values	Remarks • Method
Property pH	2.0-3.0 (1% aq)	None known
	No data available	None known
Melting point / freezing point		None known
Boiling point / boiling range	No data available	
Flash point	169°C	CC (closed cup)
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Vapor density	>1 (air=1)	None known
Relative density	No data available	None known
Water solubility	Miscible	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information Particle characteristics

Section 10: Stability and reactivity

Reactivity	
Reactivity	Corrosive to metals.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks.

Incompatible materials

Incompatible materials Metals. Oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Phosphorus oxides.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	Irritating to respiratory system.
Eye contact	Causes serious eye damage.
Skin contact	Causes skin irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Coughing and/ or wheezing. Difficulty in breathing.

Acute toxicity

Numerical measures of toxicity No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Poly(oxy-1,2-ethanediyl),	= 6550 mg/kg (Rat)	-	-
.alphadodecylomegahydroxy-,			
phosphate			
Phosphoric acid	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m ³ (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.

Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	May cause respiratory irritation. Classification is based on mixture calculation methods based on component data.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Data used to identify the health effects	Refer to Section 16 for Key literature references and sources for data used to compile the SDS.
Section 12: Ecological inf	ormation

Ecotoxicity	
Aquatic ecotoxicity	Keep out of waterways. Very toxic to aquatic life.
Terrestrial ecotoxicity	There is no data for this product.
Persistence and degradability	No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Phosphoric acid	-0.9

Mobility in soil

Mobility

No information available.

Other adverse effects

No information available.

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused products	Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste.	
	Class 6 and 8 chemicals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that chemical); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is not tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances.	
Contaminated packaging	Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the chemical to be classified as hazardous (class 6, 8, or 9 chemical).	

Section 14: Transport information

ROAD AND RAIL TRANSPORT	Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.
UN number or ID number Proper shipping name Transport hazard class(es) Packing group Hazchem code	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS PHOSPHORIC ACID) 8 III 2X
IATA	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.
UN number UN proper shipping name Transport hazard class(es) Packing group	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS PHOSPHORIC ACID) 8 III
IMDG	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.
UN number UN proper shipping name Transport hazard class(es) Packing group IMDG EMS Fire IMDG EMS Spill Marine pollutant	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS PHOSPHORIC ACID) 8 III F-A S-B P
Transport in bulk according to App	av II of MARRAL 72/79 and the IRC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Special precautions for user

Please refer to the applicable dangerous goods regulations for additional information

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EPA New Zealand HSNO approval code or group standard	HSR002491 - Additives, Process Chemicals and Raw Materials (Corrosive)
National regulations	There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances
Certified handlers, tracking and controlled substance license requirements	Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017 for more information

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories	
NZIoC	All the constituents of this material are listed on the New Zealand Inventory of Chemicals.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
TCSI	Contact supplier for inventory compliance status.
Legend: NZIoC - New Zealand Inventory of Chemicals	

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AllC- Australian Inventory of Industrial Chemicals

TCSI - Taiwan Chemical Substance Inventory

Section 16: Other information

Supplier Safety Data Sheet 03/ 2023

Prepared By

This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services).

13-Nov-2024 **Revision date:** Reason(s) For Issue: Reissue of an obsolete SDS **Revision Note:** **Indicates updated data since last publication. Key or legend to abbreviations and acronyms used in the safety data sheet Legend SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA (time-weighted average) TWA STEL STEL (Short Term Exposure Limit) Ceiling Maximum limit value Skin designation Hazard Designation Sensitizers + С Carcinogen Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

6.1E (resp), 6.3A, 8.1A, 8.3A, 9.1A

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since IXOM Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their IXOM representative or IXOM Operations Pty Ltd at the contact details on page 1.

IXOM Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet