

# **1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

Product Name:

### **SURFACTANT PE61**

**Recommended Use of the Chemical** Surfactant. and Restrictions on Use

Supplier: NZBN: Street Address:	Ixom Operations Pty Ltd (Incorporated in Australia) 9429041465226 166 Totara Street Mt Maunganui South New Zealand
Telephone Number:	+64 9 368 2700
Facsimile:	+64 9 368 2710
Emergency Telephone:	<b>0 800 734 607 (ALL HOURS)</b>

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

Not classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

Classified as hazardous according to criteria in the HS (Minimum Degrees of Hazard) Regulations 2001.

### SIGNAL WORD: WARNING

#### Subclasses:

Subclass 6.1 Category E - Substances which are acutely toxic. Subclass 6.4 Category A - Substances that are irritating to the eye.

Approval Number: HSR006667

#### Hazard Statement(s): H303 May be harmful if swallowed.

H320 Causes eye irritation.

### **Precautionary Statement(s):**

#### **Prevention:**

P102 Keep out of reach of children. P264 Wash hands thoroughly after handling.

#### **Response:**

P312 Call a POISON CENTER or doctor/physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

#### Storage:

No storage statements.

### Disposal:

P501 In case of a substance that is in compliance with a HSNO approval other than a Part 6A (Group Standards) approval, a label must provide a description of one or more appropriate and achievable methods for the disposal of a substance in accordance with the Hazardous Substances (Disposal) Regulations 2001. This may also include any method of disposal that must be avoided.



# **3. COMPOSITION AND INFORMATION ON INGREDIENTS**

Components	CAS Number	Proportion	Hazard Codes
Oxirane, methyl-, polymer with oxirane	9003-11-6	100%	-

### 4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

### Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Seek medical advice if effects persist.

### Skin Contact:

If skin contact occurs, remove contaminated clothing and wash skin with running water. If irritation occurs seek medical advice.

### Eye Contact:

If in eyes, wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

### Ingestion:

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.

### Indication of immediate medical attention and special treatment needed:

Treat symptomatically.

### **5. FIRE FIGHTING MEASURES**

### Suitable Extinguishing Media:

Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

### **Unsuitable Extinguishing Media:**

Water jet.

### Specific hazards arising from the chemical:

Combustible liquid.

### Special protective equipment and precautions for fire-fighters:

On burning will emit toxic fumes, including those of oxides of carbon. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

# 6. ACCIDENTAL RELEASE MEASURES

### **Emergency procedures/Environmental precautions:**

If contamination of sewers or waterways has occurred advise local emergency services.

### Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact and breathing in vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. Wash area down with excess water.

# 7. HANDLING AND STORAGE



Precautions for safe handling: Avoid skin and eye contact and breathing in vapour, mists and aerosols.

**Conditions for safe storage, including any incompatibilities:** Store in a cool, dry, well ventilated place. Store away from incompatible materials described in Section 10. Do not store in copper or copper alloy containers. Keep containers closed when not in use - check regularly for leaks.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Workplace Exposure Standards:** No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority.

### Appropriate engineering controls:

Natural ventilation should be adequate under normal use conditions. Keep containers closed when not in use.

### Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



Wear overalls, safety glasses and impervious gloves. Always wash hands before smoking, eating, drinking or using the toilet. If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid
Colour:	Colourless
Odour:	Characteristic
Solubility:	Miscible with water.
Specific Gravity:	1.02 @20°C
Relative Vapour Density (air=1):	>1
Vapour Pressure (20 °C):	<0.1 hPa
Flash Point (°C):	>150
Flammability Limits (%):	Not available
Autoignition Temperature (°C):	Not available
Boiling Point/Range (°C):	>200
pH:	5-7 (5%)
Viscosity:	0.33-0.37 Pa.s @23°C (Dynamic)

## **10. STABILITY AND REACTIVITY**

### **Reactivity:**

No information available.

### **Chemical stability:**

Hygroscopic: absorbs moisture or water from surrounding air.



Possibility of hazardous reactions:	Hydrolyses on exposure to strong acids.
Conditions to avoid:	Avoid exposure to heat, sources of ignition, and open flame.
Incompatible materials:	Incompatible with oxidising agents, strong acids, strong bases, water, moisture, copper.
Hazardous decomposition products:	Oxides of carbon.

# 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion:	No adverse effects expected, however, large amounts may cause nausea and vomiting.
Eye contact:	A mild eye irritant.
Skin contact:	Contact with skin may result in irritation.
Inhalation:	Breathing in mists or aerosols may produce respiratory irritation.

### Acute toxicity:

Oral LD50 (rat): >2000 mg/kg

Chronic effects: No information available for the product.

## **12. ECOLOGICAL INFORMATION**

Ecotoxicity

Avoid contaminating waterways.

96hr LC50 (fish):

>100 mg/L

# 13. DISPOSAL CONSIDERATIONS

### **Disposal methods:**

Refer to local government authority for disposal recommendations. Dispose of contents/container in accordance with local/regional/national/international regulations.

# **14. TRANSPORT INFORMATION**

### Road and Rail Transport

Not classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

### Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

### Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.



# **15. REGULATORY INFORMATION**

### **Classification:**

Classified as hazardous according to criteria in the HS (Minimum Degrees of Hazard) Regulations 2001.

### Subclasses:

Subclass 6.1 Category E - Substances which are acutely toxic. Subclass 6.4 Category A - Substances that are irritating to the eye.

Approval Number: HSR006667

### Hazard Statement(s):

H303 May be harmful if swallowed. H320 Causes eye irritation.

### **16. OTHER INFORMATION**

This safety data sheet has been prepared by Ixom Operations Pty Ltd Toxicology & SDS Services.

### Reason(s) for Issue:

First Issue Primary SDS

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.