SAFETY DATA SHEET



Revision date: 14-Dec-2023

Revision Number 5

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

| Product identifier | | |
|---|--------------------------|--|
| Product Name | DISSOLVINE SME | |
| Product Code(s) | 00000053545 | |
| Other means of identification | | |
| UN number | 3267 | |
| Synonyms | DISSOLVINESME-1250 | |
| Recommended use of the chemical and restrictions on use | | |
| Recommended use | Chelating agent. | |
| Uses advised against | No information available | |
| Details of the supplier of the safety data sheet | | |
| <u>Supplier</u> Ixom Operations Pty Ltd (Incorporated in Australia) NZBN: 9429041465226 Address: 166 Totara Street Mt Maunganui South New Zealand | | |
| Telephone Number: +64 9 368 2700 Facsimile: +64 9 368 2710 | | |
| For further information, please cont | act | |

Contact Point

Product Safety Department

Emergency telephone number

Emergency Telephone

0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS Classification

SIGNAL WORD Warning

Additives, Process Chemicals and Raw Materials (Corrosive, Carcinogenic) Group Standard 2020 Approval Number: HSR002493

Corrosive to metals Category 1

| Acute toxicity - Oral | Category 4 |
|--|------------|
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
| Serious eye damage/eye irritation | Category 2 |
| Carcinogenicity | Category 2 |
| Specific target organ toxicity (repeated exposure) | Category 2 |

Label elements



Hazard statements

H290 - May be corrosive to metals

- H302 Harmful if swallowed
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H351 Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Keep only in original container Do not breathe dusts or mists Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Use personal protective equipment as required Wear eye/face protection Wash eyes thoroughly after handling. **Precautionary Statements - Response** Get medical advice/attention if you feel unwell If exposed or concerned: Get medical advice/attention Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting Absorb spillage to prevent material damage **Precautionary Statements - Storage** Store locked up Store in corrosive resistant container with a resistant inner liner **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

| Chemical name | CAS No. | Weight-% |
|--|-----------|----------|
| EDTA tetrasodium salt | 64-02-8 | 30-<50 |
| Sodium hydroxide | 1310-73-2 | 1-<2 |
| Glycine, N,N-bis(carboxymethyl)-, trisodium salt | 5064-31-3 | 0.1-<1 |
| Non hazardous component(s) | - | to 100 |

4. FIRST AID MEASURES

Description of first aid measures

| Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance. Emergency telephone number Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, New Zealand: URD 764 766 Poisons Information Center, New Zealand: URD 764 766 Inhalation Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately. Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelifs, for at least 15 minutes. Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Seek immediate medical attention/advice. Ingestion Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention. Most important symptoms and effects, both acute and delayed Symptoms Symptoms Irritation. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing. Indication of any immediate medical attention and special treatment needed. Note to physicians Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. Suitable Extinguishing Media No information available. Specific hazards arising from the tornical. Specifi | General advice | For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New | |
|---|--|---|--|
| Poisons Information Center, Australia: 13 11 26 Inhalation Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately. Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Seek immediate medical attention/advice. Ingestion Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Never give anything by mouth to a unconscious person. Get immediate medical advice/attention. Most important symptoms and effects, both acute and delayed Symptoms Symptoms Irritation. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing. Indication of any immediate medical attentical advice/attention. Treat symptomatically. S.FIRE FIGHTING MEASURES Suitable Extinguishing Media Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. Unsuitable extinguishing media No information available. Specific hazards arising from the comical. Non-combustible. Specific hazards arising from the comical. Non-combustible. Special protective actions for fire-fijteres. Specific hazards an | | | |
| Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Seek immediate medical attention/advice. Ingestion Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention. Most important symptoms and effects. both acute and delayed. Symptoms Symptoms Irritation. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing. Indication of any immediate medical attention and special treatment needed. Note to physicians Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. Unsuitable extinguishing media No information available. Specific hazards arising from the chemical. Non-combustible. Specific hazards arising from the chemical. Non-combustible. Special protective actions for fire-fighters. Special protective actions for fire-fighters. Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout | Emergency telephone number | | |
| under the eyelids, for at least 15 minutes. Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Seek immediate medical attention/advice. Ingestion Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention. Most important symptoms and effects, both acute and delayed. Symptoms Symptoms Irritation. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing. Indication of any immediate medical teattention and special treatment needed. Note to physicians Note to physicians Treat symptomatically. Suitable Extinguishing Media. Use extinguishing agent suitable for type of surrounding fire. Unsuitable extinguishing media No information available. Specific hazards arising from the chemical Son-combustible. Specific hazards arising from the chemical Non-combustible. Special protective actions for fire-fibters. Special protective actions for fire-fibters. Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout | Inhalation | | |
| with water/shower. Seek immediate medical attention/advice. Ingestion Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention. Most important symptoms and effects, both acute and delayed. Symptoms Irritation. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing. Indication of any immediate medical attention and special treatment needed. Note to physicians Treat symptomatically. 5. FIRE FIGHTING MEASURES Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. Specific hazards arising from the chemical. Specific hazards arising from the chemical. Special protective actions for fire-fighters. Special protective equipment for Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout | Eye contact | | |
| mouth to an unconscious person. Get immediate medical advice/attention. Most important symptoms and effects, both acute and delayed. Symptoms Irritation. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing. Indication of any immediate medical attention and special treatment needed. Note to physicians Treat symptomatically. 5. FIRE FIGHTING MEASURES Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. Unsuitable extinguishing media No information available. Specific hazards arising from the chemical Son-combustible. Specific hazards arising from the chemical Specific hazards arising from the chemical Special protective actions for fire-fighters. Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout | Skin contact | | |
| Symptoms Irritation. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing. Indication of any immediate medical attention and special treatment needed. Note to physicians Treat symptomatically. 5. FIRE FIGHTING MEASURES Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. Unsuitable extinguishing media No information available. Specific hazards arising from the chemical. Specific hazards arising from the chemical. Specific hazards arising from the chemical. Special protective actions for fire-fighters. Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout | Ingestion | | |
| in breathing. Indication of any immediate medical attention and special treatment needed. Note to physicians Treat symptomatically. 5. FIRE FIGHTING MEASURES Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. Unsuitable extinguishing media No information available. Specific hazards arising from the chemical Specific hazards arising from the chemical. Specific hazards arising from the chemical. Specific hazards arising from the specific hazards arising from the chemical. Specific hazards arising from the remical. Specific hazards arising from the specific hazards arising from the chemical. Special protective actions for fire-fighters. Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout | Most important symptoms and effe | cts, both acute and delayed | |
| Note to physicians Treat symptomatically. 5. FIRE FIGHTING MEASURES Suitable Extinguishing Media Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. Unsuitable extinguishing media No information available. Specific hazards arising from the chemical. Specific hazards arising from the chemical. Specific nazards arising from the chemical. Special protective actions for fire-fighters. Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout | Symptoms | | |
| 5. FIRE FIGHTING MEASURES Suitable Extinguishing Media Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. Unsuitable extinguishing media No information available. Specific hazards arising from the chemical Specific hazards arising from the chemical. Specific nazards arising for fire-fighters. Special protective actions for fire-fighters. Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout | Indication of any immediate medical attention and special treatment needed | | |
| Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. Unsuitable extinguishing media No information available. Specific hazards arising from the chemical Specific hazards arising from the chemical. Specific hazards arising from the chemical Non-combustible. Special protective actions for fire-fighters Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout | indication of any immediate medica | al attention and special treatment needed | |
| Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. Unsuitable extinguishing media No information available. Specific hazards arising from the chemical Specific hazards arising from the chemical. Specific hazards arising from the chemical Non-combustible. Special protective actions for fire-fighters Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout | | | |
| Unsuitable extinguishing media No information available. Specific hazards arising from the chemical Specific hazards arising from the chemical. Special protective actions for fire-fighters. Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout | Note to physicians | Treat symptomatically. | |
| Specific hazards arising from the chemical Specific hazards arising from the chemical Special protective actions for fire-fighters Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout | Note to physicians 5. FIRE FIGHTING MEASU | Treat symptomatically. | |
| Specific hazards arising from the chemical Non-combustible. Special protective actions for fire-fighters Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout | Note to physicians 5. FIRE FIGHTING MEASU Suitable Extinguishing Media | Treat symptomatically. | |
| chemical Special protective actions for fire-fighters Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout | Note to physicians 5. FIRE FIGHTING MEASU Suitable Extinguishing Media Suitable Extinguishing Media | Treat symptomatically. | |
| Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout | Note to physicians 5. FIRE FIGHTING MEASU Suitable Extinguishing Media Suitable Extinguishing Media Unsuitable extinguishing media | Treat symptomatically. RES Use extinguishing agent suitable for type of surrounding fire. No information available. | |
| | Note to physicians 5. FIRE FIGHTING MEASU Suitable Extinguishing Media Suitable Extinguishing Media Unsuitable extinguishing media Specific hazards arising from the c Specific hazards arising from the | Treat symptomatically. RES Use extinguishing agent suitable for type of surrounding fire. No information available. hemical | |
| | Note to physicians 5. FIRE FIGHTING MEASU Suitable Extinguishing Media Suitable Extinguishing Media Unsuitable extinguishing media Specific hazards arising from the c Specific hazards arising from the chemical | Treat symptomatically. RES Use extinguishing agent suitable for type of surrounding fire. No information available. hemical Non-combustible. | |

Hazchem code

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

2X

| Personal precautions | Avoid contact with skin and eyes. Do not breathe vapor or mist. Do not touch or walk through spilled material. Ensure adequate ventilation. Evacuate personnel to safe areas. Use personal protective equipment as required. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. | |
|--|---|--|
| For emergency responders | Use personal protection recommended in Section 8. | |
| Environmental precautions | | |
| Environmental precautions | Local authorities should be advised if significant spillages cannot be contained. | |
| Methods and material for containment and cleaning up | | |
| Methods for containment | Prevent further leakage or spillage if safe to do so. | |
| Methods for cleaning up | Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. | |
| Precautions to prevent secondary hazards | | |
| Prevention of secondary hazards | Clean contaminated objects and areas thoroughly observing environmental regulations. | |

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Do not breathe vapor or mist. Avoid contact with skin, eyes, and clothing. Do not eat, drink or smoke when using this product. Use personal protection equipment. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep/store only in original container. Store away from foodstuffs. Keep container closed when not in use. |
|------------------------|--|
| Incompatible materials | Aluminium. Copper. Copper alloys. Nickel. Zinc. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituent(s):

As published by the New Zealand Workplace Health & Safety Authority.

WES - Ceiling (Workplace Exposure Standard - Ceiling). A concentration that should not be exceeded during any part of the working day.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

> If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, RESPIRATOR.



9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Physical state Liquid Appearance Color Light yellow Odor Slight Ammonia -like **Odor threshold**

Property pН Melting point / freezing point No information available No information available

Values 11-12 (1% water) No data available Remarks • Method None known None known

| Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air | 105-110°C Not applicable No data available No data available | None known None known None known None known None known |
|--|---|--|
| Upper flammability or explosive limits | Not applicable | |
| Lower flammability or explosive limits | Not applicable | |
| Vapor pressure | No data available | None known |
| Vapor density | No data available | None known |
| Relative density | 1.15-1.38 | None known |
| Water solubility | Miscible in water | None known |
| Solubility(ies) | No data available | None known |
| Partition coefficient | $\log Pow = <0$ | None known |
| Autoignition temperature | Not applicable | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |

Other information

10. STABILITY AND REACTIVITY

| Reactivity | |
|------------------------------------|--|
| Reactivity | Corrosive to metals. |
| Chemical stability | |
| Stability | Stable under normal conditions. |
| Explosion data | |
| Sensitivity to mechanical impact | None. |
| Sensitivity to static discharge | None. |
| Possibility of hazardous reactions | |
| Possibility of hazardous reactions | None under normal processing. |
| Conditions to avoid | |
| Conditions to avoid | Incompatible materials. Contact with foodstuffs. |
| Incompatible materials | |
| Incompatible materials | Aluminium. Copper. Copper alloys. Nickel. Zinc. |
| Hazardous decomposition products | |
| Hazardous decomposition products | Carbon oxides. Nitrogen oxides. |

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

| Product Information | No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are: |
|---------------------|---|
| Inhalation | May cause irritation. Harmful if inhaled. |
| Eye contact | Causes serious eye irritation. |
| Skin contact | Not expected to cause skin irritation. |
| Ingestion | May cause irritation. Harmful if swallowed. |
| Symptoms | Irritation. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing. |

Acute toxicity

Numerical measures of toxicity

| ATEmix (oral) | >2000 mg/kg |
|-------------------------------|---------------|
| ATEmix (dermal) | >2000 mg/kg |
| ATEmix (inhalation-dust/mist) | 3.8 mg/L /4hr |

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|--------------------|-----------------------|-------------------|
| EDTA tetrasodium salt | = 1658 mg/kg (Rat) | - | - |
| Sodium hydroxide | - | = 1350 mg/kg (Rabbit) | - |
| Glycine, N,N-bis(carboxymethyl)-, trisodium salt | = 1100 mg/kg (Rat) | - | > 5 mg/L (Rat)4 h |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Skin corrosion/irritation | Not classified. |
|-----------------------------------|--|
| Serious eye damage/eye irritation | Causes serious eye irritation. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | Suspected of causing cancer. |
| Reproductive toxicity | No information available. |
| | |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | H373 - May cause damage to organs through prolonged or repeated exposure if inhaled. |
| Aspiration hazard | No information available. |

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

Keep out of waterways.

Terrestrial ecotoxicity

There is no data for this product.

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|--------------------------|----------------------------|---|--|
| EDTA tetrasodium salt | - | LC50: =41mg/L (96h, Lepomis macrochirus) LC50: =59.8mg/L | EC50: =610mg/L (24h, Daphnia magna) |
| | | (96h, Pimephales promelas) | |
| Sodium hydroxide | - | LC50: =45.4mg/L (96h, Oncorhynchus mykiss) | - |
| Glycine, | EC50: 560 - 1000mg/L (96h, | LC50: 93 - 170mg/L (96h, | LC50: 560 - 1000mg/L (48h, |
| N,N-bis(carboxymethyl)-, | Chlorella vulgaris) | Pimephales promelas) LC50: 175 - | Daphnia magna) |
| trisodium salt | | 225mg/L (96h, Lepomis | |
| | | macrochirus) LC50: =252mg/L (96h, | |
| | | Lepomis macrochirus) LC50: | |
| | | =470mg/L (96h, Pimephales | |
| | | promelas) LC50: 560 - 1000mg/L | |
| | | (96h, Oryzias latipes) LC50: 72 - | |
| | | 133mg/L (96h, Oncorhynchus | |
| | | mykiss) LC50: 560 - 1000mg/L | |
| | | (96h, Poecilia reticulata) LC50: | |
| | | =114mg/L (96h, Pimephales | |
| | | promelas) | |

Persistence and degradability

| Persistence and degradability | No information available. |
|-------------------------------|---------------------------|
| Bioaccumulative potential | |
| Bioaccumulation | No information available. |
| <u>Mobility</u> | |
| Mobility in soil | No information available. |
| Other adverse effects | |
| Other adverse effects | No information available. |

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

| Waste from residues/unused products | Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste. Class 6 and 8 chemicals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that chemical); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is not tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances. |
|--|--|
| Contaminated packaging | For packages that have been in direct contact with hazardous chemicals, the person must ensure that the package is rendered incapable of containing any chemical. It must be |

disposed of in a manner that is consistent with the requirements for disposal of the chemical that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the chemical to be classified as hazardous (class 6, 8, or 9 chemical).

14. TRANSPORT INFORMATION

| ROAD AND RAIL TRANSPORT | Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS. |
|--|--|
| UN number Proper shipping name Hazard class Packing group Hazchem code | 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS EDTA TETRASODIUM SALT SOLUTION) 8 III 2X |
| IATA | Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS. |
| UN number UN proper shipping name Transport hazard class(es) Packing group | 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS EDTA TETRASODIUM SALT SOLUTION) 8 III |
| IMDG | Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS. |
| UN number UN proper shipping name Transport hazard class(es) Packing group IMDG EMS Fire IMDG EMS Spill Marine pollutant | 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS EDTA TETRASODIUM SALT SOLUTION) 8 III F-A S-B No |

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand **National regulations** See section 8 for national exposure control parameters International Inventories NZIOC This material contains a component not listed on the New Zealand Inventory of Chemicals. TSCA Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. DSL/NDSL Contact supplier for inventory compliance status. **EINECS/ELINCS** ENCS Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. IECSC

| KECL | Contact supplier for inventory compliance status. |
|-------|---|
| PICCS | Contact supplier for inventory compliance status. |
| AIIC | Contact supplier for inventory compliance status. |

Legend: NZIOC - New Zealand Inventory of Chemicals TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances **AIIC- Australian Inventory of Industrial Chemicals**

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 10/ 2023

| Prepared By | repared ByThis Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxic SDS Services). | | by Ixom Operations Pty Ltd (Toxicology and | | |
|---|--|---|--|--|--|
| Issuing Date: | | 03-Nov-2022 | | | |
| | | Revised Primary SDS Updated Formulation Change in Hazardous Chemical Classification Change in Personal Protective Equipment (PPE) Update in Toxicological Information Change in Group Standard | | | |
| Revision Note: The symbol (*) in the margin of this SDS indicates that this line has been revised. | | | | | |
| Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION | | | | | |
| TWA Ceiling | TWA (time-weight Maximum limit val | 5, | STEL * | STEL (Short Term Exposure Limit) Skin designation | |
| С | Carcinogen | | | | |
| Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database | | | | | |

International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet