

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** **KLEEN-A AMMONIATED CLEANER**

**Recommended Use of the Chemical and Restrictions on Use** Surface cleaner.

**Supplier:** Ixom Operations Pty Ltd (Incorporated in Australia)  
**NZBN:** 9429041465226  
**Street Address:** 166 Totara Street  
Mt Maunganui South  
New Zealand

**Telephone Number:** +64 9 368 2700  
**Facsimile:** +64 9 368 2710  
**Emergency Telephone:** **0 800 734 607 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

Not classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and the Hazardous Substances (Classification) Notice 2017.

**SIGNAL WORD:** WARNING

**Subclasses:**

Subclass 3.1 Category D (low hazard) - Flammable Liquids.

Subclass 6.4 Category A - Substances that are irritating to the eye.

Subclass 6.5 Category B - Substances that are contact sensitisers.

Subclass 9.1 Category D - Substances that are slightly harmful to the aquatic environment or are otherwise designed for biocidal action.

Cleaning Products (Combustible) Group Standard 2017  
Approval Number: HSR002525



**Hazard Statement(s):**

H227 Combustible liquid.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H401 Toxic to aquatic life.

# Safety Data Sheet



## Precautionary Statement(s):

### Prevention:

P103 Read label before use.  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P261 Avoid breathing mist/vapours/spray.  
P264 Wash hands thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

### Response:

P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P321 Specific treatment (see First Aid Measures on the Safety Data Sheet).  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P363 Wash contaminated clothing before re-use.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P370+P378 In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet for extinction.

### Storage:

P403+P235 Store in a well-ventilated place. Keep cool.

### Disposal:

P501 In case of a substance that is in compliance with a HSNO approval other than a Part 6A (Group Standards) approval, a label must provide a description of one or more appropriate and achievable methods for the disposal of a substance in accordance with the Hazardous Substances (Disposal) Notice 2017. This may also include any method of disposal that must be avoided.

## 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion	Hazard Codes
Sodium lauryl ether sulphate	9004-82-4	<25%	H315 H318
Ammonia, aqueous solution	1336-21-6	<1%	H314 H400
Other ingredient(s)	-	to 100%	-

## 4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

### Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

### Skin Contact:

If skin or hair contact occurs, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water and soap. If swelling, redness, blistering or irritation occurs seek medical assistance.

### Eye Contact:

If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre or a doctor, or for at least 15 minutes.

### Ingestion:

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.

# Safety Data Sheet



## Indication of immediate medical attention and special treatment needed:

Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

### Suitable Extinguishing Media:

Coarse water spray, fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

### Specific hazards arising from the chemical:

Combustible liquid.

### Special protective equipment and precautions for fire-fighters:

On burning will emit toxic fumes, including those of oxides of sulfur. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion. If safe to do so, remove containers from path of fire.

## 6. ACCIDENTAL RELEASE MEASURES

### Emergency procedures/Environmental precautions:

Clear area of all unprotected personnel. Shut off all possible sources of ignition. If contamination of sewers or waterways has occurred advise local emergency services.

### Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact and breathing in vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. After cleaning, flush away any residual traces with water.

## 7. HANDLING AND STORAGE

**Precautions for safe handling:** Avoid skin and eye contact and breathing in vapour. When using do not eat, drink or smoke. Wash hands thoroughly after handling.

**Conditions for safe storage, including any incompatibilities:** Store in a cool, dry, well ventilated place. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for leaks.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Workplace Exposure Standards:** No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituent(s):

Ammonia: WES-TWA 25 ppm, 17 mg/m<sup>3</sup>; WES-STEL 35 ppm, 24 mg/m<sup>3</sup>

# Safety Data Sheet



As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

WES - STEL (Workplace Exposure Standard - Short Term Exposure Limits) - The 15 minute average exposure standard. Applies to any 15 minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both short-term and eight-hour, time-weighted average exposures should be determined.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

## Appropriate engineering controls:

Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Workplace Exposure Standards. Keep containers closed when not in use.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

## Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, RESPIRATOR.



Wear overalls, chemical goggles and impervious gloves. Use with adequate ventilation. If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Clear Liquid
<b>Colour:</b>	Not specified
<b>Odour:</b>	Not specified
<b>Odour Threshold:</b>	Not available
<b>Solubility:</b>	Miscible in water.
<b>Specific Gravity:</b>	ca. 1

Product Name: KLEEN-A AMMONIATED CLEANER  
Substance No: 000000053762

Issued: 19/06/2019  
Version: 1

# Safety Data Sheet



<b>Relative Vapour Density (air=1):</b>	Not available
<b>Vapour Pressure (20 °C):</b>	Not available
<b>Flash Point (°C):</b>	>60
<b>Flammability Limits (%):</b>	Not available
<b>Autoignition Temperature (°C):</b>	Not available
<b>Boiling Point/Range (°C):</b>	ca. 100
<b>pH:</b>	ca. 6-8

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	No information available.
<b>Chemical stability:</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	None known.
<b>Conditions to avoid:</b>	Avoid exposure to heat, sources of ignition, and open flame.
<b>Incompatible materials:</b>	Incompatible with petrochemical oils and liquids.
<b>Hazardous decomposition products:</b>	Oxides of sulfur.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

<b>Ingestion:</b>	Swallowing can result in nausea, vomiting and central nervous system depression. If the victim is showing signs of central system depression (like those of drunkenness) there is greater likelihood of the patient breathing in vomit and causing damage to the lungs.
<b>Eye contact:</b>	An eye irritant.
<b>Skin contact:</b>	Contact with skin may result in irritation. A skin sensitiser. Repeated or prolonged skin contact may lead to allergic contact dermatitis.
<b>Inhalation:</b>	Breathing in vapour may produce respiratory irritation. Excessive inhalation can result in headache, dizziness, nausea and incoordination.
<b>Acute toxicity:</b>	
Average Toxicity Estimate (ATE mix, oral):	>5,000 mg/kg
Average Toxicity Estimate (ATE mix, dermal):	>5,000 mg/kg
<b>Respiratory or skin sensitisation:</b>	A skin sensitiser.
<b>Chronic effects:</b>	
<b>Mutagenicity:</b>	No information available.
<b>Carcinogenicity:</b>	No information available.
<b>Reproductive toxicity:</b>	No information available.
<b>Specific Target Organ Toxicity (STOT) - single exposure:</b>	No information available.

Product Name: KLEEN-A AMMONIATED CLEANER  
Substance No: 000000053762

Issued: 19/06/2019  
Version: 1

# Safety Data Sheet



**Specific Target Organ Toxicity (STOT) - repeated exposure:** No information available.  
**Aspiration hazard:** No information available.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Avoid contaminating waterways.  
**Persistence/degradability:** The material is biodegradable.  
**Bioaccumulative potential:** No information available.  
**Mobility in soil:** No information available.

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods:**

Refer to local government authority for disposal recommendations. Dispose of contents/container in accordance with local/regional/national/international regulations.

## 14. TRANSPORT INFORMATION

### **Road and Rail Transport**

Not classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

### **Marine Transport**

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

### **Air Transport**

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

## 15. REGULATORY INFORMATION

### **Classification:**

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and the Hazardous Substances (Classification) Notice 2017.

### **Subclasses:**

Subclass 3.1 Category D (low hazard) - Flammable Liquids.  
Subclass 6.4 Category A - Substances that are irritating to the eye.  
Subclass 6.5 Category B - Substances that are contact sensitisers.  
Subclass 9.1 Category D - Substances that are slightly harmful to the aquatic environment or are otherwise designed for biocidal action.

Cleaning Products (Combustible) Group Standard 2017  
Approval Number: HSR002525

### **Hazard Statement(s):**

H227 Combustible liquid.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H401 Toxic to aquatic life.

*Product Name: KLEEN-A AMMONIATED CLEANER*  
*Substance No: 000000053762*

*Issued: 19/06/2019*  
*Version: 1*

## 16. OTHER INFORMATION

Supplier Safety Data Sheet; 05/ 2018.

This safety data sheet has been prepared by Ixom Operations Pty Ltd (Toxicology & SDS Services).

### **Reason(s) for Issue:**

First Issue Primary SDS

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.