

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: FOULING TEST F

Recommended Use of the Chemical Detergent. and Restrictions on Use

Supplier: Ixom Operations Pty Ltd (Incorporated in Australia)

NZBN: 9429041465226 Street Address: 166 Totara Street Mt Maunganui South

New Zealand

+64 9 368 2700 **Telephone Number:** Facsimile: +64 9 368 2710

Emergency Telephone: 0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

Not classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and the Hazardous Substances (Classification) Notice 2017.

SIGNAL WORD: DANGER

Subclasses:

Subclass 6.5 Category A - Substances that are respiratory sensitisers.

Cleaning Products (Subsidiary Hazard) Group Standard 2017

Approval Number: HSR002530



Hazard Statement(s):

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary Statement(s):

Prevention:

P103 Read label before use.

P261 Avoid breathing mist/vapours/spray.

P285 In case of inadequate ventilation wear respiratory protection.

Response:

P304+P341 IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Storage:

No storage statements.

Product Name: FOULING TEST F Issued: 11/07/2019 Substance No: 000000053775



Disposal:

P501 In case of a substance that is in compliance with a HSNO approval other than a Part 6A (Group Standards) approval, a label must provide a description of one or more appropriate and achievable methods for the disposal of a substance in accordance with the Hazardous Substances (Disposal) Notice 2017. This may also include any method of disposal that must be avoided.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion	Hazard Codes
Lipase, triacylglycerol	9001-62-1	1-5%	H334
Non hazardous component(s)	-	to 100%	-

4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. If patient finds breathing difficult and develops a bluish discolouration of the skin (which suggests a lack of oxygen in the blood - cyanosis), ensure airways are clear of any obstruction and have a qualified person give oxygen through a face mask. Apply artificial respiration if patient is not breathing. Seek immediate medical advice.

Skin Contact:

If skin contact occurs, remove contaminated clothing and wash skin with soap and water. If irritation occurs, seek medical advice.

Eye Contact:

If in eyes, wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion:

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.

Indication of immediate medical attention and special treatment needed:

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:

Not combustible, however, if material is involved in a fire use: Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

Unsuitable Extinguishing Media:

None known.

Specific hazards arising from the chemical:

Non-combustible material.

Special protective equipment and precautions for fire-fighters:

Decomposes on heating emitting toxic fumes, including those of oxides of carbon. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to products of decomposition.

6. ACCIDENTAL RELEASE MEASURES

Product Name: FOULING TEST F Issued: 11/07/2019 Substance No: 000000053775



Emergency procedures/Environmental precautions:

Clear area of all unprotected personnel. If contamination of sewers or waterways has occurred advise local emergency services.

Personal precautions/Protective equipment/Methods and materials for containment and cleaning up: Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. After cleaning, flush away any residual traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling: Avoid skin and eye contact and breathing in vapour. When using do not eat, drink or smoke. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities: Store in a cool, dry, well ventilated place and out of direct sunlight. Store between 4°C and 25°C. Keep only in the original container. Keep containers closed when not in use - check regularly for leaks.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace Exposure Standards: No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority.

Appropriate engineering controls:

Use in well ventilated areas. Keep containers closed when not in use.

Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, RESPIRATOR.









Wear overalls, safety glasses and impervious gloves. If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:LiquidColour:Light YellowOdour:CharacteristicSolubility:Miscible in water.

Specific Gravity: 1.1-1.2

Relative Vapour Density (air=1): Not available

Vapour Pressure (20 °C): Not available

Product Name: FOULING TEST F Substance No: 000000053775 Issued: 11/07/2019 Version: 1



Flash Point (°C): Not applicable Not available Flammability Limits (%): **Autoignition Temperature (°C):** Not available **Boiling Point/Range (°C):** Not available

pH: 6-7

10. STABILITY AND REACTIVITY

No information available. Reactivity:

Chemical stability: Stable under normal ambient and anticipated storage and handling conditions of

temperature and pressure.

Possibility of hazardous

reactions:

None known.

None known. Conditions to avoid:

Incompatible materials: None known.

Hazardous decomposition

products:

Oxides of carbon.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

No adverse effects expected, however, large amounts may cause nausea and Ingestion:

vomiting.

Eye contact: May be an eye irritant.

Skin contact: Contact with skin may result in irritation.

Breathing in vapour may produce respiratory irritation. A respiratory sensitiser. Inhalation:

Can cause possible allergic reactions, producing asthma-like symptoms.

Acute toxicity: No LD50 data available for the product.

Respiratory or skin

sensitisation:

A respiratory sensitiser.

Chronic effects: No information available for the product.

Not classified. **Mutagenicity:** Carcinogenicity: Not classified. Reproductive toxicity: Not classified. **Specific Target Organ Toxicity** Not classified.

(STOT) - single exposure:

Specific Target Organ Toxicity Not classified.

(STOT) - repeated exposure:

Aspiration hazard: Not classified.

12. ECOLOGICAL INFORMATION

Product Name: FOULING TEST F Issued: 11/07/2019 Substance No: 000000053775



Ecotoxicity Avoid contaminating waterways.

No information available. Persistence/degradability:

Bioaccumulative potential: No information available.

Mobility in soil: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods:

Refer to local government authority for disposal recommendations. Dispose of contents/container in accordance with local/regional/national/international regulations.

14. TRANSPORT INFORMATION

Road and Rail Transport

Not classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air: NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Classification:

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and the Hazardous Substances (Classification) Notice 2017.

Subclasses:

Subclass 6.5 Category A - Substances that are respiratory sensitisers.

Cleaning Products (Subsidiary Hazard) Group Standard 2017

Approval Number: HSR002530

Hazard Statement(s):

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

16. OTHER INFORMATION

Supplier Safety Data Sheet; 08/2018.

This safety data sheet has been prepared by Ixom Operations Pty Ltd (Toxicology & SDS Services).

Reason(s) for Issue:

First Issue Primary SDS

Product Name: FOULING TEST F Issued: 11/07/2019 Substance No: 000000053775



This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Product Name: FOULING TEST F Issued: 11/07/2019 Substance No: 000000053775