

# Safety Data Sheet



## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** **FOULING TEST P**

**Recommended Use of the Chemical and Restrictions on Use** Detergent.  
For professional use only.

**Supplier:** Ixom Operations Pty Ltd (Incorporated in Australia)  
**NZBN:** 9429041465226  
**Street Address:** 166 Totara Street  
Mt Maunganui South  
New Zealand

**Telephone Number:** +64 9 368 2700  
**Facsimile:** +64 9 368 2710  
**Emergency Telephone:** **0 800 734 607 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

Not classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and the Hazardous Substances (Classification) Notice 2017.

**SIGNAL WORD:** DANGER

### Subclasses:

Subclass 6.3 Category A - Substances that are irritating to the skin.  
Subclass 6.5 Category A - Substances that are respiratory sensitisers.  
Subclass 8.3 Category A - Substances that are corrosive to ocular tissue.  
Subclass 9.1 Category C - Substances that are harmful in the aquatic environment.

Cleaning Products (Subsidiary Hazard) Group Standard 2017  
Approval Number: HSR002530



### Hazard Statement(s):

H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H412 Harmful to aquatic life with long lasting effects.

### Precautionary Statement(s):

#### Prevention:

P102 Keep out of reach of children.  
P103 Read label before use.  
P261 Avoid breathing mist/vapours/spray.  
P264 Wash hands thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves, protective clothing, eye and face protection.  
P285 In case of inadequate ventilation wear respiratory protection.

*Product Name:* FOULING TEST P  
*Substance No:* 00000053777

*Issued:* 11/07/2019  
*Version:* 1

# Safety Data Sheet



## Response:

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P321 Specific treatment (see First Aid Measures on the Safety Data Sheet).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing before re-use.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P304+P341 IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

## Storage:

No storage statements.

## Disposal:

P501 In case of a substance that is in compliance with a HSNO approval other than a Part 6A (Group Standards) approval, a label must provide a description of one or more appropriate and achievable methods for the disposal of a substance in accordance with the Hazardous Substances (Disposal) Notice 2017. This may also include any method of disposal that must be avoided.

## Other Hazards:

Contains subtilisin. May produce an allergic reaction.

## 3. COMPOSITION AND INFORMATION ON INGREDIENTS

| Components                 | CAS Number | Proportion | Hazard Codes        |
|----------------------------|------------|------------|---------------------|
| Subtilisin                 | 9014-01-1  | 5-15%      | H315 H318 H334 H335 |
| Non hazardous component(s) | -          | to 100%    | -                   |

## 4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

### Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. If patient finds breathing difficult and develops a bluish discolouration of the skin (which suggests a lack of oxygen in the blood - cyanosis), ensure airways are clear of any obstruction and have a qualified person give oxygen through a face mask. Apply artificial respiration if patient is not breathing. Seek immediate medical advice.

### Skin Contact:

If skin or hair contact occurs, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water and soap. If swelling, redness, blistering or irritation occurs seek medical assistance.

### Eye Contact:

Immediately wash in and around the eye area with large amounts of water for at least 15 minutes. Eyelids to be held apart. Remove clothing if contaminated and wash skin. Urgently seek medical assistance. Transport promptly to hospital or medical centre.

### Ingestion:

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.

### Indication of immediate medical attention and special treatment needed:

Treat symptomatically. Can cause corneal burns.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:**

Coarse water spray, fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

**Unsuitable Extinguishing Media:**

None known.

**Specific hazards arising from the chemical:**

Non-combustible material. Environmentally hazardous.

**Special protective equipment and precautions for fire-fighters:**

Decomposes on heating emitting toxic fumes, including those of oxides of carbon. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to products of decomposition.

## 6. ACCIDENTAL RELEASE MEASURES

**Emergency procedures/Environmental precautions:**

Clear area of all unprotected personnel. Do not allow container or product to get into drains, sewers, streams or ponds. If contamination of sewers or waterways has occurred advise local emergency services.

**Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:**

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. DO NOT return spilled material to original container for re-use. After cleaning, flush away any residual traces with water.

## 7. HANDLING AND STORAGE

**Precautions for safe handling:** Avoid skin and eye contact and breathing in vapour. When using do not eat, drink or smoke. Wash hands thoroughly after handling.

**Conditions for safe storage, including any incompatibilities:** Store in a cool, dry, well ventilated place and out of direct sunlight. Store between 4°C and 25°C. Protect from moisture. Keep only in the original container. Keep containers closed when not in use - check regularly for leaks.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Workplace Exposure Standards:** No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituent(s):

Subtilisins (Proteolytic enzymes, as 100% pure crystalline enzyme): Ceiling = 0.00006 mg/m<sup>3</sup>, skin

# Safety Data Sheet



As published by the New Zealand Workplace Health & Safety Authority.

WES - Ceiling (Workplace Exposure Standard - Ceiling). A concentration that should not be exceeded during any part of the working day.

`Skin' Notice - absorption through the skin may be a significant source of exposure. The exposure standard is invalidated if such contact should occur.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

## Appropriate engineering controls:

Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Workplace Exposure Standards. Keep containers closed when not in use.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

## Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, RESPIRATOR.



Wear overalls, chemical goggles and impervious gloves. If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|   |                    |
|---|--------------------|
| <b>Physical state:</b>                  | Liquid             |
| <b>Colour:</b>                          | Brown              |
| <b>Odour:</b>                           | Characteristic     |
| <b>Solubility:</b>                      | Miscible in water. |
| <b>Specific Gravity:</b>                | 1.075-1.175        |
| <b>Relative Vapour Density (air=1):</b> | Not available      |
| <b>Vapour Pressure (20 °C):</b>         | Not available      |
| <b>Flash Point (°C):</b>                | Not applicable     |
| <b>Flammability Limits (%):</b>         | Not available      |
| <b>Autoignition Temperature (°C):</b>   | Not available      |

Product Name: FOULING TEST P  
Substance No: 000000053777

Issued: 11/07/2019  
Version: 1

# Safety Data Sheet



**Boiling Point/Range (°C):** Not available  
**pH:** 4.8-5.8

## 10. STABILITY AND REACTIVITY

**Reactivity:** No information available.

**Chemical stability:** Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**Possibility of hazardous reactions:** None known.

**Conditions to avoid:** None known.

**Incompatible materials:** None known.

**Hazardous decomposition products:** Oxides of carbon.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

**Ingestion:** No adverse effects expected, however, large amounts may cause nausea and vomiting.

**Eye contact:** A severe eye irritant. Contamination of eyes can result in permanent injury.

**Skin contact:** Contact with skin will result in irritation.

**Inhalation:** Breathing in vapour may produce respiratory irritation. A respiratory sensitiser. Can cause possible allergic reactions, producing asthma-like symptoms.

**Acute toxicity:** No LD50 data available for the product.

**Respiratory or skin sensitisation:** A respiratory sensitiser.

**Chronic effects:** No information available for the product.

**Mutagenicity:** Not classified.

**Carcinogenicity:** Not classified.

**Reproductive toxicity:** Not classified.

**Specific Target Organ Toxicity (STOT) - single exposure:** Not classified.

**Specific Target Organ Toxicity (STOT) - repeated exposure:** Not classified.

**Aspiration hazard:** Not classified.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Avoid contaminating waterways.

# Safety Data Sheet



|                                   |   |
|-----------------------------------|---|
| <b>Persistence/degradability:</b> | No information available.   |
| <b>Bioaccumulative potential:</b> | No information available.   |
| <b>Mobility in soil:</b>          | No information available.   |
| <b>Aquatic toxicity:</b>          | Harmful to aquatic organisms. May cause long lasting harmful effects to aquatic life. |

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods:**

Refer to local government authority for disposal recommendations. Dispose of contents/container in accordance with local/regional/national/international regulations.

## 14. TRANSPORT INFORMATION

### **Road and Rail Transport**

Not classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

### **Marine Transport**

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

### **Air Transport**

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

## 15. REGULATORY INFORMATION

### **Classification:**

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and the Hazardous Substances (Classification) Notice 2017.

### **Subclasses:**

- Subclass 6.3 Category A - Substances that are irritating to the skin.
- Subclass 6.5 Category A - Substances that are respiratory sensitisers.
- Subclass 8.3 Category A - Substances that are corrosive to ocular tissue.
- Subclass 9.1 Category C - Substances that are harmful in the aquatic environment.

Cleaning Products (Subsidiary Hazard) Group Standard 2017  
Approval Number: HSR002530

### **Hazard Statement(s):**

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H412 Harmful to aquatic life with long lasting effects.

## 16. OTHER INFORMATION

Supplier Safety Data Sheet; 08/ 2018.

# Safety Data Sheet



This safety data sheet has been prepared by Ixom Operations Pty Ltd (Toxicology & SDS Services).

**Reason(s) for Issue:**

First Issue Primary SDS

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.