# SAFETY DATA SHEET



Revision date: 26-Jul-2023

# **Revision Number** 3

<b>1. IDENTIFICATION OF TH</b>	E MATERIAL AND SUPPLIER
Product identifier	
Product Name	NITRIC ACID 40-50%
Product Code(s)	00000053904
Other means of identification	
UN number	2031
Recommended use of the chemical	and restrictions on use
Recommended use	CIP (cleaning in process) acid for cleaning of stainless steel processing equipment in the dairy/food industry.
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Ixom Operations Pty Ltd (Incorporated NZBN: 9429041465226 Address: 166 Mt Maunganui South New Zealand	
Telephone Number: +64 9 368 2700 Facsimile: +64 9 368 2710	
For further information, please cont	tact
Contact Point	Product Safety Department
Emergency telephone number	
Emergency Telephone	0 800 734 607 (ALL HOURS)
Please ensure you refer to the limitations of this \$	Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.
2. HAZARDS IDENTIFICAT	ION
Classified as a Dangerous Good acco	rding to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.
Classified as hazardous according to o	criteria in the Hazardous Substances (Hazard Classification) Notice 2020.
GHS Classification	
<b>SIGNAL WORD</b> Danger	
Additives, Process Chemicals and Ray	w Materials (Corrosive) Group Standard 2020

Approval Number: HSR002491

Corrosive to metals	Category 1
Acute toxicity - Inhalation (Vapors)	Category 4

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

### Label elements



### Hazard statements

H290 - May be corrosive to metals
H314 - Causes severe skin burns and eye damage
H332 - Harmful if inhaled
H373 - May cause damage to organs through prolonged or repeated exposure

### Precautionary Statements - Prevention

Keep only in original container Do not breathe fume, gas, mist, vapours, spray Wear respiratory protection Wash face, hands and any exposed skin thoroughly after handling Use only outdoors or in a well-ventilated area Wear protective gloves / protective clothing / eye protection / face protection **Precautionary Statements - Response** Get medical advice/attention if you feel unwell Specific treatment is urgent (see First aid on this SDS) Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Absorb spillage to prevent material damage **Precautionary Statements - Storage** Store in a well-ventilated place. Keep container tightly closed Store locked up Store in corrosive resistant container with a resistant inner liner **Precautionary Statements - Disposal** 

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

### Other hazards which do not result in classification

Corrosive to the respiratory tract

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### <u>Mixture</u>

Chemical name	CAS No.	Weight-%
Nitric acid	7697-37-2	40-50
Non hazardous component(s)	-	to 100

# Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Emergency telephone number	
Inhalation	Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.
Skin contact	IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. IF ON SKIN: Wash with plenty of soap and water. Seek immediate medical attention/advice. Wash contaminated clothing before reuse.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. Avoid contact with skin, eyes, and clothing. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. See section 8 for more information.
Most important symptoms and effe	ects, both acute and delayed
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. May cause blindness. Coughing and/ or wheezing. Difficulty in breathing.
Indication of any immediate medic	al attention and special treatment needed
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Can cause corneal burns. Effects from exposure to decomposition products including nitrogen dioxide (possible decomposition component) can include chest discomfort, shortness of breath and possible pulmonary oedema, the onset of which may be delayed. The exposed person should be kept under medical surveillance for 24 hours for delayed onset of pulmonary oedema.
5. FIRE FIGHTING MEASU	RES
Suitable Extinguishing Media	
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media No information available.

# Specific hazards arising from the chemical

Specific hazards arising from the chemical	Corrosive hazard. Wear protective gloves/clothing and eye/face protection. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Special protective actions for fire-fi	ighters
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Move containers from fire area if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.

Hazchem code

2R

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes, and clothing. Do not breathe vapor or mist. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if you can do it without risk. Use personal protective equipment as required. See section 8 for more information.
Other information	Keep combustibles (wood, paper, oil, etc) away from spilled material. DO NOT GET WATER INSIDE CONTAINERS. Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil.
Methods and material for containme	ent and cleaning up
Methods for containment	Dike far ahead of spill; use dry sand to contain the flow of material. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Stop leak if you can do it without risk.
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. After cleaning, flush away traces with water. Prevent product from entering drains.
Precautions to prevent secondary h	nazards
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes, and clothing. Do not breathe vapor or mist. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Use personal protection equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. When diluting, always add the product to water. Never add water to the product.	
General hygiene considerations	Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Do not breathe vapor or mist. Wear suitable gloves and eye/face protection.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labelled containers. Keep out of the reach of children. Store locked up. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store in accordance with local regulations. Store in accordance with the particular national regulations.	
Incompatible materials	Alkalis. Carbides. Chlorates. Reducing agents. Metals.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituent(s):

Nitric acid: WES-TWA 2 ppm, 5.2 mg/m3; WES-STEL 4 ppm, 10 mg/m3

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

WES - STEL (Workplace Exposure Standard - Short Term Exposure Limits) - The 15 minute average exposure standard. Applies to any 15 minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both short-term and eight-hour, time-weighted average exposures should be determined.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

# Appropriate engineering controls

# **Engineering controls** Ensure that eyewash stations and safety showers are close to the workstation location. Ventilation systems. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering


controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

## Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, RUBBER BOOTS, AIR MASK , GLOVES (Long), APRON.

NOTE: Chemical goggles and face shield are not required if wearing an air-supplied mask.



# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

intormation on basic physical and c		
Physical state	Liquid	
Appearance	Clear	
Color	Pale Yellow	
Odor	Characteristic Acidic	
Odor threshold	No information available	
Property	Values	Remarks • Method
рН	No data available	
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	Not applicable	
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	Not applicable	
limits		
Lower flammability or explosive	Not applicable	
limits		
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	ca. 1.3	
Water solubility	Miscible in water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known

### Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity

Not applicable No data available No data available No data available

None known None known

Other information

# 10. STABILITY AND REACTIVITY

Reactivity	
Reactivity	Reacts with alkalis.
Chemical stability	
Stability	Decomposes on exposure to light.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Hazardous polymerization	Hazardous polymerization does not occur.
Possibility of hazardous reactions	Contact with metals may evolve flammable hydrogen gas.
Conditions to avoid	
Conditions to avoid	Exposure to air. Exposure to light.
Incompatible materials	
Incompatible materials	Alkalis. Carbides. Chlorates. Reducing agents. Metals.
Hazardous decomposition products	

Hazardous decomposition products Nitrogen oxides.

# 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	Harmful by inhalation. Corrosive to the respiratory tract. Inhaled corrosive substances can lead to a toxic edema of the lungs. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Pulmonary edema can be fatal.
Eye contact	Causes serious eye damage. Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.

Skin contact	Causes severe burns.		
Ingestion	Can burn mouth, throat, and stomach. Large exposures may be fatal.		
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. May cause blindness. Coughing and/ or wheezing. Difficulty in breathing.		
Acute toxicity			
Numerical measures of toxicity			
ATEmix (inhalation-vapor)	ca. 3.71-4.64 mg/L		

### See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure		
Skin corrosion/irritation	Causes severe burns. Classification is based on mixture calculation methods based on component data.	
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.	
Respiratory or skin sensitization	No information available.	
Germ cell mutagenicity	No information available.	
Carcinogenicity	No information available.	
Reproductive toxicity	No information available.	
STOT - single exposure	Corrosive to the respiratory tract.	
<b>STOT - repeated exposure</b> May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard	No information available.	
Chronic effects:	Chronic overexposure to vapour, fumes or aerosols may produce adverse effects on the lungs and erosion of the teeth.	

# **12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

Ecotoxicity	Keep out of waterways.

Terrestrial ecotoxicity

There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Nitric acid	-	LC50: =72mg/L (96h, Gambusia	-
		affinis)	

# Persistence and degradability

Persistence and degradability No information available.

**UN number** 

Bioaccumulative potential			
Bioaccumulation	There is no data for this product.		
<u>Mobility</u>			
Mobility in soil	No information available.		
Component Information			
Chemical n		Partition coefficient	
Nitric ac	d	-2.3	
Other adverse effects			
Other adverse effects	No information available.		
13. DISPOSAL CONSIDER	RATIONS		
Waste treatment methods			
Waste from residues/unused products Contaminated packaging	Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste. Class 6 and 8 chemicals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that chemical); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is not tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances.		
14. TRANSPORT INFORM	the residue in the package hazardous (class 6, 8, or 9	e hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of are below the threshold for the chemical to be classified as chemical).	
ROAD AND RAIL TRANSPORT	Classified as a Dangerous Land; DANGEROUS GOO	Good according to NZS 5433 Transport of Dangerous Goods on DDS.	
UN number Proper shipping name Hazard class Packing group Hazchem code	2031 NITRIC ACID 8 II 2R		
IATA	(IATA) Dangerous Goods TRANSPORT PROHIBITE	Boods by the criteria of the International Air Transport Association Regulations for transport by air; DANGEROUS GOODS. D under the International Air Transport Association (IATA)	

Dangerous Goods Regulations for transport by air in Passenger and Cargo Aircraft; may be transported by Cargo Aircraft Only. 2031

UN proper shipping name	NITRIC ACID
Transport hazard class(es)	8
Packing group	II
IMDG	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.
UN number	2031
UN proper shipping name	NITRIC ACID
Transport hazard class(es)	8
Packing group	II
IMDG EMS Fire	F-A
IMDG EMS Spill	S-Q
Marine pollutant	No

# 15. REGULATORY INFORMATION

# Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand			
National regulations See section 8 for national exposure control parameters			
International Inventories NZIoC TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AIIC	All the constituents of this material are listed on the New Zealand Inventory of Chemicals. Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.		
Legend: NZIoC - New Zealand Inventory of Chemicals TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AIIC AIIC- Australian Inventory of Industrial Chemicals			
International Regulations			
The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable			
The Stockholm Convention on Persistent Organic Pollutants Not applicable			
The Rotterdam Convention Not applicable			

# **16. OTHER INFORMATION**

Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Issuing Date:	26-Jul-2023
Reason(s) For Issue:	Change in Hazardous Chemical Classification

### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

	abbreviations and acronyms used in the : EXPOSURE CONTROLS/PERSONAL PRO TWA (time-weighted average) Maximum limit value Carcinogen		STEL (Short Term Exposure Limit) Skin designation
Key literature refe Agency for Toxic S U.S. Environmenta European Food Sa EPA (Environmenta Acute Exposure G U.S. Environmenta U.S. Environmenta Food Research Jo Hazardous Substa International Unifo Japan GHS Classi Australian Industria NIOSH (National In National Library of National Library of National Library of National Toxicolog New Zealand's Ch Organization for E Organization for E	ance Database rm Chemical Information Database (IUCLID ification al Chemicals Introduction Scheme (AICIS) nstitute for Occupational Safety and Health) Medicine's ChemID Plus (NLM CIP) Medicine's PubMed database (NLM PUBMI gy Program (NTP) lemical Classification and Information Databa conomic Co-operation and Development En- conomic Co-operation and Development Hig conomic Co-operation and Development Sci of Toxic Effects of Chemical Substances)	ngicide, and Rodent e Chemicals ED) ase (CCID) vironment, Health, a	and Safety Publications ne Chemicals Program
UISCIAIMER			

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**