# SAFETY DATA SHEET



Revision date: 31-Mar-2022

**Revision Number** 1

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product identifier** 

Product Name MAGNESIUM OXIDE BRIQUETTES (80-85% MgO)

**Product Code(s)** 000000054182

Other means of identification

Recommended use of the chemical and restrictions on use

**Recommended use** Processing aid for industrial applications.

Uses advised against No information available.

Details of the supplier of the safety data sheet

**Supplier** 

Ixom Operations Pty Ltd (Incorporated in Australia) NZBN: 9429041465226 Address: 166 Totara Street

Mt Maunganui South

New Zealand

Telephone Number: +64 9 368 2700

Facimile: +64 9 368 2710

For further information, please contact

Contact Point Product Safety Department

Emergency telephone number

Emergency Telephone 0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

#### 2. HAZARDS IDENTIFICATION

Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

**GHS Classification** 

**SIGNAL WORD** 

Danger

Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020

Approval Number: HSR002503

Serious eye damage/eye irritation Category 1

Label elements

**Revision Number** 1

Revision date: 31-Mar-2022



#### **Hazard statements**

H318 - Causes serious eye damage

#### **Precautionary Statements - Prevention**

Wash hands thoroughly after handling

Wear protective gloves / protective clothing / eye protection / face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### **Precautionary Statements - Storage**

No storage statements

#### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Magnesium oxide	1309-48-4	80-85
Silica	7631-86-9	0-4
Calcium oxide	1305-78-8	0-3
Water	7732-18-5	0-2
Aluminium oxide	1344-28-1	0-1.5
Iron (III) oxide	1309-37-1	0-1.5

## 4. FIRST AID MEASURES

#### Description of first aid measures

**General advice** For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

Poisons Information Center, New Zealand: 0800 764 766 **Emergency telephone number** 

Poisons Information Center, Australia: 13 11 26

Inhalation Remove to fresh air. Call a physician if symptoms occur.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water. Call a physician if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and effects, both acute and delayed

MgO)

Revision date: 31-Mar-2022

Revision Number 1

Symptoms Irritation/Corrosion. May cause redness and tearing of the eyes.

Indication of any immediate medical attention and special treatment needed

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** 

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Non-combustible. Containers may explode when heated or if contaminated with water.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Avoid generation of

dust. Do not touch or walk through spilled material. Evacuate personnel to safe areas. Use

personal protective equipment as required. Wash thoroughly after handling.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled

material and place in suitable container. Avoid generating dust.

Precautions to prevent secondary hazards

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Use personal

protection equipment. Wash thoroughly after handling.

#### Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep dry, reacts with **Storage Conditions** 

water. Protect from moisture. Keep container closed when not in use.

Revision Number 1

Incompatible materials Strong acids. Interhalogens. Phosphorus pentachloride.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

**Exposure Limits** No value assigned for this specific material by the New Zealand Workplace Health & Safety

Authority. However, Workplace Exposure Standard(s) for constituent(s):

Magnesium oxide fume: 8hr WES-TWA = 10 mg/m<sup>3</sup> Aluminium oxide: 8hr WES-TWA = 10 mg/m<sup>3</sup>

Calcium oxide: WES-TWA 2 mg/m3

Iron oxide dust & fume (Fe2O3), as Fe: 8hr WES-TWA = 5 mg/m<sup>3</sup>

Silica fume (respirable dust): 8hr TWA = 2 mg/m<sup>3</sup>

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### Appropriate engineering controls

#### **Engineering controls** Eyewash stations. Apply technical measures to comply with the occupational exposure

limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.

**Revision Number** 1



Eye/face protection Tight sealing safety goggles.

Hand protection Impervious gloves.

Boots. Wear suitable protective clothing. Overalls. Skin and body protection

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator

meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid **Appearance** Powder

Color White to Light brown

Odourless Odor

No information available. **Odor threshold** 

**Property** Values Remarks • Method

10.3 (saturated aqueous solution) None known ca. 2800°C Melting point / freezing point None known Boiling point / boiling range ca. 3600°C None known Flash point No data available None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

No data available Lower flammability or explosive

limits

No data available Vapor pressure None known No data available None known Vapor density Relative density 3.58 None known 0.006 g/L @ 20 °C Water solubility None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other information

## 10. STABILITY AND REACTIVITY

Reactivity

MgO)

Revision date: 31-Mar-2022

Revision Number 1

Reactivity Reacts with water.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

**Hazardous polymerization** Hazardous polymerization does not occur.

Possibility of hazardous reactions Contact with water generates heat. Heating causes rise in pressure with risk of bursting.

Conditions to avoid

**Conditions to avoid** Avoid contact with water. Moisture.

Incompatible materials

Incompatible materials Strong acids. Interhalogens. Phosphorus pentachloride.

**Hazardous decomposition products** 

Hazardous decomposition products Magnesium fumes.

#### 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

#### Information on likely routes of exposure

**Product Information**No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** Causes serious eye damage.

**Skin contact** May cause irritation.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms Irritation/Corrosion. May cause redness and tearing of the eyes.

**Acute toxicity** 

#### **Numerical measures of toxicity**

Refer to component information below.

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50

**Revision Number** 1

Magnesium oxide	= 3990 mg/kg (Rat) = 3870 mg/kg (Rat)	-	-
Silica	= 7900 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	> 2.2 mg/L (Rat)1 h
Calcium oxide	= 500 mg/kg (Rat)	-	-
Aluminium oxide	> 5000 mg/kg (Rat)	-	-
Iron (III) oxide	> 10000 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation Causes serious eye damage. Classification is based on mixture calculation methods based

on component data.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	New Zealand	IARC
Silica - 7631-86-9		Group 3

### IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Ecotoxicity** Keep out of waterways.

**Terrestrial ecotoxicity** There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Silica	EC50: =440mg/L (72h, Pseudokirchneriella subcapitata)	LC50: =5000mg/L (96h, Brachydanio rerio)	EC50: =7600mg/L (48h, Ceriodaphnia dubia)
Calcium oxide	-	LC50: =1070mg/L (96h, Cyprinus carpio)	-
Iron (III) oxide	-	LC50: =100000mg/L (96h, Danio rerio)	-

## Persistence and degradability

MgO)

Revision date: 31-Mar-2022

**Revision Number** 1

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** No information available.

**Mobility** 

Mobility in soil No information available.

Other adverse effects

Other adverse effects No information available.

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous

chemical; or export the chemical from New Zealand as waste.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on

Land; NON-DANGEROUS GOODS.

IATA Not classified as Dangerous Goods by the criteria of the International Air Transport

Association (IATA) Dangerous Goods Regulations for transport by air;

NON-DANGEROUS GOODS.

**IMDG**Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

**New Zealand** 

National regulations See section 8 for national exposure control parameters

**International Inventories** 

NZIOC All the constituents of this material are listed on the New Zealand Inventory of Chemicals.

00000054182 - MAGNESIUM OXIDE BRIQUETTES (80-85% MqO)

Revision date: 31-Mar-2022

Revision Number 1

**TSCA** Contact supplier for inventory compliance status. DSL/NDSL Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **EINECS/ELINCS ENCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL PICCS** Contact supplier for inventory compliance status. AIIC Contact supplier for inventory compliance status.

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

### 16. OTHER INFORMATION

Supplier Material Safety Data Sheet, not dated.

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and Prepared By

SDS Services).

31-Mar-2022 **Issuing Date:** 

Reason(s) For Issue: First Issue Primary SDS

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Skin designation

Carcinogen

## Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

**Revision Number** 1

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**