SAFETY DATA SHEET



Revision date: 05-Oct-2022

Revision Number 2

1. IDENTIFICATION OF TH	E MATERIAL AND SUPPLIER	
Product identifier		
Product Name	CLEANIX KLEEN-A AMMONIATED SURFACE CLEANER	
Product Code(s)	00000054191	
Other means of identification		
UN number	2672	
Synonyms	CIXFCKLNA-5LX3; CIXFCKLNA-20L; CIXFCKLNA-200L; CIXFCAMMO990.	
Recommended use of the chemical	and restrictions on use	
Recommended use	Ammoniated tile, bath and hard surface cleaner.	
Uses advised against	No information available.	
Details of the supplier of the safety	data sheet	
<u>Supplier</u> Ixom Operations Pty Ltd (Incorporated NZBN: 9429041465226 Address: 166 Mt Maunganui South New Zealand		
Telephone Number: +64 9 368 2700 Facsimile: +64 9 368 2710		
For further information, please cont	tact	
Contact Point	Product Safety Department	
Emergency telephone number		
Emergency Telephone	0 800 734 607 (ALL HOURS)	
Please ensure you refer to the limitations of this	Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.	
2. HAZARDS IDENTIFICAT	ION	
Classified as a Dangerous Good acco	rding to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.	
Classified as hazardous according to	criteria in the Hazardous Substances (Hazard Classification) Notice 2020.	
GHS Classification		
SIGNAL WORD Danger		

Cleaning Products (Corrosive) Group Standard 2020 Approval Number: HSR002526

Corrosive to metals

Category 1

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Acute aquatic toxicity	Category 1

Label elements



Hazard statements

H290 - May be corrosive to metals
H302 - Harmful if swallowed
H314 - Causes severe skin burns and eye damage
H335 - May cause respiratory irritation
H400 - Very toxic to aquatic life

Precautionary Statements - Prevention

Keep only in original container Do not breathe fume, gas, mist, vapours, spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves / protective clothing / eve protection / face protection Avoid release to the environment **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Immediately call a POISON CENTER or doctor/physician Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing IF SWALLOWED: Rinse mouth. DO NOT induce vomiting IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Absorb spillage to prevent material damage Collect spillage **Precautionary Statements - Storage** Store in a well-ventilated place. Keep container tightly closed Store locked up Store in corrosive resistant container with a resistant inner liner **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
Surfactants	-	10-30
Ammonia, aqueous solution	1336-21-6	10-30

Disodium metasilicate	6834-92-0	<10
Non hazardous component(s)	-	to 100

4. FIRST AID MEASURES

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26
Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, (trained personnel should) give oxygen. Get medical attention immediately if symptoms occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediate medical attention is required.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Immediate medical attention is required.

Most important symptoms and effects, both acute and delayed

Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness).
	Burning.

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically. Can cause corneal burns.
--------------------	---

5. FIRE FIGHTING MEASURES		
Dry chemical, CO2, water spray or regular foam.		
No information available.		
Specific hazards arising from the chemical		
Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Environmentally hazardous.		
Special protective actions for fire-fighters		
Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		
2X		

Revision Number 2

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes, and clothing. Do not breathe vapor or mist. Do not touch or walk through spilled material. Ensure adequate ventilation. Evacuate personnel to safe areas. Stop leak if you can do it without risk. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for containment	Dike to collect large liquid spills.	
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.	
Precautions to prevent secondary hazards		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	

7. HANDLING AND STORAGE

Precautions for safe handling Avoid contact with skin, eyes, and clothing. Do not breathe vapor or mist. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Use personal protection equipment. Wash thoroughly after handling.

Conditions for	safe storage,	including any	/ incompa	atibilities

Storage Conditions	Store in a cool, dry, well ventilated place and out of direct sunlight. Keep out of the reach of children. Keep container closed when not in use.
Incompatible materials	None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits	No value assigned for this specific material by the New Zealand Workplace Health & Safety	
	Authority. However, Workplace Exposure Standard(s) for constituent(s):	

Revision Number 2

Ammonia: WES-TWA 25 ppm, 17 mg/m3; WES-STEL 35 ppm, 24 mg/m3

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

WES - STEL (Workplace Exposure Standard - Short Term Exposure Limits) - The 15 minute average exposure standard. Applies to any 15 minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both short-term and eight-hour, time-weighted average exposures should be determined.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls


Engineering controls Ensure that eyewash stations and safety showers are close to the workstation location. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, RUBBER BOOTS, AIR MASK, GLOVES (Long), APRON.



Eye/face protection	Tight sealing safety goggles. If splashes are likely to occur:. Face protection shield.
Hand protection	Elbow-length impervious gloves.
Skin and body protection	Rubber boots. Impervious clothing. Chemical resistant apron. Overalls.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an air supplied respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Physical state Liquid

Revision Number 2

Appearance Color Odor Odor threshold	Creamy Blue Characteristic Ammonia No information available.	
Odor threshold		
Property	Values	Remarks • Method
рН	11.8	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	Miscible in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
-		

Other information

10. STABILITY AND REACTIVITY

<u>Reactivity</u>	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	None known based on information supplied.
Incompatible materials	
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	-

Hazardous decomposition products Ammonia.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	Irritating to respiratory system.
Eye contact	Causes serious eye damage.
Skin contact	Causes burns.
Ingestion	Can burn mouth, throat, and stomach.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Burning.

Acute toxicity

Numerical measures of toxicity

Refer to component information below.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ammonia, aqueous solution	= 350 mg/kg (Rat)	-	-
Disodium metasilicate	= 1153 mg/kg(Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes burns. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.

Aspiration hazard

No information available.

Chronic effects:

Chronic exposure to ammonia may cause chemical pneumonitis and other lung effects.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity Keep out of waterways. Very toxic to aquatic life.

Terrestrial ecotoxicity There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ammonia, aqueous solution	-	LC50: =8.2mg/L (96h, Pimephales promelas)	EC50: =0.66mg/L (48h, water flea) EC50: =0.66mg/L (48h, Daphnia pulex)
Disodium metasilicate	-	LC50: =210mg/L (96h, Brachydanio rerio)	1.1.5./

Persistence and degradabilityBiodegradable.Persistence and degradabilityBiodegradable.Bioaccumulative potentialNo information available.BioaccumulationNo information available.MobilityNo information available.Mobility in soilNo information available.Other adverse effectsNo information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste. Class 6 and 8 chemicals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that chemical); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is not tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances.
Contaminated packaging	For packages that have been in direct contact with hazardous chemicals, the person must ensure that the package is rendered incapable of containing any chemical. It must be disposed of in a manner that is consistent with the requirements for disposal of the chemical that it contained, taking into account the material the package is manufactured

from. Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the chemical to be classified as hazardous (class 6, 8, or 9 chemical).

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT	Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.
UN number	2672
Proper shipping name	AMMONIA SOLUTION
Hazard class	8
Packing group	III
Hazchem code	2X
IATA	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.
UN number	2672
UN proper shipping name	AMMONIA SOLUTION
Transport hazard class(es)	8
Packing group	III
IMDG	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.
UN number	2672
UN proper shipping name	AMMONIA SOLUTION
Transport hazard class(es)	8
Packing group	III
IMDG EMS Fire	F-A
IMDG EMS Spill	S-B
Marine pollutant	Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand	
National regulations	See section 8 for national exposure control parameters
International Inventories NZIoC TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AIIC	Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.

Limit)

Legend:

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC AIIC- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 06/ 2020

Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Issuing Date:	05-Oct-2022
Reason(s) For Issue:	Change in Physical Properties

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Rey Or leger	iu to appreviations and acronyins used in	the salety uata sheet	
Legend Sect	tion 8: EXPOSURE CONTROLS/PERSONAL	PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure L
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID)

ENCS - Japan Existing and New Chemical Substances

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet