SAFETY DATA SHEET



Revision date: 22-Apr-2022

Revision Number 1

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier		
Product Name	DT58 SANITISER	
Product Code(s)	00000054217	
Other means of identification		
UN number	1760	
Recommended use of the chemical	and restrictions on use	
Recommended use	Sanitiser.	
Uses advised against	No information available.	
Details of the supplier of the safety data sheet		
<u>Supplier</u> Ixom Operations Pty Ltd (Incorporated NZBN: 9429041465226 Address: 166 Mt Maunganui South New Zealand	,	
Telephone Number: +64 9 368 2700 Facimile: +64 9 368 2710		
For further information, please contact		
Contact Point	Product Safety Department	
Emergency telephone number		

Emergency Telephone

0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS Classification

SIGNAL WORD Danger

Cleaning Products (Corrosive) Group Standard 2020 Approval Number: HSR002526

Corrosive to metals	Category 1
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 1 Sub-category C

Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

Label elements



Hazard statements

H290 - May be corrosive to metals
H312 - Harmful in contact with skin
H314 - Causes severe skin burns and eye damage
H373 - May cause damage to organs through prolonged or repeated exposure
H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Keep out of reach of children. Keep only in original container Do not breathe fume, gas, mist, vapours, spray Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace Wear protective gloves / protective clothing / eye protection / face protection Avoid release to the environment **Precautionary Statements - Response** Get medical advice/attention if you feel unwell Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Absorb spillage to prevent material damage Collect spillage **Precautionary Statements - Storage** Store locked up Store in corrosive resistant container with a resistant inner liner Precautionary Statements - Disposal Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

May be harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
Amines, N-C10-16-alkyltrimethylenedi-, reaction	139734-65-9	10-<60
products with chloroacetic acid		
Non hazardous component(s)	-	to 100

4. FIRST AID MEASURES

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26
Inhalation	Remove to fresh air. Call a physician if symptoms occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water. Call a physician if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician immediately.
Most important symptoms and effec	ts, both acute and delayed
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes.
Indication of any immediate medical	attention and special treatment needed
Note to physicians	Treat symptomatically. Can cause corneal burns.
5. FIRE FIGHTING MEASUF	RES
Suitable Extinguishing Media	
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media High volume water jet.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Environmentally hazardous.

Special protective actions for fire-fighters

Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
Hazchem code	2X

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautionsAttention! Corrosive material. Avoid contact with skin, eyes and inhalation of vapors.
Evacuate personnel to safe areas. Do not touch or walk through spilled material. Use
personal protective equipment as required. Wash thoroughly after handling.

For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.	
Precautions to prevent secondary hazards		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Keep out of reach of children. Avoid contact with skin, eyes, and clothing. Do not breathe fume, gas, mist, vapours, spray. Do not eat, drink or smoke when using this product. Use personal protection equipment. Wash thoroughly after handling.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from foodstuffs. Keep container closed when not in use.	
Incompatible materials	Metals.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

 Exposure Limits
 No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority.

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.

Eye/face protection	Tight sealing safety goggles. If splashes are likely to occur:. Face protection shield.
Hand protection	Elbow-length impervious gloves.
Skin and body protection	Boots. Wear suitable protective clothing. Overalls.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear a suitable mist respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

internation on basic physical and	chemical properties
Physical state	Liquid
Appearance	Clear
Color	Colourless
Odor	No information available.
Odor threshold	No information available.

<u>Property</u> pH	<u>Values</u> 6-9	Remarks • Method None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.0	None known
Water solubility	Miscible in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity	Corrosive to metals.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Keep out of reach of children.
Incompatible materials	
Incompatible materials	Metals.
Hazardous decomposition products	<u>-</u>

Hazardous decomposition products Carbon oxides. Nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Causes serious eye damage.
Skin contact	Contact causes severe skin irritation and possible burns.
Ingestion	Can burn mouth, throat, and stomach.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes.
Acute toxicity	

Numerical measures of toxicity No information available.

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Causes burns. Classification is based on mixture calculation methods based on component data.

Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure. Classification is based on mixture calculation methods based on component data.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity	
Ecotoxicity	Keep out of waterways. Very toxic to aquatic life with long lasting effects.
Terrestrial ecotoxicity	
Persistence and degradability Persistence and degradability	No information available.
Bioaccumulative potential	
Bioaccumulation	No information available.
<u>Mobility</u>	
Mobility in soil	No information available.

Other adverse effects

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused Dispose of product in packaging/container in a way that is consistent with the Hazardous products Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste. Class 6 and 8 chemicals may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that chemical); and the discharge does not, after reasonable

mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is not tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances.

Contaminated packaging For packages that have been in direct contact with hazardous chemicals, the person must ensure that the package is rendered incapable of containing any chemical. It must be disposed of in a manner that is consistent with the requirements for disposal of the chemical that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the chemical to be classified as hazardous (class 6, 8, or 9 chemical).

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT	Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.
UN number Proper shipping name Hazard class Packing group Hazchem code	1760 CORROSIVE LIQUID, N.O.S. (CONTAINS AMINES, C10-16-ALKYLTRIMETHYLENEDI-, REACTION PRODUCTS WITH CHLOROACETIC ACID) 8 III 2X
IATA	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.
UN number UN proper shipping name Transport hazard class(es) Packing group	1760 CORROSIVE LIQUID, N.O.S. (CONTAINS AMINES, C10-16-ALKYLTRIMETHYLENEDI-, REACTION PRODUCTS WITH CHLOROACETIC ACID) 8 III
IMDG	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.
UN number UN proper shipping name Transport hazard class(es) Packing group IMDG EMS Fire IMDG EMS Spill Marine pollutant	1760 CORROSIVE LIQUID, N.O.S. (CONTAINS AMINES, C10-16-ALKYLTRIMETHYLENEDI-, REACTION PRODUCTS WITH CHLOROACETIC ACID) MARINE POLLUTANT 8 III F-A S-B Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand

National regulations

See section 8 for national exposure control parameters

International Inventories	
NZIOC	All the constituents of this material are listed on the New Zealand Inventory of Chemicals.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.

Legend:

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 08/ 2020

Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Issuing Date:	22-Apr-2022
Reason(s) For Issue:	First Issue Primary SDS
Revision Note: The symbol (*) in the margin of this SI	DS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWATWA (time-weighted average)STELCeilingMaximum limit value*CCarcinogen

STEL (Short Term Exposure Limit) Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet