SAFETY DATA SHEET



Revision date: 05-May-2022

Revision Number 1

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER Product identifier **Product Name** CLEANIX LAUNDRY DETERGENT POWDER OLP 00000054232 Product Code(s) Other means of identification Synonyms CIXLDRYPWD Recommended use of the chemical and restrictions on use **Recommended use** A concentrated heavy-duty laundry powder with enzymes, suitable for everyday use in front and top-loading machines. Can be used for all textile types, in hot or cold water. No information available. Uses advised against Details of the supplier of the safety data sheet Supplier Ixom Operations Pty Ltd (Incorporated in Australia) NZBN: 9429041465226 Address: 166 Totara Street Mt Maunganui South New Zealand Telephone Number: +64 9 368 2700 Facimile: +64 9 368 2710 For further information, please contact **Contact Point** Product Safety Department Emergency telephone number **Emergency Telephone** 0 800 734 607 (ALL HOURS) Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet. 2. HAZARDS IDENTIFICATION Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS. Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020. **GHS Classification**

SIGNAL WORD Danger

Cleaning Products (Subsidiary Hazard) Group Standard 2020 Approval Number: HSR002530

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Revision Number 1

Respiratory sensitization

Category 1

Label elements



Hazard statements

H315 - Causes skin irritation
H318 - Causes serious eye damage
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary Statements - Prevention

Read label before use. Keep out of reach of children. Avoid breathing dust or sprav mist Use only outdoors or in a well-ventilated area Wash hands and face thoroughly after handling Wear protective gloves / protective clothing / eve protection / face protection In case of inadequate ventilation wear respiratory protection **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing If experiencing respiratory symptoms: Call a POISON CENTER or doctor **Precautionary Statements - Storage** No storage statements **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
Sodium carbonate	497-19-8	10-<30
Sodium percarbonate	15630-89-4	10-<30
Hexyl D-glucoside	54549-24-5	5-<30
Polyethylene glycol, mono(2-ethylhexyl ether)	26468-86-0	5-<30
Disodium metasilicate	6834-92-0	1-<3
.alphaAmylase	9000-90-2	0.1-<1
Cellulase	9012-54-8	0.1-<1
Other component(s)	-	to 100

4. FIRST AID MEASURES

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.	
Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26	
Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.	
Skin contact	Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.	

Most important symptoms and effects, both acute and delayed

Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. Can cause corneal burns. May cause sensitization by inhalation.

5. FIRE FIGHTING MEASURES		
Suitable Extinguishing Media		
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.	

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical

Specific hazards arising from the	Non-combustible, substance itself does not burn but may decompose upon heating to
chemical	produce corrosive and/or toxic fumes.

Special protective actions for fire-fighters

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Ensure adequate

	ventilation. Evacuate personnel to safe areas. Stop leak if you can do it without risk. Do not touch or walk through spilled material. Use personal protective equipment as required. Wash thoroughly after handling.		
For emergency responders	Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.		
Precautions to prevent secondary hazards			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Use personal protection equipment. Wash thoroughly after handling.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Store in a cool, dry, well ventilated place and out of direct sunlight. Keep container closed when not in use.		
Incompatible materials	Oxidizing agents.		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for particulate(s):

Particulates not otherwise classified: 8hr WES-TWA 10 mg/m³ (inhalable dust) or 3 mg/m³ (respirable dust)

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric

contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Eyewash stations. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold Solid Granulated Powder Off-white / Blue Characteristic Soap No information available.

Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air

Remarks • Method None known

None known None known None known None known None known None known

Revision Number 1

Upper flammability or explosive limits	No data available
Lower flammability or explosive limits	No data available
	No data available
Vapor pressure	
Vapor density	No data available
Relative density	No data available
Water solubility	No data available
Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available

Other information

10. STABILITY AND REACTIVITY

Reactivity	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Dust formation. Reacts with hydrated lime, in the presence of moisture to form caustic soda, a corrosive. Keep away from aluminium powder, fluorine, phosphorous pentoxide, sulphuric acid, ammoniacal silver nitrate and molten lithium.
Incompatible materials	
Incompatible materials	Oxidizing agents.
Hazardous decomposition products	<u>8</u>

Hazardous decomposition products Carbon oxides. Nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information

No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

None known None known

	chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Eye contact	Causes serious eye damage.
Skin contact	Causes skin irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing.

Acute toxicity

Numerical measures of toxicity

Refer to component information below.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium carbonate	= 4090 mg/kg (Rat)	-	-
Sodium percarbonate	= 1034 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Disodium metasilicate	= 1153 mg/kg (Rat)	-	-
.alphaAmylase	> 7500 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	May cause sensitization by inhalation. Classification is based on mixture calculation methods based on component data.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

ity Keep out of waterways.

Terrestrial ecotoxicity

There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea	
Sodium carbonate	EC50: =242mg/L (120h, Nitzschia)	LC50: =300mg/L (96h, Lepomis macrochirus) LC50: 310 - 1220mg/L (96h, Pimephales promelas)	EC50: =265mg/L (48h, Daphnia magna)	
Sodium percarbonate	EC50: =70mg/L (240h, Chlorella	LC50: =70.7mg/L (96h, Pimephales	EC50: =4.9mg/L (48h, Daphnia	
	emersonii)	promelas)	pulex)	
Disodium metasilicate	-	LC50: =210mg/L (96h, Brachydanio	EC50: =216mg/L (96h, Daphnia	
		rerio)	magna)	

Persistence and degradability

Persistence and degradability	No information available.
Bioaccumulative potential	
Bioaccumulation	No information available.
<u>Mobility</u>	
Mobility in soil	No information available.
Other adverse effects	

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT	Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.
IATA	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

IMDG

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand		
National regulations	See section 8 for national exposure control parameters	
International Inventories		
NZIOC	Contact supplier for inventory compliance status.	
TSCA	Contact supplier for inventory compliance status.	
DSL/NDSL	Contact supplier for inventory compliance status.	
EINECS/ELINCS	Contact supplier for inventory compliance status.	
ENCS	Contact supplier for inventory compliance status.	
IECSC	Contact supplier for inventory compliance status.	
KECL	Contact supplier for inventory compliance status.	
PICCS	Contact supplier for inventory compliance status.	
AIIC	Contact supplier for inventory compliance status.	
Legend: NZIoC - New Zealand Inventory of Chemicals TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AIIC - Australian Inventory of Industrial Chemicals		
International Regulations		
The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable		

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 06/ 2020

Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Issuing Date:	05-May-2022
Reason(s) For Issue:	First Issue Primary SDS

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Sec	tion 8: EXPOSURE CONTROLS/PERSONAL	_ PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		-

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA)

European Food Safety Authority (EFSA

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet