# SAFETY DATA SHEET



Revision date: 29-Jul-2022

#### **Revision Number** 1

# **1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

Product identifier				
Product Name	ENZYFOAM PRO			
Product Code(s)	00000054278			
Other means of identification				
Recommended use of the chemical	and restrictions on use			
Recommended use	Detergent			
Uses advised against	No information available.			
Details of the supplier of the safety	data sheet			
<u>Supplier</u> Ixom Operations Pty Ltd (Incorporated NZBN: 9429041465226 Address: 166 Mt Maunganui South New Zealand				
Telephone Number: +64 9 368 2700 Facimile: +64 9 368 2710				
For further information, please cont	For further information, please contact			
Contact Point	Product Safety Department			
Emergency telephone number				
Emergency Telephone	0 800 734 607 (ALL HOURS)			
Please ensure you refer to the limitations of this \$	Safety Data Sheet as set out in the "Other Information" section at the	end of this Data Sheet.		
2. HAZARDS IDENTIFICAT	ION			
Not classified as a Dangerous Good u	nder NZS 5433 Transport of Dangerous Goods on La	nd; NON-DANGEROUS GOODS.		
Classified as hazardous according to o	criteria in the Hazardous Substances (Hazard Classific	cation) Notice 2020.		
GHS Classification				
SIGNAL WORD Danger				
Cleaning Products (Subsidiary Hazard Approval Number: HSR002530	l) Group Standard 2020			
Serious eye damage/eye irritation		Category 1		

Label elements



Hazard statements H318 - Causes serious eye damage

#### **Precautionary Statements - Prevention**

Keep out of reach of children. Read label before use. Wear eye/face protection IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician **Precautionary Statements - Storage** No storage statements **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### <u>Mixture</u>

Chemical name	CAS No.	Weight-%
Dipropylene glycol monomethyl ether	34590-94-8	1-5
D-Glucopyranose, oligomeric, C10-16-alkyl	110615-47-9	1-5
glycosides		
D-Glucose, decyl octyl ethers, oligomeric	68515-73-1	1-5
Amines, coco alkyldimethyl, N-oxides	61788-90-7	0.1-1
Other component(s)	-	to 100

# 4. FIRST AID MEASURES

# Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26
Inhalation	Remove to fresh air. Call a physician if symptoms occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water. Call a physician if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

# Most important symptoms and effects, both acute and delayed Irritation/Corrosion. May cause redness and tearing of the eyes. Symptoms Indication of any immediate medical attention and special treatment needed Treat symptomatically. Can cause corneal burns. Note to physicians 5. FIRE FIGHTING MEASURES Suitable Extinguishing Media **Suitable Extinguishing Media** Dry chemical, CO2, water spray or regular foam. No information available. Unsuitable extinguishing media Specific hazards arising from the chemical Specific hazards arising from the Non-combustible. chemical Special protective actions for fire-fighters Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. fire-fighters 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures **Personal precautions** Avoid contact with skin and eyes. Stop leak if you can do it without risk. Evacuate personnel to safe areas. Use personal protective equipment as required. Wash thoroughly after handling.

For emergency respondersUse personal protection recommended in Section 8.

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. After cleaning, flush away traces with water.

Precautions to prevent secondary hazards

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Environmental precautions

Advice on safe handling	Avoid contact with skin and eyes. Avoid breathing vapors or mists. Use personal protection equipment. Wash thoroughly after handling.	
Conditions for safe storage, including	ng any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep at temperatures between 4 °C and 25 °C. Protect from direct sunlight. Keep/store only in original container. Keep container closed when not in use.	
Incompatible materials	None known based on information supplied.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituent(s):

Dipropylene glycol methyl ether [34590-94-8]: WES-TWA 100 ppm, 606 mg/m3; WES-STEL 150 ppm, 909 mg/m3, skin

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

WES - STEL (Workplace Exposure Standard - Short Term Exposure Limits) - The 15 minute average exposure standard. Applies to any 15 minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both short-term and eight-hour, time-weighted average exposures should be determined.

Skin' Notice - absorption through the skin may be a significant source of exposure. The exposure standard is invalidated if such contact should occur.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

### Appropriate engineering controls

Engineering controls	Eyewash stations. Apply technical measures to comply with the occupational exposure limits.
	If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.

Eye/face protection	Tight sealing safety goggles.
Hand protection	Impervious gloves.
Skin and body protection	Boots. Wear suitable protective clothing. Overalls.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold

Property\_ рΗ Melting po Boiling po Flash poin Evaporatio Flammabi Flammabi Upper fla limits Lower f limits Vapor pres Vapor den Relative de Water solu Solubility(i Partition c Autoignitie Decompos Kinematic **Dynamic viscosity** 

Liquid No information available. Light brown Characteristic No information available.

	<u>Values</u>	Remarks • Method
	7.2-7.6	None known
oint / freezing point	No data available	None known
oint / boiling range	No data available	None known
nt	No data available	None known
ion rate	No data available	None known
ility (solid, gas)	No data available	None known
ility Limit in Air		None known
flammability or explosive	No data available	
flammability or explosive	No data available	
essure	No data available	None known
nsity	No data available	None known
density	0.975-1.075	None known
lubility	Miscible in water	None known
v(ies)	No data available	None known
coefficient	No data available	None known
ion temperature	Not applicable	None known
sition temperature	No data available	None known
c viscosity	No data available	None known
viscosity	No data available	None known

Other information

# **10. STABILITY AND REACTIVITY**

<b>Reactivity</b>	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Direct sunlight.
Incompatible materials	
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	<u>S</u>

Hazardous decomposition products Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

# Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Causes serious eye damage.
Skin contact	May cause irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes.

Acute toxicity

# Numerical measures of toxicity

Refer to component information below.

# **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Dipropylene glycol monomethyl	= 5350 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-
ether			

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	>5000 mg/kg (OCDE 401)	>2000 mg/kg (OCDE 402)	-
D-Glucose, decyl octyl ethers,	-	2500 mg/kg	-
oligomeric			

See section 16 for terms and abbreviations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitization	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Ecotoxicity Keep out of waterways.

Terrestrial ecotoxicity There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Dipropylene glycol monomethyl ether	-	LC50: >10000mg/L (96h, Pimephales promelas)	LC50: =1919mg/L (48h, Daphnia magna)
D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	EC50: 5-38 mg/l (72hrs, fresh water, Desmodesmus subspicatus)	LC50: 2.95-5.9 mg/l (96 hrs, fresh water, Danio rerio)	LC50: 7-14 mg/l (48hrs, fresh water, Daphnia magna) NOEC: 1- 4 mg/l (21days,Fresh water, Daphnia magna)
D-Glucose, decyl octyl ethers, oligomeric	EC50: 27-37 mg/l (72hr, Algae - Desmodesmus subspicatus)	LC50: 100- 126mg/L (96h, Danio rerio, OCDE 203)	EC50 >100 mg/l (48h, Crustaceans - Daphnia magna, OCDE 202)

# Persistence and degradability Biodegradable. Persistence and degradability Biodegradable. Bioaccumulative potential No information available. Bioaccumulation No information available. Mobility No information available.

## **Component Information**

Chemical name	Partition coefficient	
Dipropylene glycol monomethyl ether	-0.064	
D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	<=0.07	

#### Other adverse effects

Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Waste from residues/unused products	Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

# **14. TRANSPORT INFORMATION**

ROAD AND RAIL TRANSPORT	Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.
<u>IATA</u>	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.
IMDG	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

# **15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand
-------------

**National regulations** 

See section 8 for national exposure control parameters

International Inventories	
NZIoC	Contact supplier for inventory compliance status.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.

Legend:

NZIOC - New Zealand Inventory of Chemicals
 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# **16. OTHER INFORMATION**

Supplier Safety Data Sheet 12/2018

Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Issuing Date:	29-Jul-2022
Reason(s) For Issue:	First Issue Primary SDS

Revision Note:

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

## Key or legend to abbreviations and acronyms used in the safety data sheet

Rey of legend to appreviations and acronyins used in the safety data sheet			
Legend Section 8	3: EXPOSURE CONTROLS/PERSONA	L PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet