SAFETY DATA SHEET



Revision date: 08-May-2023

Revision Number 1

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name MAC SLAY PROFESSIONAL (DRY) INSECTICIDE (Automatic Dispenser Refill Aerosols

300mL and Multi Shot Aerosol 500mL)

Product Code(s) 000000054450

Other means of identification

UN number 1950

Synonyms CIXSLAYIN3A-300ML; CIXSLAYIN5A-500ML.

Recommended use of the chemical and restrictions on use

Recommended use A unique synergised synthetic pyrethroid formulation, effective against flying and crawling

insects. Synergises three powerful insect killers to achieve rapid knockdown and high kill rate. Non-residual with low mammalian toxicity, important for the safety of humans and pets. Fine dry spray atomisation with a low irritant formulation. Shake well before use.

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier

Ixom Operations Pty Ltd (Incorporated in Australia) NZBN: 9429041465226 Address: 166 Totara Street

Mt Maunganui South

New Zealand

Telephone Number: +64 9 368 2700

Facsimile: +64 9 368 2710

For further information, please contact

Contact Point Product Safety Department

Emergency telephone number

Emergency Telephone 0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS Classification

SIGNAL WORD

Danger

Revision date: 08-May-2023

Aerosols (Flammable, Carcinogenic) Group Standard 2020

Approval Number: HSR002517

Flammable aerosols	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 2
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

Label elements



Hazard statements

H223 - Flammable aerosol

H340 - May cause genetic defects

H350 - May cause cancer

H373 - May cause damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Do not breathe fume, gas, mist, vapours, spray

Use personal protective equipment as required

Avoid release to the environment

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

Get medical advice/attention if you feel unwell

Collect spillage

Precautionary Statements - Storage

Store locked up

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	CAS No.	Weight-%
Propane	74-98-6	<32% with butane
Butane	106-97-8	<32% with propane
Naphtha (petroleum), heavy alkylate	64741-65-7	<5%
Piperonyl butoxide	51-03-6	15.65 g/L

000000054450 - MAC SLAY PROFESSIONAL (DRY) INSECTICIDE (Automatic Dispenser Refill Aerosols 300mL and Multi Shot Aerosol 500mL)

Revision Number 1

Revision date: 08-May-2023

Tetramethrin	7696-12-0	4.42 g/L
d-phenothrin	26002-80-2	0.34 g/L
Other component(s)	-	to 100%

4. FIRST AID MEASURES

Description of first aid measures

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

Emergency telephone number Poisons Information Center, New Zealand: 0800 764 766

Poisons Information Center, Australia: 13 11 26

Inhalation Remove to fresh air. Call a physician if symptoms occur.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash off immediately with plenty of water. Call a physician if symptoms occur.

Ingestion Clean mouth with water. Do NOT induce vomiting. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Fine water spray. Carbon dioxide (CO2). Foam. Dry chemical.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Highly flammable. Containers may explode when heated. May form explosive mixtures with air. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon oxides. Hydrocarbons.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Revision date: 08-May-2023

Revision Number 1

Personal precautions, protective equipment and emergency procedures

Personal precautions Contents under pressure. Do not puncture or incinerate cans. ELIMINATE all ignition

sources (no smoking, flares, sparks or flames in immediate area). Do not breathe fume, gas, mist, vapours, spray. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment as

required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up This product is a gas. Contents under pressure. Do not puncture or incinerate cans. Pick up

and transfer to properly labelled containers. Do not flush residues with water. Retain as

contaminated waste. Use personal protective equipment as required.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Keep out of reach of children. Contents under pressure. Do not puncture or incinerate cans.

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not breathe fume, gas, mist, vapours, spray. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Take off contaminated clothing and wash before

reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Protect from direct sunlight. Store away from

foodstuffs and sources of heat or ignition. Keep at temperatures below 50°C / 122°F.

Incompatible materials Acids. Alkalis. Oxidizing agents. Alkaline earth metals. Finely powdered metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by the New Zealand Workplace Health & Safety

Authority. However, Workplace Exposure Standard(s) for constituent(s):

Revision date: 08-May-2023

Butane: WES-TWA 800 ppm, 1,900 mg/m³

Propane: Simple asphyxiant-may present an explosion hazard

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

Asphyxiant - gases which can lead to reduction of oxygen concentration by displacement or dilution. The minimum oxygen content in air should be 18% by volume under normal atmospheric pressure.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Eyewash stations. Apply technical measures to comply with the occupational exposure

limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



Eye/face protection Glasses.

Hand protection Impervious gloves.

Skin and body protection Overalls. Protective shoes or boots. (for industrial handling).

vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls No information available.

54450 - MAC SLAY PROFESSIONAL (DRY)

Revision date: 08-May-2023

Revision Number 1

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Gas , Aerosol

Appearance No information available

Color Colourless

Odor Slight , Ethereal -like
Odor threshold No information available

Property Values Remarks • Method

No data available pН None known Melting point / freezing point No data available None known Boiling point / boiling range No data available None known Flash point <20°C (Propellant) None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Vapor density >1 (air=1) None known None known Relative density 0.80-0.82 g/mL @25°C No data available Water solubility None known Solubility(ies) Dispersible in water None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known No data available **Decomposition temperature** None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions Heating causes rise in pressure with risk of bursting.

Conditions to avoid

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition. Direct sunlight. Contact

with foodstuffs.

Revision date: 08-May-2023

Incompatible materials

Incompatible materials Acids. Alkalis. Oxidizing agents. Alkaline earth metals. Finely powdered metals.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product InformationNo adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

Inhalation May cause irritation. Breathing in high concentrations can produce central nervous system

depression, which can lead to loss of coordination, impaired judgement and if exposure is

prolonged, unconsciousness.

Eye contact May cause redness, itching, and pain.

Skin contact May cause irritation.

Ingestion Not an expected route of exposure.

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

Refer to component information below.

Component Information

oomponent imormation			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propane	-	-	> 800000 ppm (Rat) 15 min
Butane	-	-	= 658 g/m ³ (Rat) 4 h
Naphtha (petroleum), heavy alkylate	> 7000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.04 mg/L (Rat)4 h
Piperonyl butoxide	= 4570 mg/kg(Rat) = 6150 mg/kg(Rat)	= 1880 mg/kg (Rabbit)> 7950 mg/kg (Rat)	-
Tetramethrin	= 4640 mg/kg (Rat)	> 2000 mg/kg (Rat)> 2500 mg/kg (Rat)	> 1.18 mg/L (Rat)3 h
d-phenothrin	> 10 g/kg (Rat)	> 2000 mg/kg (Rat) > 5 g/kg (Rat)	> 3760 mg/m³(Rat)4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Revision date: 08-May-2023

Revision Number 1

Respiratory or skin sensitization No information available.

Germ cell mutagenicity May cause genetic defects. Classification is based on mixture calculation methods based

on component data.

Carcinogenicity May cause cancer. Classification is based on mixture calculation methods based on

component data. The table below indicates ingredients above the cut-off threshold

considered as relevant which are listed as carcinogenic.

Chemical name	New Zealand	IARC
Piperonyl butoxide - 51-03-6		Group 3
Tetramethrin - 7696-12-0		Group 2A
d-phenothrin - 26002-80-2		Group 2A

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure. Classification is

based on mixture calculation methods based on component data.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity Very toxic to aquatic life with long lasting effects. Keep out of waterways.

Terrestrial ecotoxicity There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Naphtha (petroleum), heavy	EC50: =30000mg/L (72h,	-	LC50: =2mg/L (48h, Mysidopsis
alkylate	Pseudokirchneriella subcapitata)		bahia)
Piperonyl butoxide	-	LC50: =7.07mg/L (96h,	-
. ,		Oncorhynchus mykiss)	

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Mobility

Mobility in soil No information available.

Component Information

Chemical name	Partition coefficient
Propane	2.3
Butane	2.89

Revision date: 08-May-2023

Revision Number 1

Other adverse effects

Other adverse effects No information available.

Endocrine Disruptor Information

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Piperonyl butoxide	Group III Chemical	-	-
d-phenothrin	Group III Chemical	-	-

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste. Class 2, 3 and 4 chemicals - may not be disposed of into or onto a landfill or sewage facility. They may only be burnt in certain situations. Class 2.1.1, 3.1 and 4.1.1 chemicals may only be discharged into the environment as waste if the substance will not at any time come into contact with class 1 or class 5 substances; and there will be no ignition source in the vicinity of the disposal site at any time and if the substance were to ignite, no person, or place where a person may legally be, would be exposed to an unsafe level of heat radiation.

Contaminated packaging

For packages that have been in direct contact with hazardous chemicals, the person must ensure that the package is rendered incapable of containing any chemical. It must be disposed of in a manner that is consistent with the requirements for disposal of the chemical that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the chemical to be classified as hazardous (class 6, 8, or 9 chemical).

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on

Land; DANGEROUS GOODS.

UN number 1950

Proper shipping name AEROSOLS

Hazard class 2.1

IATA Classified as Dangerous Goods by the criteria of the International Air Transport Association

(IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 1950

UN proper shipping name AEROSOLS, FLAMMABLE

Transport hazard class(es) 2.1

IMDG Classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 1950

UN proper shipping name AEROSOLS

Transport hazard class(es) 2.1
IMDG EMS Fire F-D
IMDG EMS Spill S-U

000000054450 - MAC SLAY PROFESSIONAL (DRY) INSECTICIDE (Automatic Dispenser Refill Aerosols 300mL and Multi Shot Aerosol 500mL)

Revision Number 1

Revision date: 08-May-2023

Marine pollutant Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand

National regulations See section 8 for national exposure control parameters

.

International Inventories

Contact supplier for inventory compliance status. **NZIoC** Contact supplier for inventory compliance status. **TSCA DSL/NDSL** Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL PICCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. AIIC

Legend:

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 02/2021

Prepared By This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and

SDS Services).

Issuing Date: 08-May-2023

Reason(s) For Issue: First Issue Primary SDS

Revision date: 08-May-2023

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet