

SAFETY DATA SHEET

Revision date: 16-Apr-2024 Revision Number 1

Section 1: Identification

Product identifier

Product Name SANIX-O

Product Code(s) 000000054624

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Sanitiser.

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier

Ixom Operations Pty Ltd (Incorporated in Australia) NZBN: 9429041465226 Address: 166 Totara Street

Mt Maunganui South

New Zealand

Telephone Number: +64 9 368 2700

Facsimile: +64 9 368 2710

Emergency telephone number

Emergency Telephone 0 800 734 607 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

Section 2: Hazard identification

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020. GHS Classification

Corrosive to metals	Category 1
Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3





Signal word

Danger

Hazard statements H290 - May be corrosive to metals

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

Precautionary Statements - Prevention

Keep only in original packaging.

Do not breathe dust/fume/gas/mist/vapors/spray.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/clothing and eye/face protection.

Precautionary Statements - Response

Specific treatment (see First aid on this SDS).

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Store in corrosion resistant container with a resistant inner liner.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Other hazards which do not result in classification

No information available.

Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Phosphoric acid	7664-38-2	15-30
Hydrogen peroxide	7722-84-1	<8
Octanoic acid	124-07-2	<5
Peracetic acid	79-21-0	<5
Other component(s)	-	to 100

Section 4: First-aid measures

Description of first aid measures

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

Inhalation Remove to fresh air. Oxygen or artificial respiration if needed. Seek immediate medical

attention/advice.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Immediately call a POISON CENTER or doctor/physician.

Ingestion Do NOT induce vomiting. Drink 1 or 2 glasses of water. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness).

Burning. Coughing and/ or wheezing. Difficulty in breathing.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Can cause corneal burns. Treat symptomatically.

Section 5: Fire-fighting measures

Hazchem code 2X.

Suitable Extinguishing Media

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Corrosive hazard. Wear protective gloves/clothing and eye/face protection.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Do not breathe vapor or mist. Ensure adequate

ventilation. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Stop leak if you can do it without risk. Use personal protective equipment as required. Wash

thoroughly after handling.

Environmental precautions

Environmental precautions Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

After cleaning, flush away traces with water.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes. Do not breathe vapor or mist. Do not eat, drink or smoke

when using this product. Ensure adequate ventilation. Use personal protection equipment. Wash thoroughly after handling. KEEP OUT OF REACH OF CHILDREN AND PETS.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct

sunlight. Store away from foodstuffs. Keep container closed when not in use.

Incompatible materials Alkalis. Metals. Metals salts.

Section 8: Exposure controls/personal protection

Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety

Authority. However, Workplace Exposure Standard(s) for constituents:.

Chemical name	New Zealand	Australia	ACGIH TLV	United Kingdom
Phosphoric acid	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³
7664-38-2		STEL: 3 mg/m ³	STEL: 3 mg/m ³	STEL: 2 mg/m ³
Hydrogen peroxide	TWA: 1 ppm	TWA: 1 ppm	TWA: 1 ppm	TWA: 1 ppm
7722-84-1	TWA: 1.4 mg/m ³	TWA: 1.4 mg/m ³		TWA: 1.4 mg/m ³
				STEL: 2 ppm
				STEL: 2.8 mg/m ³
Peracetic acid	-	-	STEL: 0.4 ppm	-
79-21-0			inhalable fraction and	
			vapor	

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric

contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

As published by the American Conference of Governmental Industrial Hygienists (ACGIH).

Appropriate engineering controls

Engineering controls Ensure that eyewash stations and safety showers are close to the workstation location.

Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.



Eye/face protection Tight sealing safety goggles. If splashes are likely to occur:. Face protection shield.

Hand protection Elbow-length impervious gloves.

Skin and body protection Overalls. Boots. Apron.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear a suitable mist respirator

meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Appearance Clear

Color No information available

Odor Characteristic.

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

>1.95 (1% solution - demineralised None known

water)

Melting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone knownFlash pointNot applicableNone knownEvaporation rateNo data availableNone known

Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available None known Vapor pressure Vapor density No data available None known Relative density 1.17-1.20 None known Water solubility Miscible in water None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known No data available Kinematic viscosity None known

 Kinematic viscosity
 No data available
 None known

 Dynamic viscosity
 No data available
 None known

 Explosive properties
 No information available

Explosive propertiesNo information available. **Oxidizing properties**No information available.

Other information

Softening point
Molecular weight
VOC Content (%)
Liquid Density
Bulk density
No information available
No information available
No information available
No information available

Particle characteristics

Section 10: Stability and reactivity

Reactivity

Reactivity Reacts with metals.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Direct sunlight. Heat. Temperatures above 25 °C / 77 °F.

Incompatible materials

Incompatible materials Alkalis. Metals. Metal salts.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product InformationNo adverse health effects expected if the chemical is handled in accordance with this Safety

Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is

mishandled and overexposure occurs are:

Inhalation Irritating to respiratory system.

Eye contact Causes serious eye damage.

Skin contact Causes burns.

Ingestion Can burn mouth, throat, and stomach. Harmful if swallowed.

Symptoms Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness).

Burning. Coughing and/ or wheezing. Difficulty in breathing.

Acute toxicity

Numerical measures of toxicity

No information available

Component Information

on ponone in ormanon				
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Phosphoric acid	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m ³ (Rat) 1 h	
Hydrogen peroxide	= 1518 mg/kg (Rat)	= 9200 mg/kg (Rabbit)	= 2000 mg/m ³ (Rat) 4 h	
Octanoic acid	= 10080 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-	
Peracetic acid	= 1540 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 213 mg/m ³ (Rat) 4 h = 186 mg/m ³ (Rat) 4 h	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes burns. Classification is based on mixture calculation methods based on component

data.

Serious eye damage/eye irritation Causes serious eye damage. Classification is based on mixture calculation methods based

on component data.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	New Zealand	IARC
Hydrogen peroxide - 7722-84-1	-	Group 3

Page 7/11

IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

STOT - single exposure May cause respiratory irritation. Classification is based on mixture calculation methods

based on component data.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Data used to identify the health

effects

Refer to Section 16 for Key literature references and sources for data used to compile the

SDS.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Hydrogen peroxide	-	LC50: =16.4mg/L (96h,	EC50: 18 - 32mg/L (48h,
		Pimephales promelas)	Daphnia magna)
		LC50: 18 - 56mg/L (96h,	
		Lepomis macrochirus)	
		LC50: 10.0 - 32.0mg/L (96h,	
		Oncorhynchus mykiss)	
Octanoic acid	-	LC50: =310mg/L (96h,	-
		Oryzias latipes)	
		LC50: =110mg/L (96h,	
		Brachydanio rerio)	
Peracetic acid	-	LC50: =1.1mg/L (96h,	-
		Lepomis macrochirus)	

Terrestrial ecotoxicity There is no data for this product.

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Phosphoric acid	-0.9
Octanoic acid	3.05
Peracetic acid	-0.46

Mobility in soil

Mobility No information available.

00000054624 - SANIX-O Revision date: 16-Apr-2024 **Revision Number** 1

Other adverse effects

No information available.

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused products

Dispose of product in packaging in a way that is consistent with the EPA Consolidation 30 April 2021 of the Hazardous Substances (Disposal) Notice 2017 and the Act.

Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste.

Class 6 and 8 chemicals - may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that chemical); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is not tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances...

Contaminated packaging

Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the chemical to be classified as hazardous (class 6, 8, or 9 chemical).

Empty containers should be taken to an approved waste handling site for recycling or disposal..

Section 14: Transport information

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on ROAD AND RAIL TRANSPORT

Land: DANGEROUS GOODS.

UN number or ID number Proper shipping name Transport hazard class(es)

Ш 2X

Packing group Hazchem code

IATA

IMDG

Classified as Dangerous Goods by the criteria of the International Air Transport Association

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS PHOSPHORIC ACID)

(IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 3264

UN proper shipping name Transport hazard class(es) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS PHOSPHORIC ACID)

Packing group

Ш

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Goods Code (IMDG Code) for transport by sea: DANGEROUS GOODS.

3264 **UN number**

UN proper shipping name Transport hazard class(es) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS PHOSPHORIC ACID)

Packing group

Ш

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Special precautions for user

Please refer to the applicable dangerous goods regulations for additional information

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EPA New Zealand HSNO approval code or group standard

HSR002526 - Cleaning Products (Corrosive)

National regulations

There are no applicable tolerable exposure limits or environmental exposure limits

according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information

Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information

Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017 for

more information

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

NZIOCAll the constituents of this material are listed on the New Zealand Inventory of Chemicals.

TSCA

Contact supplier for inventory compliance status.

DSL/NDSL

Contact supplier for inventory compliance status.

KECL

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

TCSI Contact supplier for inventory compliance status.

Legend:

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC- Australian Inventory of Industrial Chemicals

TCSI - Taiwan Chemical Substance Inventory

Section 16: Other information

Prepared By This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and

SDS Services).

Revision date: 16-Apr-2024

Reason(s) For Issue: First Issue Primary SDS

Revision Note:

***Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

Leaend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation * Sensitizers

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet