SAFETY DATA SHEET



Revision date: 23-Mar-2021

Revision Number 6

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER		
Product identifier		
Product Name	SODIUM CARBOXYMETHYL CELLULOSE	
Product Code(s)	000030250201	
Other means of identification		
CAS No.	9004-32-4	
Synonyms	Sodium carboxy methyl cellulose; Sodium CMC; CMC; Cellulose gum; Daicel; Finnfix 300; Celect HPD; Celect SD.	
Recommended use of the chemical	and restrictions on use	
Recommended use	Thickening agent.	
Uses advised against	No information available.	
Details of the supplier of the safety	data sheet	
Supplier Ixom Operations Pty Ltd (Incorporated in Australia) NZBN: 9429041465226 Address: 166 Totara Street Mt Maunganui South New Zealand Telephone Number: +64 9 368 2700		
Facimile: +64 9 368 2710		
For further information, please cont	act	
Contact Point	Product Safety Department	
Emergency telephone number		
Emergency Telephone	0 800 734 607 (ALL HOURS)	
Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.		
2. HAZARDS IDENTIFICATION		
Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.		
Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.		
GHS Classification		

Subclass 9.1 Category C - Substances that are harmful in the aquatic environment.

Approval Number: HSR003136

Label elements

Hazard statements

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - PreventionAvoid release to the environmentPrecautionary Statements - ResponseNo response statements.Precautionary Statements - StorageNo storage statementsPrecautionary Statements - Disposal

In the case of a substance that is in compliance with a HSNO approval other than a Part 6A (Group Standards) approval, a label must provide a description of one or more appropriate and achievable methods for the disposal of a substance in accordance with the Hazardous Substances (Disposal) Notice 2017. This may also include any method of disposal that must be avoided.

Other hazards which do not result in classification

Dust can form an explosive mixture with air

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical name	CAS No.	Weight-%
Sodium carboxymethyl cellulose	9004-32-4	>=98

4. FIRST AID MEASURES

Description of first aid measures

Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26	
Inhalation	Remove to fresh air. Call a physician if symptoms occur.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if symptoms occur.	
Skin contact	Wash skin with soap and water. Call a physician if symptoms occur.	
Ingestion	Clean mouth with water. Drink 1 or 2 glasses of water. Get medical attention if symptoms occur.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

 Specific hazards arising from the chemical
 Combustible material. Avoid generation of dust. Fine dust dispersed in air may ignite.

 Hazardous combustion products
 Carbon oxides.

 Special protective actions for fire-fighters

Special protective equipment for
fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout
gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin and eyes. Avoid generation of dust. Remove all sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use personal protective equipment as required. Wash thoroughly after handling.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. After cleaning, flush away traces with water.	
Precautions to prevent secondary hazards		

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling Advice on safe handling Avoid contact with skin and eyes. Avoid generation of dust. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking and explosion proof. Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

open flames, hot surfaces and sources of ignition. Keep container closed when not in use.

Incompatible materials

Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for particulate(s):

Particulates not otherwise classified: 8hr WES-TWA 10 mg/m³ (inhalable dust) or 3 mg/m³ (respirable dust)

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, DUST MASK.



meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties	_
---	---

Physical stateSolidAppearancePowderColorOff-whiteOdorOdourlessOdor thresholdNo information available.

<u>Property</u> pH	<u>Values</u> 6.5-8.5 (as aqueous solution)	Remarks • Method None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	<1	None known
Water solubility	Soluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	360°C	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

10. STABILITY AND REACTIVITY

Reactivity	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Possibility of hazardous reactions	
Hazardous polymerization	Hazardous polymerization does not occur.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Dust formation. Heat, flames and sparks. UV-radiation/sunlight. Static discharge (electrostatic discharge).

Incompatible materials

Incompatible materials Oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Dust contact with the eyes can lead to mechanical irritation.
Skin contact	May cause irritation.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.
Symptoms	No information available.
Acute toxicity	

Numerical measures of toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium carboxymethyl cellulose	= 27000 mg/kg (Rat)	> 2 g/kg (Rabbit)	> 5800 mg/m³(Rat)4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Respiratory or skin sensitization	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.

STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.

12. ECOLOGICAL INFORMATION

<u>IATA</u>

<u>Ecotoxicity</u>		
Ecotoxicity	Keep out of waterways. Harmful to aquatic life with long lasting effects.	
Terrestrial ecotoxicity	There is no data for this product.	
Persistence and degradability		
Persistence and degradability	Inherently biodegradable.	
Bioaccumulative potential		
Bioaccumulation	No information available.	
<u>Mobility</u>		
Mobility in soil	No information available.	
Other adverse effects		
Other adverse effects	No information available.	
13. DISPOSAL CONSIDER	RATIONS	
Waste treatment methods		
Waste from residues/unused products	Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste.	
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.	
14. TRANSPORT INFORMATION		
ROAD AND RAIL TRANSPORT	Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land; NON-DANGEROUS GOODS.	

Not classified as Dangerous Goods by the criteria of the International Air Transport

Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

IMDG

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand

National regulations

See section 8 for national exposure control parameters

Chemical name	New Zealand HSNO Chemical Classification
Sodium carboxymethyl cellulose - 9004-32-4	9.1C (All),9.1C (C)

International Inventories

NZIoC	This material is listed on the New Zealand Inventory of Chemicals.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	This material is listed on the Australian Inventory of Industrial Chemicals.

Legend:

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 03/2018

Prepared By

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Issuing Date:	23-Mar-2021				
-					
Reason(s) For Issue:	Revised Primary SD Addition/Change of		e(s)		
Revision Note: The symbol (*) in the margin of th	is SDS indicates that this	line has been revis	ed.		
Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION					
TWA TWA (time-we	eighted average)	STEL	STEL (Short Term Exposure Limit)		
Ceiling Maximum limi C Carcinogen	t value		Skin designation		
Key literature references and so Agency for Toxic Substances and U.S. Environmental Protection Ag European Food Safety Authority (EPA (Environmental Protection Ag Acute Exposure Guideline Level(s U.S. Environmental Protection Ag U.S. Environmental Protection Ag Food Research Journal Hazardous Substance Database International Uniform Chemical In Japan GHS Classification Australian Industrial Chemicals In NIOSH (National Institute for Occi National Library of Medicine's Che National Library of Medicine's Put National Toxicology Program (NT New Zealand's Chemical Classific Organization for Economic Co-op Organization for Economic Co-op RTECS (Registry of Toxic Effects World Health Organization	I Disease Registry (ATSDI ency ChemView Databas EFSA) gency) s) (AEGL(s)) ency Federal Insecticide, ency High Production Vol formation Database (IUCI troduction Scheme (AICIS upational Safety and Heal emID Plus (NLM CIP) oMed database (NLM PUE P) cation and Information Data eration and Development eration and Development eration and Development	R) e Fungicide, and Ro ume Chemicals LID) S) Ith) BMED) tabase (CCID) Environment, Heal High Production Vo Screening Informa	th, and Safety Publications olume Chemicals Program		

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet