# SAFETY DATA SHEET



Revision date: 05-May-2021

#### **Revision Number** 5

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER		
Product identifier		
Product Name	CERECLOR A42	
Product Code(s)	000030295101	
Other means of identification		
CAS No.	63449-39-8	
Synonyms	C22-30 Chlorinated paraffin (chlorination 42%); 42% Chlorinated paraffin.	
Recommended use of the chemical	and restrictions on use	
Recommended use	Extreme pressure additive. Plasticiser in paint applications.	
Uses advised against	No information available.	
Details of the supplier of the safety	data sheet	
Supplier Ixom Operations Pty Ltd (Incorporated in Australia) NZBN: 9429041465226 Address: 166 Totara Street Mt Maunganui South New Zealand		
Telephone Number: +64 9 368 2700 Facimile: +64 9 368 2710		
For further information, please cont	act	
Contact Point	Product Safety Department	
Emergency telephone number		
Emergency Telephone	0 800 734 607 (ALL HOURS)	
Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.		
2. HAZARDS IDENTIFICATION		
Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land.		
Based on available information, not classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.		
GHS Classification		

Label elements

Hazard statements

Other hazards which do not result in classification No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Chlorinated paraffin	63449-39-8	100%

# 4. FIRST AID MEASURES

Description of first aid measures

Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26
Inhalation	Remove to fresh air. Call a physician if symptoms occur.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if symptoms occur.
Skin contact	Wash skin with soap and water. Call a physician if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

### Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE FIGHTING MEASURES		
Suitable Extinguishing Media		
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.	
Unsuitable extinguishing media	No information available.	
Specific hazards arising from the chemical		
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating and toxic gases and vapors.	
Special protective actions for fire-fighters		
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin and eyes. Avoid breathing vapors or mists. Use personal protective equipment as required. Wash thoroughly after handling.		
For emergency responders	Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Wash area down with high pressure hot water jet.		
Precautions to prevent secondary hazards			

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling	Avoid contact with skin and eyes. Avoid breathing vapors or mists. Use personal protection equipment. Wash thoroughly after handling.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container closed when not in use.		
Incompatible materials	Strong oxidizing agents.		

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Limits** No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority.

#### Appropriate engineering controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

# OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state	Liquid	
Appearance	Clear	
Color	Almost Colourless	
Odor	Characteristic Sweet	
Odor threshold	Not determined	
Property	Values	Remarks • Method
pH	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	Not applicable	
limits		
Lower flammability or explosive	Not applicable	
limits		
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.16 @25°C	None known
Water solubility	Immiscible in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	>200°C	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Pour Point	-30°C	

# **10. STABILITY AND REACTIVITY**

Reactivity	
Reactivity	No information available.
Chemical stability	
Stability	Prolonged heating at temperatures in excess of 70°C or heating above 200°C for short periods of time will result in decomposition and liberation of hydrogen chloride.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Hazardous polymerization	Hazardous polymerization does not occur.
Possibility of hazardous reactions	Can react with alkali metals and alkaline earth metals which have a strong affinity for chlorine. Can react with iron, zinc and aluminium at high temperatures leading to decomposition.
Conditions to avoid	
Conditions to avoid	Heat. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible materials	
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	

Hazardous decomposition products Chlorine. Hydrogen chloride. Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

# Acute toxicity

#### Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	May cause irritation.
Skin contact	May cause irritation.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.
Symptoms	No information available.
Acute toxicity	
Numerical measures of toxicity	

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Chlorinated paraffin	> 21500 µL/kg (Rat) = 26100 mg/kg (Rat)	>10 mL/kg (Rabbit)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Chronic effects:	Available evidence from animal studies indicate that repeated or prolonged exposure to this material could result in effects on the liver.

# 12. ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	
Ecotoxicity	Keep out of waterways.

Terrestrial ecotoxicity There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Chlorinated paraffin		LC50: >300mg/L (96h, Lepomis macrochirus) LC50: >0.0109mg/L (96h, Oncorhynchus mykiss) LC50: 94.5 - 271mg/L (96h, Oncorhynchus mykiss) LC50: >0.1mg/L (96h, Lepomis macrochirus) LC50: >100mg/L (96h, Pimephales	EC50: =102mg/L (24h, Daphnia magna)
promelas)			

Persistence and degradability

Persistence and degradability No information available.

**Bioaccumulative potential** 

**Bioaccumulation** 

Bioaccumulative potential.

#### <u>Mobility</u>

Mobility in soil	No information available.
------------------	---------------------------

Other adverse effects

Other adverse effects No information available.

# 13. DISPOSAL CONSIDERATIONS Waste treatment methods Waste from residues/unused products Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. TRANSPORT INFORMATION ROAD AND RAIL TRANSPORT Not classified as a Dangerous Good under NZS 5433 Transport of Dangerous Goods on Land. IATA Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS. IMDG Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

# **15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### New Zealand

National regulations	See section 8 for national exposure control parameters		
International Inventories NZIoC TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS	All the constituents of this material are listed on the New Zealand Inventory of Chemicals. Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.		

Legend:

**NZIOC** - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

- Australian Inventory of Industrial Chemicals

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# **16. OTHER INFORMATION**

CERECLOR is a trade mark, the property of INEOS Chlor Limited.

Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).						
Issuing Date:	05-May-2021						
Reason(s) For Issue:	5 Yearly Revised Prima	ary SDS					
<b>Revision Note:</b> The symbol (*) in the margin of this SDS indicates that this line has been revised.							
Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION							
TWATWA (time-weighCeilingMaximum limit vaCCarcinogen		STEL *	STEL (Short Term Exposure Limit) Skin designation				
Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's ChemID Plus (NLM PUBMED) National Lorosology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development Environment, Mealth, and Safety Publications Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances)							

World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since lxom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**